

**Questar Overthrust Pipeline Company
Average Daily Gas Quality Information**

Meter Name = COLEMAN TO OVERTHRUST #1- 10 INCH

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
3016	02/05/2012	0.6355	1083.84	0.67	1.80	89.65	4.97	1.82	0.36	0.40	0.13	0.09	0.06	0.04	0.01	0.00
3016	02/04/2012	0.6375	1086.47	0.69	1.81	89.38	5.11	1.88	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	02/03/2012	0.6388	1088.37	0.69	1.82	89.25	5.16	1.92	0.38	0.43	0.14	0.10	0.07	0.04	0.01	0.00
3016	02/02/2012	0.6371	1084.66	0.66	1.88	89.46	5.08	1.82	0.36	0.40	0.13	0.09	0.07	0.04	0.02	0.00
3016	02/01/2012	0.6391	1088.53	0.72	1.81	89.29	5.12	1.87	0.37	0.43	0.14	0.11	0.09	0.05	0.01	0.00
3016	01/31/2012	0.6394	1086.95	0.73	1.88	89.16	5.19	1.88	0.37	0.42	0.14	0.10	0.07	0.04	0.02	0.00
3016	01/30/2012	0.6376	1084.72	0.74	1.86	89.34	5.13	1.83	0.36	0.40	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/29/2012	0.6379	1086.66	0.68	1.84	89.33	5.16	1.87	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/28/2012	0.6379	1086.19	0.68	1.85	89.33	5.16	1.86	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/27/2012	0.6386	1086.60	0.70	1.86	89.28	5.14	1.86	0.37	0.41	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/26/2012	0.6393	1088.22	0.71	1.83	89.27	5.13	1.86	0.37	0.42	0.14	0.10	0.09	0.05	0.01	0.00
3016	01/25/2012	0.6378	1087.76	0.57	1.86	89.40	5.18	1.86	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/24/2012	0.6389	1091.31	0.48	1.85	89.40	5.19	1.89	0.37	0.43	0.14	0.11	0.08	0.05	0.01	0.00
3016	01/23/2012	0.6377	1088.51	0.47	1.88	89.46	5.19	1.87	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/22/2012	0.6378	1089.72	0.46	1.86	89.50	5.16	1.88	0.37	0.41	0.13	0.09	0.07	0.05	0.02	0.00
3016	01/21/2012	0.6384	1090.72	0.46	1.85	89.43	5.19	1.90	0.37	0.42	0.14	0.10	0.08	0.04	0.01	0.00
3016	01/20/2012	0.6383	1090.41	0.46	1.85	89.42	5.21	1.91	0.38	0.42	0.14	0.09	0.07	0.04	0.01	0.00
3016	01/19/2012	0.6384	1090.86	0.48	1.83	89.38	5.22	1.92	0.38	0.42	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/18/2012	0.6382	1089.84	0.48	1.86	89.41	5.20	1.90	0.38	0.42	0.14	0.09	0.07	0.04	0.01	0.00
3016	01/17/2012	0.6377	1089.57	0.49	1.83	89.43	5.21	1.91	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/16/2012	0.6373	1089.36	0.49	1.81	89.47	5.19	1.90	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/15/2012	0.6368	1087.62	0.49	1.86	89.57	5.12	1.85	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/14/2012	0.6383	1090.03	0.50	1.84	89.43	5.17	1.90	0.38	0.42	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/13/2012	0.6309	1081.73	0.49	1.72	90.25	4.76	1.75	0.34	0.38	0.12	0.08	0.06	0.03	0.01	0.00
3016	01/12/2012	0.5942	1043.56	0.44	1.00	94.66	2.66	0.82	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
3016	01/11/2012	0.6001	1051.41	0.42	1.06	93.93	3.06	1.01	0.19	0.20	0.06	0.04	0.02	0.01	0.00	0.00
3016	01/10/2012	0.6113	1062.93	0.47	1.27	92.59	3.67	1.29	0.25	0.26	0.08	0.05	0.04	0.02	0.01	0.00
3016	01/09/2012	0.6379	1089.56	0.49	1.85	89.42	5.21	1.90	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/08/2012	0.6399	1093.18	0.48	1.83	89.22	5.30	1.97	0.39	0.43	0.14	0.10	0.07	0.04	0.02	0.00
3016	01/07/2012	0.6404	1093.55	0.49	1.84	89.18	5.31	1.98	0.39	0.44	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/06/2012	0.6399	1092.70	0.50	1.84	89.21	5.29	1.96	0.39	0.44	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/05/2012	0.6385	1091.06	0.50	1.82	89.37	5.21	1.93	0.38	0.42	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/04/2012	0.6376	1089.82	0.50	1.81	89.51	5.12	1.91	0.38	0.42	0.14	0.09	0.07	0.04	0.01	0.00
3016	01/03/2012	0.6395	1092.33	0.52	1.81	89.24	5.27	1.96	0.39	0.43	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/02/2012	0.6389	1090.29	0.52	1.86	89.32	5.23	1.91	0.38	0.42	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/01/2012	0.6394	1091.67	0.52	1.83	89.26	5.26	1.95	0.39	0.43	0.14	0.10	0.07	0.04	0.01	0.00
3016	12/31/2011	0.6399	1092.20	0.52	1.84	89.21	5.26	1.97	0.39	0.43	0.14	0.10	0.07	0.04	0.01	0.00
3016	12/30/2011	0.6398	1092.05	0.52	1.84	89.24	5.26	1.95	0.39	0.43	0.14	0.10	0.07	0.04	0.02	0.00
3016	12/29/2011	0.6400	1092.43	0.52	1.84	89.23	5.25	1.95	0.39	0.44	0.14	0.10	0.07	0.04	0.02	0.00
3016	12/28/2011	0.6404	1092.45	0.53	1.85	89.17	5.27	1.97	0.40	0.44	0.14	0.10	0.07	0.04	0.01	0.00
3016	12/27/2011	0.6397	1090.35	0.53	1.90	89.24	5.23	1.92	0.39	0.43	0.14	0.10	0.07	0.04	0.02	0.00
3016	12/26/2011	0.6398	1092.06	0.54	1.83	89.20	5.29	1.95	0.38	0.43	0.14	0.10	0.07	0.04	0.02	0.00
3016	12/25/2011	0.6394	1090.32	0.57	1.86	89.22	5.26	1.93	0.38	0.42	0.14	0.10	0.07	0.04	0.02	0.00
3016	12/24/2011	0.6363	1086.20	0.56	1.83	89.63	5.04	1.83	0.36	0.40	0.13	0.09	0.07	0.04	0.02	0.00
3016	12/23/2011	0.6348	1083.83	0.57	1.83	89.85	4.88	1.78	0.36	0.39	0.13	0.09	0.07	0.04	0.02	0.00
3016	12/22/2011	0.6387	1088.20	0.59	1.88	89.36	5.12	1.88	0.38	0.42	0.14	0.10	0.07	0.04	0.02	0.00
3016	12/21/2011	0.6388	1087.87	0.61	1.89	89.33	5.14	1.87	0.38	0.41	0.14	0.10	0.08	0.04	0.02	0.00
3016	12/20/2011	0.6407	1094.14	0.61	1.76	89.11	5.29	1.98	0.40	0.46	0.15	0.11	0.07	0.04	0.02	0.00
3016	12/19/2011	0.6402	1094.59	0.61	1.71	89.08	5.39	2.01	0.39	0.44	0.14	0.10	0.07	0.05	0.02	0.00
3016	12/18/2011	0.6393	1093.32	0.63	1.69	89.19	5.34	1.97	0.38	0.43	0.14	0.10	0.08	0.05	0.02	0.00
3016	12/17/2011	0.6417	1096.02	0.65	1.72	88.93	5.43	2.04	0.40	0.45	0.14	0.10	0.08	0.05	0.02	0.00
3016	12/16/2011	0.6432	1098.87	0.65	1.70	88.78	5.48	2.10	0.41	0.46	0.15	0.11	0.09	0.05	0.02	0.00
3016	12/15/2011	0.6416	1095.64	0.68	1.71	88.93	5.41	2.02	0.39	0.45	0.15	0.11	0.09	0.05	0.01	0.00
3016	12/14/2011	0.6407	1092.82	0.66	1.78	89.11	5.26	1.94	0.39	0.44	0.15	0.11	0.08	0.05	0.01	0.00
3016	12/13/2011	0.6404	1091.40	0.65	1.82	89.20	5.16	1.92	0.40	0.45	0.16	0.11	0.08	0.05	0.01	0.00
3016	12/12/2011	0.6389	1090.80	0.62	1.77	89.39	5.10	1.89	0.39	0.44	0.15	0.11	0.08	0.05	0.01	0.00
3016	12/11/2011	0.6414	1093.80	0.62	1.80	89.08	5.25	1.97	0.41	0.45	0.16	0.11	0.08	0.05	0.01	0.00
3016	12/10/2011	0.6413	1093.40	0.64	1.81	89.08	5.25	1.96	0.40	0.45	0.16	0.11	0.08	0.05	0.01	0.00
3016	12/09/2011	0.6409	1092.12	0.63	1.84	89.14	5.20	1.93	0.40	0.45	0.16	0.11	0.08	0.05	0.01	0.00
3016	12/08/2011	0.6370	1087.84	0.62	1.77	89.59	5.01	1.83	0.38	0.42	0.15	0.10	0.08	0.04	0.01	0.00
3016	12/07/2011	0.6382	1087.28	0.66	1.84	89.43	5.06	1.82	0.38	0.42	0.15	0.10	0.08	0.05	0.01	0.00
3016	12/06/2011	0.6327	1081.37	0.67	1.73	89.99	4.85	1.70	0.34	0.38	0.13	0.09	0.07	0.04	0.01	0.00
3016	12/05/2011	0.6235	1073.09	0.55	1.56	91.10	4.40	1.48	0.29	0.33	0.11	0.08	0.06	0.03	0.01	0.00
3016	12/04/2011	0.6408	1091.91	0.70	1.79	89.09	5.22	1.95	0.40	0.45	0.15	0.11	0.08	0.05	0.01	0.00
3016	12/03/2011	0.6392	1089.28	0.70	1.79	89.34	5.03	1.90	0.39	0.44	0.15	0.11	0.08	0.05	0.02	0.00

**Questar Overthrust Pipeline Company
Average Daily Gas Quality Information**

Meter Name = COLEMAN TO OVERTHRUST #1- 10 INCH

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
3016	12/02/2011	0.6323	1078.52	0.70	1.80	90.13	4.66	1.64	0.33	0.37	0.13	0.09	0.08	0.05	0.02	0.00
3016	12/01/2011	0.6342	1081.02	0.74	1.79	89.88	4.77	1.70	0.35	0.39	0.14	0.10	0.08	0.05	0.02	0.00
3016	11/30/2011	0.6372	1083.79	0.78	1.84	89.50	4.95	1.77	0.36	0.40	0.14	0.10	0.08	0.05	0.02	0.00
3016	11/29/2011	0.6286	1073.31	0.75	1.74	90.60	4.38	1.52	0.31	0.35	0.12	0.09	0.07	0.05	0.02	0.00
3016	11/28/2011	0.6326	1080.32	0.64	1.78	90.17	4.65	1.66	0.34	0.38	0.14	0.09	0.08	0.05	0.02	0.00
3016	11/27/2011	0.6404	1087.86	0.81	1.85	89.14	5.09	1.88	0.39	0.43	0.15	0.11	0.08	0.05	0.02	0.00
3016	11/26/2011	0.6380	1083.94	0.90	1.80	89.23	5.10	1.84	0.37	0.41	0.14	0.09	0.07	0.04	0.01	0.00
3016	11/25/2011	0.6373	1083.02	0.85	1.83	89.29	5.11	1.83	0.36	0.40	0.13	0.09	0.06	0.04	0.01	0.00
3016	11/24/2011	0.6386	1085.14	0.91	1.79	89.15	5.14	1.87	0.37	0.41	0.14	0.09	0.07	0.04	0.01	0.00
3016	11/23/2011	0.6422	1092.42	0.75	1.83	88.92	5.22	2.02	0.41	0.45	0.15	0.10	0.08	0.05	0.02	0.00
3016	11/22/2011	0.6333	1082.87	0.62	1.74	89.97	4.83	1.76	0.35	0.39	0.13	0.09	0.07	0.04	0.01	0.00
3016	11/21/2011	0.6331	1082.33	0.57	1.78	90.03	4.79	1.76	0.35	0.39	0.13	0.09	0.06	0.04	0.01	0.00
3016	11/20/2011	0.6315	1079.66	0.58	1.78	90.22	4.67	1.71	0.34	0.37	0.12	0.08	0.06	0.04	0.01	0.00
3016	11/19/2011	0.6302	1077.78	0.58	1.78	90.38	4.58	1.67	0.33	0.37	0.12	0.08	0.06	0.04	0.01	0.00
3016	11/18/2011	0.6298	1076.10	0.59	1.81	90.44	4.53	1.63	0.33	0.36	0.12	0.08	0.06	0.04	0.01	0.00
3016	11/17/2011	0.6284	1075.20	0.55	1.79	90.53	4.56	1.61	0.32	0.35	0.11	0.08	0.06	0.03	0.01	0.00
3016	11/16/2011	0.6295	1076.71	0.58	1.77	90.42	4.59	1.65	0.33	0.36	0.12	0.08	0.06	0.03	0.01	0.00
3016	11/15/2011	0.6303	1077.98	0.57	1.78	90.37	4.59	1.66	0.34	0.37	0.12	0.08	0.06	0.04	0.01	0.00
3016	11/14/2011	0.6297	1077.81	0.58	1.74	90.44	4.57	1.66	0.33	0.37	0.12	0.08	0.06	0.03	0.01	0.00
3016	11/13/2011	0.6269	1073.03	0.57	1.77	90.76	4.39	1.58	0.31	0.34	0.11	0.08	0.05	0.03	0.01	0.00
3016	11/12/2011	0.6246	1070.23	0.56	1.74	91.02	4.27	1.52	0.30	0.33	0.11	0.07	0.05	0.03	0.01	0.00
3016	11/11/2011	0.6235	1068.78	0.55	1.73	91.20	4.16	1.47	0.30	0.32	0.10	0.07	0.05	0.03	0.01	0.00
3016	11/10/2011	0.6242	1069.78	0.54	1.75	91.15	4.15	1.50	0.30	0.33	0.11	0.07	0.05	0.03	0.01	0.00
3016	11/09/2011	0.6347	1082.91	0.58	1.85	89.86	4.80	1.81	0.37	0.40	0.13	0.09	0.06	0.04	0.01	0.00
3016	11/08/2011	0.6363	1083.82	0.65	1.86	89.55	5.01	1.83	0.37	0.40	0.13	0.09	0.06	0.04	0.01	0.00

Meter Name = KANDA TO COLEMAN 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1203	02/05/2012	0.5713	1023.02	0.46	0.38	97.45	1.33	0.26	0.04	0.05	0.01	0.01	0.01	0.00	0.00	0.00
1203	02/04/2012	0.5724	1024.25	0.48	0.38	97.27	1.45	0.29	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
1203	02/03/2012	0.5719	1023.33	0.46	0.40	97.37	1.38	0.28	0.04	0.05	0.01	0.01	0.01	0.00	0.00	0.00
1203	02/02/2012	0.5670	1015.80	0.60	0.31	97.98	0.94	0.11	0.02	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1203	02/01/2012	0.5697	1009.90	0.74	0.61	97.70	0.79	0.09	0.02	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/31/2012	0.5658	1016.05	0.64	0.19	98.08	0.93	0.09	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/30/2012	0.5650	1015.10	0.66	0.17	98.20	0.83	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/29/2012	0.5658	1016.44	0.59	0.21	98.11	0.92	0.10	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/28/2012	0.5655	1016.32	0.59	0.20	98.14	0.92	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/27/2012	0.5656	1015.43	0.58	0.24	98.17	0.86	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/26/2012	0.5651	1016.66	0.52	0.20	98.24	0.89	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/25/2012	0.5657	1015.35	0.60	0.24	98.15	0.85	0.09	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/24/2012	0.5658	1016.70	0.56	0.22	98.14	0.91	0.10	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/23/2012	0.5649	1016.22	0.53	0.21	98.28	0.84	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/22/2012	0.5655	1016.48	0.54	0.23	98.20	0.87	0.10	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/21/2012	0.5671	1017.96	0.56	0.25	97.96	1.01	0.14	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/20/2012	0.5658	1015.58	0.66	0.20	98.08	0.91	0.10	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/19/2012	0.5646	1016.01	0.55	0.18	98.30	0.84	0.08	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1203	01/18/2012	0.5636	1015.70	0.55	0.13	98.42	0.78	0.07	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1203	01/17/2012	0.5642	1015.84	0.53	0.18	98.35	0.82	0.08	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1203	01/16/2012	0.5658	1014.94	0.61	0.26	98.14	0.84	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/15/2012	0.5800	1040.25	0.51	0.20	96.20	2.23	0.56	0.11	0.11	0.03	0.02	0.01	0.00	0.00	0.00
1203	01/14/2012	0.5682	1019.88	0.55	0.25	97.79	1.14	0.17	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/13/2012	0.5642	1016.97	0.51	0.15	98.34	0.87	0.09	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1203	01/12/2012	0.5650	1016.89	0.53	0.18	98.22	0.93	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/11/2012	0.5649	1017.01	0.51	0.19	98.25	0.91	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/10/2012	0.5669	1016.49	0.63	0.25	97.95	0.99	0.11	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/09/2012	0.5692	1017.26	0.71	0.31	97.62	1.11	0.15	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/08/2012	0.5679	1015.96	0.75	0.25	97.77	1.03	0.12	0.02	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/07/2012	0.5678	1016.87	0.61	0.30	97.86	1.02	0.13	0.02	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/06/2012	0.5666	1016.87	0.58	0.25	98.01	1.00	0.11	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/05/2012	0.5680	1017.78	0.63	0.27	97.80	1.08	0.14	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/04/2012	0.5681	1018.73	0.63	0.24	97.76	1.14	0.15	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/03/2012	0.5701	1014.02	0.68	0.52	97.60	1.00	0.13	0.02	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/02/2012	0.5656	1015.40	0.69	0.17	98.07	0.94	0.08	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/01/2012	0.5646	1016.92	0.48	0.19	98.29	0.91	0.08	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1203	12/31/2011	0.5708	1020.80	0.59	0.35	97.41	1.34	0.20	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
1203	12/30/2011	0.5727	1021.06	0.54	0.49	97.23	1.39	0.23	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
1203	12/29/2011	0.5786	1031.30	0.53	0.46	96.23	2.19	0.46	0.06	0.05	0.01	0.01	0.00	0.00	0.00	0.00
1203	12/28/2011	0.5817	1026.36	0.66	0.76	95.90	2.11	0.44	0.06	0.05	0.01	0.01	0.01	0.00	0.00	0.00
1203	12/27/2011	0.5815	1027.53	0.63	0.72	96.06	1.95	0.45	0.07	0.08	0.02	0.01	0.01	0.00	0.00	0.00

**Questar Overthrust Pipeline Company
Average Daily Gas Quality Information**

Meter Name = KANDA TO COLEMAN 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1203	12/26/2011	0.5839	1036.23	0.19	0.81	95.89	2.30	0.58	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/25/2011	0.5842	1037.69	0.19	0.78	95.81	2.40	0.59	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/24/2011	0.5900	1045.51	0.19	0.82	95.07	2.83	0.75	0.12	0.13	0.03	0.02	0.01	0.01	0.00	0.00
1203	12/23/2011	0.5846	1037.13	0.19	0.82	95.79	2.36	0.60	0.09	0.10	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/22/2011	0.5849	1037.47	0.19	0.83	95.76	2.38	0.61	0.09	0.10	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/21/2011	0.5844	1036.82	0.19	0.82	95.82	2.34	0.59	0.09	0.10	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/20/2011	0.5842	1036.52	0.20	0.81	95.85	2.32	0.59	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/19/2011	0.5847	1037.18	0.23	0.80	95.77	2.36	0.60	0.09	0.10	0.02	0.02	0.01	0.00	0.00	0.00
1203	12/18/2011	0.5844	1037.11	0.23	0.79	95.81	2.34	0.60	0.09	0.10	0.02	0.02	0.01	0.00	0.00	0.00
1203	12/17/2011	0.5846	1037.36	0.20	0.81	95.79	2.37	0.60	0.09	0.10	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/16/2011	0.5830	1036.09	0.21	0.75	95.98	2.27	0.57	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/15/2011	0.5624	1013.68	0.57	0.12	98.62	0.59	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1203	12/14/2011	0.5721	1027.00	0.26	0.41	97.41	1.48	0.32	0.05	0.05	0.01	0.01	0.00	0.00	0.00	0.00
1203	12/13/2011	0.5860	1038.93	0.22	0.82	95.58	2.48	0.64	0.10	0.10	0.03	0.02	0.01	0.00	0.00	0.00
1203	12/12/2011	0.5852	1037.80	0.22	0.81	95.69	2.43	0.61	0.09	0.10	0.02	0.02	0.01	0.00	0.00	0.00
1203	12/11/2011	0.5860	1038.18	0.30	0.79	95.57	2.44	0.63	0.10	0.11	0.03	0.02	0.01	0.00	0.00	0.00
1203	12/10/2011	0.5835	1035.01	0.37	0.72	95.86	2.27	0.55	0.09	0.09	0.02	0.02	0.01	0.00	0.00	0.00
1203	12/09/2011	0.5748	1024.31	0.61	0.45	96.90	1.59	0.30	0.05	0.06	0.01	0.01	0.01	0.01	0.00	0.00
1203	12/08/2011	0.5705	1020.20	0.63	0.33	97.46	1.27	0.20	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
1203	12/07/2011	0.5767	1013.01	1.39	0.49	96.44	1.27	0.24	0.05	0.06	0.02	0.01	0.01	0.01	0.00	0.00
1203	12/06/2011	0.5825	1029.56	0.59	0.73	95.97	1.99	0.49	0.08	0.09	0.02	0.02	0.01	0.01	0.00	0.00
1203	12/05/2011	0.5828	1028.72	0.72	0.69	95.88	1.97	0.49	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
1203	12/04/2011	0.5770	1017.36	1.20	0.47	96.44	1.42	0.30	0.06	0.07	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/03/2011	0.5778	1027.02	0.57	0.55	96.56	1.75	0.40	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/02/2011	0.5814	1034.05	0.25	0.71	96.19	2.11	0.53	0.08	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/01/2011	0.5671	1021.06	0.40	0.23	97.99	1.12	0.18	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1203	11/30/2011	0.5635	1019.02	0.21	0.22	98.60	0.83	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	11/29/2011	0.5661	1014.84	0.62	0.28	98.10	0.86	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	11/28/2011	0.5661	1014.69	0.73	0.21	98.02	0.88	0.09	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	11/27/2011	0.5657	1015.41	0.65	0.21	98.12	0.86	0.10	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	11/26/2011	0.5668	1015.44	0.71	0.24	97.95	0.94	0.10	0.02	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1203	11/25/2011	0.5663	1015.44	0.64	0.25	98.05	0.91	0.09	0.02	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1203	11/24/2011	0.5710	1014.00	1.02	0.35	97.29	1.09	0.14	0.03	0.04	0.01	0.01	0.01	0.01	0.00	0.00
1203	11/23/2011	0.5838	1032.72	0.43	0.79	95.80	2.22	0.54	0.08	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/22/2011	0.5844	1036.82	0.20	0.82	95.78	2.39	0.59	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/21/2011	0.5844	1036.68	0.20	0.82	95.79	2.38	0.59	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/20/2011	0.5846	1037.12	0.20	0.82	95.76	2.40	0.60	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/19/2011	0.5850	1037.63	0.20	0.82	95.71	2.44	0.61	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/18/2011	0.5847	1037.13	0.20	0.82	95.75	2.41	0.60	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/17/2011	0.5846	1036.76	0.20	0.83	95.77	2.37	0.60	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/16/2011	0.5841	1036.30	0.20	0.82	95.83	2.35	0.58	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/15/2011	0.5843	1036.40	0.20	0.83	95.81	2.36	0.59	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/14/2011	0.5842	1036.25	0.20	0.83	95.81	2.36	0.58	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/13/2011	0.5847	1037.62	0.20	0.81	95.74	2.43	0.61	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/12/2011	0.5839	1036.49	0.20	0.80	95.84	2.36	0.58	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/11/2011	0.5839	1036.34	0.20	0.81	95.85	2.36	0.58	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/10/2011	0.5835	1033.43	0.33	0.80	95.87	2.24	0.54	0.08	0.08	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/09/2011	0.5826	1015.26	1.60	0.64	95.62	1.57	0.34	0.07	0.08	0.02	0.02	0.02	0.01	0.01	0.00
1203	11/08/2011	0.5862	1041.85	0.22	0.72	95.62	2.48	0.65	0.10	0.12	0.03	0.03	0.02	0.01	0.00	0.00

Meter Name = OVERTHRUST TO ML #90 #1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6275	02/05/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	02/04/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	02/03/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	02/02/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	02/01/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	01/31/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	01/30/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	01/29/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	01/28/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	01/27/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	01/26/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	01/25/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	01/24/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	01/23/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	01/22/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	01/21/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	01/20/2012	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00

**Questar Overthrust Pipeline Company
Average Daily Gas Quality Information**

Meter Name = OVERTHRUST TO ML #90 #1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6275	11/11/2011	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	11/10/2011	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	11/09/2011	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00
6275	11/08/2011	0.6094	1060.74	0.50	1.21	92.55	4.01	1.09	0.24	0.22	0.08	0.05	0.04	0.01	0.00	0.00

Meter Name = TIE LINE 112 AT WHITNEY CANYON

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
596	02/05/2012	0.5878	1030.68	0.34	1.17	95.50	2.17	0.56	0.10	0.10	0.03	0.02	0.01	0.00	0.00	0.00
596	02/04/2012	0.5826	1024.52	0.29	1.12	96.21	1.80	0.40	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	02/03/2012	0.5785	1019.92	0.28	1.06	96.73	1.52	0.29	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
596	02/02/2012	0.5814	1024.57	0.29	1.05	96.35	1.75	0.39	0.06	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	02/01/2012	0.5827	1023.33	0.35	1.14	96.21	1.71	0.41	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	01/31/2012	0.5876	1030.62	0.36	1.15	95.52	2.15	0.57	0.10	0.10	0.03	0.02	0.01	0.00	0.00	0.00
596	01/30/2012	0.5819	1024.73	0.30	1.07	96.27	1.77	0.41	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	01/29/2012	0.5807	1025.05	0.29	0.99	96.40	1.75	0.39	0.06	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	01/28/2012	0.5854	1028.75	0.31	1.12	95.80	2.06	0.49	0.08	0.09	0.02	0.01	0.01	0.00	0.00	0.00
596	01/27/2012	0.5922	1036.79	0.33	1.21	94.95	2.49	0.69	0.12	0.13	0.04	0.02	0.02	0.01	0.00	0.00
596	01/26/2012	0.5866	1029.72	0.31	1.15	95.67	2.09	0.52	0.09	0.10	0.03	0.02	0.01	0.00	0.00	0.00
596	01/25/2012	0.5872	1029.79	0.31	1.19	95.59	2.14	0.53	0.09	0.10	0.03	0.02	0.01	0.00	0.00	0.00
596	01/24/2012	0.5841	1027.09	0.30	1.11	95.99	1.93	0.46	0.08	0.08	0.02	0.01	0.01	0.00	0.00	0.00
596	01/23/2012	0.5779	1021.38	0.26	0.98	96.79	1.54	0.30	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
596	01/22/2012	0.5791	1022.18	0.27	1.01	96.65	1.59	0.33	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
596	01/21/2012	0.5802	1022.64	0.28	1.06	96.48	1.69	0.34	0.05	0.06	0.02	0.01	0.01	0.00	0.00	0.00
596	01/20/2012	0.5819	1024.47	0.28	1.09	96.22	1.89	0.36	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
596	01/19/2012	0.5822	1025.41	0.28	1.08	96.21	1.86	0.40	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	01/18/2012	0.5875	1030.91	0.31	1.17	95.56	2.15	0.56	0.10	0.10	0.03	0.02	0.01	0.00	0.00	0.00
596	01/17/2012	0.5872	1032.24	0.27	1.12	95.56	2.24	0.55	0.09	0.10	0.03	0.02	0.01	0.00	0.00	0.00
596	01/16/2012	0.5782	1021.22	0.25	1.01	96.75	1.57	0.29	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
596	01/15/2012	0.5787	1020.78	0.27	1.05	96.71	1.54	0.30	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
596	01/14/2012	0.5817	1025.01	0.30	1.04	96.30	1.77	0.40	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	01/13/2012	0.5814	1025.35	0.28	1.03	96.36	1.74	0.40	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	01/12/2012	0.5840	1027.47	0.33	1.07	96.05	1.85	0.48	0.08	0.09	0.02	0.01	0.01	0.00	0.00	0.00
596	01/11/2012	0.5841	1026.89	0.31	1.11	95.97	1.96	0.45	0.08	0.08	0.02	0.01	0.01	0.00	0.00	0.00
596	01/10/2012	0.5832	1026.53	0.32	1.06	96.09	1.87	0.45	0.07	0.08	0.02	0.01	0.01	0.00	0.00	0.00
596	01/09/2012	0.5867	1031.71	0.32	1.08	95.63	2.15	0.56	0.09	0.10	0.03	0.02	0.01	0.00	0.00	0.00
596	01/08/2012	0.5819	1028.31	0.26	0.95	96.26	1.89	0.44	0.07	0.08	0.02	0.01	0.01	0.00	0.00	0.00
596	01/07/2012	0.5828	1025.56	0.35	1.06	96.17	1.79	0.44	0.07	0.08	0.02	0.01	0.01	0.00	0.00	0.00
596	01/06/2012	0.5847	1029.17	0.31	1.06	95.89	2.01	0.51	0.08	0.09	0.02	0.01	0.01	0.00	0.00	0.00
596	01/05/2012	0.5807	1025.97	0.27	0.97	96.41	1.79	0.40	0.06	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	01/04/2012	0.5813	1028.44	0.24	0.92	96.31	1.90	0.44	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	01/03/2012	0.5830	1028.31	0.28	1.01	96.13	1.92	0.46	0.08	0.08	0.02	0.01	0.01	0.00	0.00	0.00
596	01/02/2012	0.5869	1030.19	0.30	1.16	95.57	2.23	0.51	0.08	0.09	0.02	0.01	0.01	0.00	0.00	0.00
596	01/01/2012	0.5825	1024.84	0.30	1.10	96.17	1.85	0.40	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	12/31/2011	0.5796	1021.33	0.29	1.07	96.60	1.59	0.32	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
596	12/30/2011	0.5801	1022.06	0.29	1.07	96.50	1.66	0.33	0.05	0.06	0.02	0.01	0.01	0.00	0.00	0.00
596	12/29/2011	0.5800	1022.62	0.28	1.05	96.53	1.65	0.35	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
596	12/28/2011	0.5768	1018.46	0.27	1.02	96.96	1.38	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
596	12/27/2011	0.5761	1017.79	0.27	1.00	97.06	1.33	0.24	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
596	12/26/2011	0.5756	1017.57	0.27	0.98	97.12	1.31	0.22	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
596	12/25/2011	0.5842	1026.51	0.32	1.13	96.02	1.87	0.45	0.08	0.08	0.02	0.02	0.01	0.00	0.00	0.00
596	12/24/2011	0.5888	1031.88	0.33	1.19	95.40	2.21	0.59	0.10	0.11	0.03	0.02	0.01	0.00	0.00	0.00
596	12/23/2011	0.5903	1032.64	0.35	1.24	95.21	2.29	0.62	0.11	0.11	0.03	0.02	0.02	0.00	0.00	0.00
596	12/22/2011	0.5824	1024.79	0.30	1.10	96.20	1.83	0.39	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	12/21/2011	0.5810	1034.50	0.19	0.70	96.28	2.12	0.50	0.08	0.08	0.02	0.01	0.01	0.00	0.00	0.00
596	12/20/2011	0.5784	1030.90	0.19	0.68	96.69	1.82	0.43	0.07	0.08	0.02	0.01	0.01	0.00	0.00	0.00
596	12/19/2011	0.5894	1041.05	0.28	0.90	95.20	2.59	0.72	0.12	0.13	0.03	0.02	0.01	0.00	0.00	0.00
596	12/18/2011	0.5840	1037.03	0.18	0.79	95.86	2.36	0.58	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
596	12/17/2011	0.5855	1038.62	0.20	0.80	95.65	2.48	0.62	0.09	0.10	0.02	0.01	0.01	0.00	0.00	0.00
596	12/16/2011	0.5907	1043.85	0.24	0.89	95.02	2.75	0.76	0.12	0.13	0.03	0.02	0.02	0.00	0.00	0.00
596	12/15/2011	0.5877	1040.56	0.22	0.86	95.43	2.52	0.67	0.11	0.12	0.03	0.02	0.02	0.00	0.00	0.00
596	12/14/2011	0.5962	1045.84	0.33	1.10	94.59	2.67	0.83	0.16	0.18	0.06	0.04	0.04	0.01	0.00	0.00
596	12/13/2011	0.5730	1019.93	0.21	0.77	97.42	1.31	0.21	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
596	12/12/2011	0.5804	1019.89	0.31	1.16	96.49	1.60	0.32	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
596	12/11/2011	0.5816	1015.99	0.38	1.34	96.39	1.47	0.30	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
596	12/10/2011	0.5829	1024.07	0.35	1.12	96.18	1.73	0.41	0.07	0.08	0.02	0.01	0.01	0.00	0.00	0.00
596	12/09/2011	0.5845	1024.59	0.37	1.18	95.96	1.85	0.43	0.07	0.08	0.02	0.01	0.01	0.00	0.00	0.00
596	12/08/2011	0.5835	1023.18	0.39	1.17	96.04	1.81	0.40	0.06	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	12/07/2011	0.5757	1013.72	0.38	1.06	97.11	1.18	0.17	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
596	12/06/2011	0.5853	1026.54	0.35	1.17	95.89	1.88	0.47	0.08	0.09	0.03	0.02	0.01	0.01	0.00	0.00

**Questar Overthrust Pipeline Company
Average Daily Gas Quality Information**

Meter Name = TIE LINE 112 AT WHITNEY CANYON

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
596	12/05/2011	0.5891	1032.00	0.36	1.19	95.35	2.23	0.59	0.10	0.11	0.03	0.02	0.02	0.01	0.00	0.00
596	12/04/2011	0.5858	1028.93	0.33	1.13	95.82	1.99	0.48	0.09	0.09	0.03	0.02	0.01	0.01	0.01	0.00
596	12/03/2011	0.5858	1028.93	0.33	1.13	95.82	1.99	0.48	0.09	0.09	0.03	0.02	0.01	0.01	0.01	0.00
596	12/02/2011	0.5858	1028.93	0.33	1.13	95.82	1.99	0.48	0.09	0.09	0.03	0.02	0.01	0.01	0.01	0.00
596	12/01/2011	0.5859	1029.08	0.33	1.13	95.81	1.99	0.48	0.09	0.09	0.03	0.02	0.01	0.01	0.01	0.00
596	11/30/2011	0.5896	1033.88	0.35	1.15	95.26	2.34	0.61	0.11	0.11	0.03	0.02	0.02	0.00	0.00	0.00
596	11/29/2011	0.5892	1032.01	0.36	1.19	95.35	2.25	0.56	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
596	11/28/2011	0.5914	1035.23	0.40	1.17	95.10	2.33	0.64	0.12	0.13	0.04	0.03	0.02	0.01	0.00	0.00
596	11/27/2011	0.5848	1028.26	0.34	1.08	95.89	1.98	0.47	0.08	0.09	0.03	0.02	0.01	0.00	0.00	0.00
596	11/26/2011	0.5886	1032.04	0.38	1.14	95.42	2.20	0.57	0.10	0.11	0.03	0.02	0.02	0.01	0.00	0.00
596	11/25/2011	0.5877	1031.90	0.35	1.11	95.58	2.11	0.55	0.10	0.11	0.03	0.02	0.02	0.01	0.00	0.00
596	11/24/2011	0.5807	1023.67	0.29	1.04	96.46	1.67	0.36	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
596	11/23/2011	0.5757	1020.24	0.28	0.88	97.06	1.42	0.25	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
596	11/22/2011	0.5776	1019.84	0.27	1.02	96.85	1.47	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
596	11/21/2011	0.5823	1025.47	0.29	1.07	96.25	1.78	0.41	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	11/20/2011	0.5856	1028.91	0.32	1.12	95.87	1.95	0.49	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
596	11/19/2011	0.5856	1025.54	0.40	1.20	95.80	1.94	0.45	0.08	0.08	0.02	0.02	0.01	0.00	0.00	0.00
596	11/18/2011	0.5857	1028.70	0.29	1.15	95.82	2.03	0.47	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
596	11/17/2011	0.5868	1028.81	0.30	1.21	95.68	2.06	0.49	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
596	11/16/2011	0.5792	1022.55	0.24	1.03	96.65	1.63	0.31	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
596	11/15/2011	0.5850	1026.36	0.33	1.18	95.95	1.86	0.45	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
596	11/14/2011	0.5885	1030.66	0.42	1.17	95.47	2.09	0.56	0.11	0.11	0.04	0.02	0.02	0.01	0.00	0.00
596	11/13/2011	0.5897	1032.08	0.34	1.23	95.35	2.20	0.57	0.11	0.11	0.04	0.02	0.02	0.01	0.00	0.00
596	11/12/2011	0.5820	1026.25	0.25	1.05	96.30	1.82	0.39	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
596	11/11/2011	0.5852	1027.91	0.29	1.15	95.91	1.94	0.47	0.08	0.09	0.03	0.02	0.02	0.01	0.00	0.00
596	11/10/2011	0.5877	1030.31	0.32	1.20	95.56	2.12	0.54	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
596	11/09/2011	0.5924	1035.05	0.37	1.26	94.94	2.42	0.68	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
596	11/08/2011	0.5845	1028.61	0.30	1.07	95.97	1.94	0.48	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00