

**Questar Gas Company
Average Daily Gas Quality Information**

Meter Name = 3800 So Wasatch Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1193	02/07/2010	0.5894	1039.55	0.70	0.68	94.76	2.99	0.59	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
1193	02/06/2010	0.5894	1039.55	0.70	0.68	94.76	2.99	0.59	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
1193	02/05/2010	0.5893	1039.41	0.70	0.68	94.77	2.98	0.59	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
1193	02/04/2010	0.5979	1045.24	0.74	0.96	93.56	3.70	0.71	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
1193	02/03/2010	0.6030	1054.46	0.75	0.90	93.14	3.71	0.99	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
1193	02/02/2010	0.5980	1046.83	0.88	0.81	93.76	3.26	0.84	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
1193	02/01/2010	0.5936	1041.02	0.84	0.79	94.37	2.91	0.70	0.14	0.13	0.05	0.03	0.02	0.01	0.00	0.00
1193	01/31/2010	0.5970	1046.74	0.77	0.82	93.96	3.18	0.82	0.16	0.15	0.05	0.03	0.03	0.01	0.01	0.00
1193	01/30/2010	0.5955	1046.59	0.70	0.78	94.15	3.15	0.80	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
1193	01/29/2010	0.5952	1044.31	0.69	0.85	94.17	3.13	0.77	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00
1193	01/28/2010	0.5920	1040.39	0.66	0.84	94.58	2.94	0.64	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
1193	01/27/2010	0.5959	1043.83	0.69	0.92	94.00	3.29	0.73	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1193	01/26/2010	0.5930	1039.06	0.71	0.92	94.37	3.04	0.63	0.11	0.12	0.04	0.02	0.02	0.01	0.00	0.00
1193	01/25/2010	0.5933	1039.35	0.71	0.93	94.38	3.01	0.63	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
1193	01/24/2010	0.5978	1047.57	0.69	0.90	93.82	3.38	0.79	0.15	0.15	0.05	0.03	0.02	0.02	0.01	0.00
1193	01/23/2010	0.6085	1063.47	0.57	1.00	92.53	4.15	1.15	0.21	0.21	0.07	0.04	0.03	0.02	0.01	0.00
1193	01/22/2010	0.6077	1061.85	0.52	1.05	92.62	4.14	1.10	0.20	0.20	0.07	0.04	0.03	0.02	0.01	0.00
1193	01/21/2010	0.6010	1050.80	0.63	1.00	93.38	3.67	0.87	0.16	0.16	0.05	0.03	0.02	0.01	0.01	0.00
1193	01/20/2010	0.6004	1050.25	0.68	0.95	93.54	3.49	0.87	0.17	0.17	0.05	0.03	0.03	0.02	0.01	0.00
1193	01/19/2010	0.5971	1046.68	0.68	0.89	93.89	3.36	0.76	0.15	0.14	0.05	0.03	0.02	0.01	0.01	0.00
1193	01/18/2010	0.5980	1048.29	0.64	0.91	93.77	3.48	0.79	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
1193	01/17/2010	0.5972	1047.02	0.67	0.89	93.85	3.42	0.76	0.14	0.14	0.05	0.03	0.02	0.01	0.01	0.00
1193	01/16/2010	0.5985	1048.94	0.64	0.91	93.71	3.52	0.81	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
1193	01/15/2010	0.6024	1054.25	0.62	0.96	93.21	3.81	0.93	0.17	0.17	0.05	0.03	0.03	0.02	0.01	0.00
1193	01/14/2010	0.6028	1055.17	0.61	0.95	93.18	3.82	0.95	0.18	0.18	0.06	0.03	0.03	0.02	0.01	0.00
1193	01/13/2010	0.5991	1049.88	0.64	0.91	93.65	3.51	0.85	0.16	0.15	0.05	0.03	0.02	0.02	0.01	0.00
1193	01/12/2010	0.5950	1045.12	0.68	0.83	94.16	3.21	0.74	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1193	01/11/2010	0.5874	1033.88	0.74	0.76	95.11	2.62	0.52	0.10	0.09	0.03	0.02	0.01	0.01	0.00	0.00
1193	01/10/2010	0.5868	1034.18	0.73	0.72	95.14	2.63	0.53	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
1193	01/09/2010	0.5880	1035.41	0.76	0.72	95.02	2.67	0.57	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
1193	01/08/2010	0.5862	1033.93	0.68	0.72	95.28	2.55	0.52	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
1193	01/07/2010	0.5924	1042.71	0.57	0.83	94.59	2.97	0.69	0.13	0.12	0.04	0.03	0.02	0.01	0.00	0.00
1193	01/06/2010	0.5954	1045.31	0.65	0.86	94.19	3.14	0.75	0.14	0.14	0.05	0.03	0.02	0.02	0.01	0.00
1193	01/05/2010	0.5956	1045.10	0.66	0.87	94.20	3.09	0.76	0.15	0.14	0.05	0.03	0.02	0.01	0.01	0.00
1193	01/04/2010	0.5947	1044.29	0.62	0.88	94.31	3.06	0.74	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
1193	01/03/2010	0.6011	1052.18	0.71	0.90	93.46	3.48	0.93	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
1193	01/02/2010	0.6026	1056.18	0.73	0.82	93.23	3.67	1.02	0.19	0.20	0.06	0.04	0.03	0.01	0.00	0.00
1193	01/01/2010	0.5992	1052.26	0.62	0.83	93.68	3.50	0.90	0.17	0.17	0.05	0.03	0.02	0.01	0.00	0.00
1193	12/31/2009	0.5971	1050.94	0.52	0.82	93.98	3.38	0.85	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
1193	12/30/2009	0.5965	1049.02	0.57	0.83	94.03	3.32	0.82	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
1193	12/29/2009	0.5932	1044.86	0.62	0.76	94.44	3.05	0.75	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1193	12/28/2009	0.5929	1043.77	0.62	0.78	94.51	3.00	0.73	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1193	12/27/2009	0.5893	1038.29	0.61	0.78	94.90	2.82	0.60	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
1193	12/26/2009	0.5926	1041.14	0.68	0.83	94.47	3.01	0.67	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
1193	12/25/2009	0.5951	1043.92	0.72	0.85	94.16	3.14	0.75	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00
1193	12/24/2009	0.5955	1045.42	0.69	0.83	94.12	3.19	0.76	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
1193	12/23/2009	0.5962	1048.18	0.66	0.79	94.01	3.33	0.80	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
1193	12/22/2009	0.5985	1051.74	0.57	0.85	93.75	3.52	0.87	0.16	0.16	0.05	0.03	0.02	0.01	0.01	0.00
1193	12/21/2009	0.5976	1051.35	0.51	0.84	93.95	3.39	0.84	0.16	0.16	0.05	0.03	0.03	0.02	0.01	0.00
1193	12/20/2009	0.5995	1053.85	0.54	0.85	93.65	3.59	0.89	0.17	0.17	0.05	0.03	0.03	0.02	0.01	0.00
1193	12/19/2009	0.5993	1053.78	0.53	0.84	93.69	3.56	0.91	0.17	0.17	0.05	0.03	0.03	0.01	0.00	0.00
1193	12/18/2009	0.5968	1049.29	0.51	0.88	94.06	3.30	0.82	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
1193	12/17/2009	0.6002	1052.81	0.55	0.92	93.65	3.49	0.88	0.18	0.17	0.06	0.04	0.03	0.02	0.01	0.00
1193	12/16/2009	0.5947	1047.29	0.55	0.81	94.34	3.11	0.77	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
1193	12/15/2009	0.5943	1045.21	0.63	0.81	94.38	3.01	0.75	0.15	0.14	0.05	0.03	0.02	0.01	0.00	0.00
1193	12/14/2009	0.5893	1036.01	0.87	0.70	94.90	2.60	0.60	0.12	0.11	0.04	0.02	0.02	0.01	0.00	0.00
1193	12/13/2009	0.5962	1046.05	0.83	0.76	94.02	3.15	0.81	0.16	0.15	0.05	0.03	0.02	0.01	0.00	0.00
1193	12/12/2009	0.5943	1044.34	0.79	0.74	94.26	3.02	0.78	0.15	0.14	0.04	0.03	0.02	0.01	0.00	0.00
1193	12/11/2009	0.5928	1043.72	0.73	0.71	94.44	3.01	0.75	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1193	12/10/2009	0.5944	1044.33	0.75	0.77	94.15	3.21	0.75	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1193	12/09/2009	0.5920	1042.04	0.72	0.73	94.48	3.05	0.69	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
1193	12/08/2009	0.5934	1043.78	0.76	0.72	94.25	3.18	0.74	0.13	0.13	0.04	0.02	0.02	0.01	0.00	0.00
1193	12/07/2009	0.5950	1045.08	0.78	0.76	94.09	3.21	0.78	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00
1193	12/06/2009	0.5974	1047.22	0.84	0.78	93.84	3.25	0.85	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
1193	12/05/2009	0.5964	1044.58	0.87	0.81	94.02	3.05	0.82	0.16	0.15	0.05	0.03	0.03	0.01	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = 3800 So Wasatch Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1193	12/04/2009	0.5927	1041.14	0.83	0.74	94.47	2.86	0.72	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1193	12/03/2009	0.5935	1043.58	0.70	0.78	94.46	2.93	0.74	0.14	0.14	0.05	0.03	0.02	0.01	0.01	0.00
1193	12/02/2009	0.5944	1044.95	0.67	0.79	94.34	3.04	0.75	0.15	0.14	0.05	0.03	0.02	0.01	0.00	0.00
1193	12/01/2009	0.5885	1037.36	0.82	0.63	94.97	2.68	0.58	0.12	0.11	0.04	0.02	0.02	0.01	0.00	0.00
1193	11/30/2009	0.5845	1032.41	0.90	0.53	95.40	2.45	0.47	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1193	11/29/2009	0.5828	1030.65	0.92	0.48	95.64	2.27	0.45	0.09	0.08	0.03	0.02	0.01	0.01	0.00	0.00
1193	11/28/2009	0.5824	1030.02	1.03	0.41	95.66	2.21	0.45	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1193	11/27/2009	0.5821	1029.97	0.93	0.46	95.73	2.23	0.42	0.08	0.07	0.03	0.02	0.02	0.01	0.00	0.00
1193	11/26/2009	0.5835	1029.91	0.97	0.52	95.54	2.29	0.44	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1193	11/25/2009	0.5857	1031.24	0.93	0.63	95.34	2.33	0.49	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
1193	11/24/2009	0.5938	1043.91	0.76	0.74	94.40	2.94	0.75	0.15	0.14	0.05	0.03	0.02	0.01	0.00	0.00
1193	11/23/2009	0.5983	1049.55	0.72	0.82	93.80	3.33	0.86	0.17	0.16	0.05	0.03	0.03	0.01	0.01	0.00
1193	11/22/2009	0.5978	1047.71	0.81	0.81	93.83	3.27	0.82	0.16	0.16	0.05	0.03	0.03	0.02	0.01	0.00
1193	11/21/2009	0.6003	1053.49	0.61	0.86	93.64	3.45	0.93	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
1193	11/20/2009	0.5967	1043.97	0.88	0.83	94.11	2.91	0.78	0.16	0.16	0.06	0.04	0.03	0.02	0.01	0.00
1193	11/19/2009	0.5939	1040.98	0.91	0.77	94.44	2.72	0.72	0.15	0.15	0.05	0.03	0.03	0.02	0.01	0.00
1193	11/18/2009	0.5936	1041.32	0.87	0.76	94.43	2.84	0.69	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
1193	11/17/2009	0.5911	1038.82	0.85	0.72	94.75	2.65	0.66	0.13	0.13	0.05	0.03	0.02	0.02	0.01	0.00
1193	11/16/2009	0.5903	1038.43	0.86	0.68	94.81	2.65	0.64	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00
1193	11/15/2009	0.5918	1038.26	0.91	0.74	94.67	2.60	0.68	0.14	0.13	0.05	0.03	0.02	0.01	0.01	0.00
1193	11/14/2009	0.5834	1031.34	0.89	0.51	95.65	2.22	0.46	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1193	11/13/2009	0.5922	1043.39	0.68	0.72	94.68	2.83	0.68	0.14	0.13	0.05	0.03	0.03	0.02	0.01	0.00
1193	11/12/2009	0.5949	1049.18	0.43	0.82	94.31	3.30	0.73	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
1193	11/11/2009	0.5946	1048.89	0.43	0.81	94.39	3.21	0.74	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
1193	11/10/2009	0.5915	1046.67	0.41	0.72	94.72	3.12	0.66	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00

Meter Name = 4800 South & State St Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1194	02/07/2010	0.5859	1032.82	0.63	0.78	95.32	2.59	0.45	0.08	0.08	0.03	0.02	0.01	0.01	0.00	0.00
1194	02/06/2010	0.5887	1034.86	0.68	0.84	94.98	2.70	0.53	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
1194	02/05/2010	0.5885	1034.36	0.72	0.82	94.92	2.77	0.50	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
1194	02/04/2010	0.5984	1045.52	0.74	0.98	93.48	3.74	0.71	0.12	0.13	0.04	0.02	0.02	0.01	0.00	0.00
1194	02/03/2010	0.6028	1054.14	0.76	0.89	93.17	3.68	0.98	0.18	0.19	0.06	0.04	0.03	0.02	0.01	0.00
1194	02/02/2010	0.5980	1046.47	0.89	0.82	93.75	3.26	0.83	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
1194	02/01/2010	0.5932	1040.68	0.84	0.78	94.41	2.90	0.69	0.14	0.13	0.04	0.03	0.02	0.01	0.01	0.00
1194	01/31/2010	0.5969	1046.44	0.77	0.83	93.97	3.17	0.81	0.16	0.16	0.05	0.03	0.02	0.01	0.01	0.00
1194	01/30/2010	0.5957	1046.59	0.71	0.79	94.12	3.16	0.80	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
1194	01/29/2010	0.5951	1043.96	0.70	0.86	94.17	3.12	0.76	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00
1194	01/28/2010	0.5921	1040.39	0.66	0.84	94.57	2.95	0.64	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
1194	01/27/2010	0.5958	1043.41	0.70	0.93	94.01	3.28	0.72	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1194	01/26/2010	0.5929	1038.82	0.72	0.92	94.38	3.04	0.62	0.11	0.11	0.04	0.02	0.02	0.01	0.00	0.00
1194	01/25/2010	0.5933	1039.22	0.71	0.93	94.38	3.01	0.63	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
1194	01/24/2010	0.5983	1048.04	0.69	0.91	93.76	3.41	0.80	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
1194	01/23/2010	0.6088	1063.84	0.57	1.01	92.49	4.17	1.15	0.21	0.22	0.07	0.04	0.03	0.02	0.01	0.00
1194	01/22/2010	0.6078	1061.51	0.53	1.07	92.61	4.13	1.09	0.20	0.21	0.06	0.04	0.03	0.02	0.01	0.00
1194	01/21/2010	0.6007	1050.19	0.64	1.00	93.41	3.65	0.86	0.16	0.16	0.05	0.03	0.02	0.01	0.01	0.00
1194	01/20/2010	0.6005	1050.26	0.68	0.96	93.52	3.49	0.87	0.17	0.17	0.05	0.03	0.03	0.02	0.01	0.00
1194	01/19/2010	0.5969	1046.34	0.68	0.89	93.91	3.36	0.75	0.15	0.14	0.05	0.03	0.02	0.01	0.01	0.00
1194	01/18/2010	0.5980	1048.16	0.65	0.91	93.76	3.48	0.78	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
1194	01/17/2010	0.5973	1046.95	0.67	0.90	93.84	3.43	0.76	0.15	0.14	0.05	0.03	0.02	0.01	0.01	0.00
1194	01/16/2010	0.5985	1048.93	0.64	0.92	93.70	3.52	0.80	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
1194	01/15/2010	0.6025	1054.26	0.62	0.97	93.19	3.82	0.92	0.18	0.17	0.05	0.03	0.03	0.01	0.01	0.00
1194	01/14/2010	0.6029	1055.18	0.61	0.96	93.16	3.83	0.94	0.18	0.18	0.06	0.03	0.03	0.02	0.01	0.00
1194	01/13/2010	0.5992	1049.74	0.65	0.92	93.64	3.51	0.84	0.16	0.16	0.05	0.03	0.02	0.01	0.01	0.00
1194	01/12/2010	0.5950	1044.98	0.68	0.83	94.17	3.20	0.74	0.14	0.14	0.04	0.03	0.02	0.01	0.01	0.00
1194	01/11/2010	0.5872	1033.59	0.73	0.76	95.12	2.62	0.51	0.10	0.09	0.03	0.02	0.01	0.01	0.00	0.00
1194	01/10/2010	0.5868	1034.06	0.73	0.72	95.14	2.64	0.52	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
1194	01/09/2010	0.5879	1035.17	0.76	0.72	95.02	2.66	0.57	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
1194	01/08/2010	0.5861	1033.82	0.68	0.72	95.29	2.55	0.52	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
1194	01/07/2010	0.5926	1042.66	0.58	0.84	94.56	2.98	0.69	0.13	0.12	0.04	0.03	0.02	0.01	0.00	0.00
1194	01/06/2010	0.5955	1045.20	0.66	0.86	94.18	3.14	0.75	0.15	0.14	0.05	0.03	0.02	0.01	0.01	0.00
1194	01/05/2010	0.5955	1045.04	0.66	0.87	94.21	3.08	0.76	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
1194	01/04/2010	0.5947	1044.09	0.62	0.88	94.31	3.06	0.73	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
1194	01/03/2010	0.6015	1052.40	0.72	0.91	93.41	3.51	0.93	0.19	0.18	0.06	0.04	0.03	0.02	0.01	0.00
1194	01/02/2010	0.6026	1056.14	0.73	0.82	93.21	3.68	1.01	0.20	0.20	0.06	0.04	0.03	0.01	0.01	0.00
1194	01/01/2010	0.5992	1052.33	0.62	0.84	93.67	3.51	0.90	0.17	0.17	0.05	0.03	0.02	0.01	0.01	0.00
1194	12/31/2009	0.5970	1050.67	0.52	0.83	94.00	3.37	0.84	0.16	0.16	0.05	0.03	0.02	0.01	0.01	0.00
1194	12/30/2009	0.5966	1048.92	0.58	0.84	94.02	3.32	0.81	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
1194	12/29/2009	0.5931	1044.63	0.61	0.77	94.46	3.05	0.75	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = 4800 South & State St Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1194	12/28/2009	0.5929	1043.62	0.62	0.79	94.50	3.00	0.72	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1194	12/27/2009	0.5938	1043.40	0.66	0.83	94.33	3.08	0.73	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1194	12/26/2009	0.5925	1040.86	0.68	0.84	94.48	3.01	0.66	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
1194	12/25/2009	0.5951	1043.83	0.72	0.85	94.15	3.14	0.74	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00
1194	12/24/2009	0.5954	1045.33	0.69	0.84	94.13	3.19	0.76	0.15	0.14	0.04	0.03	0.02	0.01	0.01	0.00
1194	12/23/2009	0.5963	1048.31	0.66	0.79	93.99	3.35	0.79	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
1194	12/22/2009	0.5985	1051.69	0.57	0.85	93.75	3.51	0.86	0.16	0.16	0.05	0.03	0.02	0.01	0.01	0.00
1194	12/21/2009	0.5975	1051.21	0.51	0.85	93.96	3.39	0.84	0.16	0.16	0.05	0.03	0.03	0.01	0.01	0.00
1194	12/20/2009	0.5996	1053.84	0.54	0.85	93.65	3.60	0.89	0.17	0.17	0.05	0.03	0.03	0.01	0.01	0.00
1194	12/19/2009	0.5993	1053.78	0.53	0.84	93.69	3.56	0.90	0.17	0.17	0.05	0.03	0.02	0.01	0.01	0.00
1194	12/18/2009	0.5968	1048.99	0.51	0.89	94.07	3.29	0.81	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
1194	12/17/2009	0.6005	1053.23	0.55	0.93	93.64	3.47	0.90	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
1194	12/16/2009	0.5948	1047.26	0.55	0.81	94.33	3.11	0.77	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
1194	12/15/2009	0.5940	1044.55	0.63	0.81	94.42	2.99	0.73	0.15	0.14	0.05	0.03	0.02	0.01	0.00	0.00
1194	12/14/2009	0.5892	1035.80	0.87	0.71	94.91	2.60	0.59	0.12	0.11	0.04	0.02	0.02	0.01	0.00	0.00
1194	12/13/2009	0.5962	1045.97	0.83	0.76	94.01	3.15	0.81	0.16	0.15	0.05	0.03	0.02	0.01	0.01	0.00
1194	12/12/2009	0.5940	1043.81	0.80	0.73	94.30	3.01	0.77	0.15	0.14	0.04	0.03	0.02	0.01	0.00	0.00
1194	12/11/2009	0.5925	1043.40	0.73	0.71	94.47	3.00	0.73	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1194	12/10/2009	0.5945	1044.31	0.76	0.77	94.14	3.22	0.74	0.14	0.13	0.04	0.02	0.02	0.01	0.00	0.00
1194	12/09/2009	0.5922	1042.12	0.72	0.74	94.46	3.06	0.69	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
1194	12/08/2009	0.5936	1043.77	0.77	0.73	94.23	3.19	0.73	0.13	0.13	0.04	0.02	0.02	0.01	0.00	0.00
1194	12/07/2009	0.5952	1045.19	0.77	0.77	94.07	3.22	0.78	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00
1194	12/06/2009	0.5973	1046.91	0.84	0.79	93.85	3.24	0.84	0.16	0.16	0.05	0.03	0.02	0.01	0.01	0.00
1194	12/05/2009	0.5964	1044.29	0.87	0.81	94.02	3.04	0.81	0.16	0.15	0.05	0.03	0.02	0.01	0.01	0.00
1194	12/04/2009	0.5926	1040.96	0.83	0.74	94.49	2.86	0.71	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1194	12/03/2009	0.5934	1043.40	0.70	0.78	94.46	2.93	0.73	0.14	0.14	0.05	0.03	0.02	0.01	0.01	0.00
1194	12/02/2009	0.5948	1045.32	0.68	0.81	94.27	3.07	0.75	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
1194	12/01/2009	0.5875	1036.11	0.84	0.61	95.08	2.62	0.55	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
1194	11/30/2009	0.5842	1031.94	0.90	0.53	95.43	2.44	0.46	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1194	11/29/2009	0.5829	1030.70	0.92	0.48	95.62	2.28	0.45	0.09	0.08	0.03	0.02	0.01	0.01	0.00	0.00
1194	11/28/2009	0.5823	1029.85	1.03	0.41	95.67	2.21	0.44	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1194	11/27/2009	0.5819	1029.63	0.94	0.46	95.75	2.21	0.42	0.08	0.07	0.03	0.02	0.02	0.01	0.00	0.00
1194	11/26/2009	0.5830	1028.84	0.99	0.52	95.59	2.25	0.42	0.08	0.07	0.03	0.02	0.02	0.01	0.00	0.00
1194	11/25/2009	0.5858	1031.21	0.93	0.64	95.32	2.34	0.49	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
1194	11/24/2009	0.5941	1044.10	0.75	0.76	94.36	2.96	0.75	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
1194	11/23/2009	0.5985	1049.61	0.72	0.84	93.76	3.35	0.86	0.17	0.17	0.05	0.03	0.03	0.01	0.01	0.00
1194	11/22/2009	0.5975	1047.45	0.81	0.80	93.88	3.25	0.81	0.16	0.16	0.05	0.03	0.03	0.02	0.01	0.00
1194	11/21/2009	0.6006	1054.13	0.59	0.87	93.60	3.48	0.93	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
1194	11/20/2009	0.5934	1039.33	0.95	0.77	94.50	2.66	0.68	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
1194	11/19/2009	0.5933	1040.63	0.91	0.74	94.52	2.69	0.71	0.15	0.15	0.05	0.03	0.03	0.02	0.01	0.00
1194	11/18/2009	0.5923	1040.50	0.83	0.74	94.57	2.80	0.66	0.14	0.13	0.05	0.03	0.03	0.02	0.01	0.00
1194	11/17/2009	0.5902	1038.04	0.84	0.70	94.86	2.60	0.63	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00
1194	11/16/2009	0.5906	1038.69	0.86	0.68	94.77	2.67	0.64	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00
1194	11/15/2009	0.5918	1038.02	0.91	0.75	94.67	2.59	0.68	0.14	0.13	0.05	0.03	0.02	0.01	0.01	0.00
1194	11/14/2009	0.5834	1031.32	0.88	0.52	95.65	2.23	0.46	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
1194	11/13/2009	0.5932	1044.65	0.67	0.74	94.56	2.90	0.70	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
1194	11/12/2009	0.6009	1052.54	0.39	1.09	93.65	3.50	0.89	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
1194	11/11/2009	0.6034	1053.53	0.38	1.20	93.40	3.53	0.98	0.18	0.19	0.06	0.04	0.03	0.01	0.01	0.00
1194	11/10/2009	0.5857	1039.50	0.38	0.67	95.45	2.71	0.52	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00

Meter Name = Cedar City Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6272	02/07/2010	0.6090	1053.79	0.27	1.61	92.84	3.59	1.16	0.19	0.21	0.06	0.04	0.02	0.01	0.00	0.00
6272	02/06/2010	0.6091	1055.55	0.27	1.55	92.80	3.64	1.19	0.20	0.22	0.06	0.04	0.01	0.01	0.00	0.00
6272	02/05/2010	0.6090	1056.59	0.27	1.50	92.80	3.68	1.20	0.20	0.22	0.06	0.04	0.01	0.01	0.00	0.00
6272	02/04/2010	0.6070	1051.79	0.26	1.58	93.10	3.45	1.10	0.18	0.20	0.05	0.04	0.02	0.01	0.01	0.00
6272	02/03/2010	0.6074	1052.42	0.27	1.57	93.02	3.53	1.12	0.18	0.20	0.05	0.04	0.01	0.01	0.01	0.00
6272	02/02/2010	0.6093	1057.33	0.28	1.49	92.84	3.64	1.17	0.20	0.22	0.06	0.04	0.03	0.02	0.01	0.00
6272	02/01/2010	0.6104	1059.51	0.28	1.47	92.77	3.65	1.20	0.21	0.24	0.07	0.05	0.04	0.02	0.01	0.00
6272	01/31/2010	0.6113	1061.33	0.28	1.45	92.64	3.72	1.25	0.22	0.24	0.07	0.05	0.04	0.02	0.01	0.00
6272	01/30/2010	0.6112	1061.34	0.29	1.44	92.60	3.78	1.25	0.22	0.24	0.07	0.05	0.03	0.02	0.00	0.00
6272	01/29/2010	0.6084	1056.68	0.28	1.45	92.88	3.66	1.18	0.20	0.21	0.06	0.04	0.02	0.01	0.00	0.00
6272	01/28/2010	0.6114	1055.56	0.28	1.68	92.55	3.71	1.20	0.20	0.22	0.06	0.04	0.03	0.01	0.00	0.00
6272	01/27/2010	0.6079	1054.39	0.28	1.52	92.95	3.59	1.14	0.19	0.20	0.05	0.04	0.02	0.01	0.00	0.00
6272	01/26/2010	0.6078	1054.68	0.28	1.50	92.98	3.57	1.14	0.19	0.20	0.05	0.04	0.02	0.01	0.01	0.00
6272	01/25/2010	0.6082	1055.82	0.29	1.47	92.89	3.65	1.16	0.19	0.20	0.05	0.04	0.02	0.01	0.01	0.00
6272	01/24/2010	0.6086	1055.50	0.29	1.51	92.86	3.65	1.16	0.19	0.20	0.05	0.04	0.03	0.02	0.01	0.00
6272	01/23/2010	0.6096	1058.21	0.30	1.46	92.71	3.76	1.21	0.20	0.21	0.06	0.04	0.03	0.02	0.01	0.00
6272	01/22/2010	0.6087	1058.46	0.30	1.39	92.81	3.75	1.20	0.20	0.21	0.06	0.04	0.03	0.02	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Cedar City Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6272	01/21/2010	0.6092	1058.47	0.29	1.43	92.76	3.77	1.20	0.20	0.21	0.06	0.04	0.03	0.01	0.00	0.00
6272	01/20/2010	0.6092	1058.26	0.29	1.43	92.77	3.73	1.21	0.20	0.22	0.06	0.04	0.02	0.01	0.00	0.00
6272	01/19/2010	0.6089	1057.96	0.29	1.43	92.79	3.73	1.20	0.20	0.21	0.06	0.04	0.03	0.01	0.00	0.00
6272	01/18/2010	0.6090	1061.11	0.28	1.31	92.77	3.82	1.24	0.21	0.22	0.06	0.04	0.03	0.01	0.01	0.00
6272	01/17/2010	0.6096	1060.41	0.30	1.37	92.70	3.81	1.24	0.21	0.22	0.06	0.04	0.03	0.01	0.01	0.00
6272	01/16/2010	0.6096	1060.41	0.30	1.37	92.70	3.81	1.24	0.21	0.22	0.06	0.04	0.03	0.01	0.01	0.00
6272	01/15/2010	0.6096	1060.45	0.30	1.37	92.70	3.81	1.24	0.21	0.22	0.06	0.04	0.03	0.01	0.01	0.00
6272	01/14/2010	0.6094	1059.44	0.29	1.40	92.77	3.73	1.22	0.21	0.22	0.06	0.04	0.02	0.01	0.01	0.00
6272	01/13/2010	0.6091	1059.70	0.29	1.38	92.88	3.64	1.20	0.21	0.23	0.06	0.04	0.03	0.02	0.01	0.00
6272	01/12/2010	0.6023	1052.69	0.27	1.24	93.92	2.99	1.00	0.18	0.21	0.07	0.05	0.04	0.03	0.01	0.00
6272	01/11/2010	0.6029	1053.40	0.28	1.25	93.82	3.05	1.02	0.19	0.21	0.07	0.05	0.04	0.02	0.01	0.00
6272	01/10/2010	0.6023	1050.33	0.30	1.32	93.89	2.97	0.97	0.18	0.20	0.06	0.05	0.04	0.02	0.01	0.00
6272	01/09/2010	0.6033	1056.17	0.31	1.14	93.73	3.17	1.05	0.19	0.22	0.07	0.05	0.04	0.03	0.01	0.00
6272	01/08/2010	0.6035	1056.27	0.29	1.17	93.72	3.16	1.05	0.19	0.22	0.07	0.05	0.04	0.03	0.01	0.00
6272	01/07/2010	0.6040	1056.92	0.31	1.15	93.65	3.20	1.06	0.20	0.22	0.07	0.05	0.04	0.03	0.01	0.00
6272	01/06/2010	0.6042	1057.53	0.30	1.15	93.58	3.28	1.07	0.20	0.22	0.07	0.05	0.04	0.03	0.01	0.00
6272	01/05/2010	0.6001	1047.00	0.29	1.32	94.16	2.81	0.92	0.17	0.19	0.06	0.04	0.02	0.02	0.01	0.00
6272	01/04/2010	0.5980	1043.96	0.34	1.28	94.39	2.65	0.85	0.16	0.18	0.06	0.04	0.01	0.02	0.01	0.00
6272	01/03/2010	0.5989	1045.69	0.34	1.26	94.29	2.71	0.89	0.17	0.19	0.06	0.04	0.02	0.02	0.01	0.00
6272	01/02/2010	0.5989	1045.29	0.34	1.28	94.29	2.70	0.89	0.17	0.19	0.06	0.04	0.02	0.02	0.01	0.00
6272	01/01/2010	0.5958	1037.88	0.28	1.42	94.76	2.35	0.76	0.14	0.15	0.05	0.04	0.02	0.02	0.01	0.00
6272	12/31/2009	0.6001	1051.59	0.25	1.16	94.06	3.00	1.01	0.18	0.20	0.06	0.04	0.01	0.01	0.01	0.00
6272	12/30/2009	0.6001	1051.59	0.25	1.16	94.06	3.00	1.01	0.18	0.20	0.06	0.04	0.01	0.01	0.01	0.00
6272	12/29/2009	0.6012	1056.73	0.25	1.03	93.83	3.28	1.07	0.19	0.21	0.06	0.04	0.01	0.01	0.01	0.00
6272	12/28/2009	0.6013	1057.01	0.25	1.02	93.81	3.30	1.07	0.19	0.21	0.06	0.04	0.01	0.01	0.01	0.00
6272	12/27/2009	0.5987	1048.09	0.25	1.21	94.29	2.81	0.94	0.17	0.19	0.06	0.04	0.01	0.02	0.01	0.00
6272	12/26/2009	0.6015	1052.98	0.27	1.19	93.87	3.11	1.04	0.18	0.20	0.06	0.04	0.01	0.02	0.01	0.00
6272	12/25/2009	0.6014	1052.03	0.29	1.20	93.91	3.05	1.01	0.18	0.20	0.06	0.04	0.02	0.02	0.01	0.00
6272	12/24/2009	0.6056	1060.25	0.30	1.13	93.34	3.44	1.18	0.21	0.23	0.07	0.05	0.03	0.02	0.01	0.00
6272	12/23/2009	0.6039	1055.60	0.30	1.21	93.59	3.23	1.10	0.19	0.22	0.06	0.04	0.03	0.02	0.01	0.00
6272	12/22/2009	0.6055	1059.09	0.30	1.17	93.34	3.41	1.18	0.21	0.23	0.07	0.05	0.02	0.02	0.01	0.00
6272	12/21/2009	0.6067	1062.00	0.31	1.12	93.13	3.58	1.25	0.22	0.25	0.07	0.05	0.01	0.01	0.01	0.00
6272	12/20/2009	0.6057	1060.10	0.28	1.15	93.27	3.50	1.21	0.21	0.24	0.07	0.05	0.01	0.01	0.01	0.00
6272	12/19/2009	0.6041	1057.13	0.26	1.18	93.52	3.32	1.14	0.20	0.23	0.07	0.05	0.01	0.01	0.01	0.00
6272	12/18/2009	0.6044	1057.67	0.26	1.18	93.51	3.32	1.14	0.20	0.23	0.07	0.05	0.02	0.02	0.01	0.00
6272	12/17/2009	0.6115	1072.15	0.32	1.01	92.47	4.07	1.42	0.25	0.28	0.08	0.06	0.03	0.02	0.01	0.00
6272	12/16/2009	0.5954	1046.65	0.29	1.04	94.57	2.79	0.87	0.16	0.17	0.05	0.03	0.01	0.01	0.00	0.00
6272	12/15/2009	0.6040	1058.76	0.29	1.10	93.46	3.43	1.15	0.20	0.22	0.06	0.04	0.02	0.01	0.01	0.00
6272	12/14/2009	0.5867	1037.02	0.31	0.87	95.56	2.36	0.61	0.10	0.11	0.03	0.02	0.01	0.01	0.00	0.00
6272	12/13/2009	0.5899	1043.55	0.34	0.79	95.09	2.71	0.73	0.12	0.13	0.04	0.02	0.01	0.01	0.00	0.00
6272	12/12/2009	0.6076	1065.24	0.29	1.07	92.97	3.76	1.29	0.22	0.25	0.07	0.05	0.02	0.02	0.01	0.00
6272	12/11/2009	0.6003	1052.08	0.29	1.13	94.00	3.08	1.00	0.17	0.19	0.06	0.04	0.03	0.02	0.01	0.00
6272	12/10/2009	0.5834	1034.04	0.33	0.77	95.91	2.26	0.50	0.08	0.09	0.02	0.02	0.01	0.01	0.00	0.00
6272	12/09/2009	0.5818	1033.54	0.33	0.69	96.11	2.18	0.47	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6272	12/08/2009	0.5831	1035.12	0.32	0.71	95.81	2.47	0.50	0.08	0.07	0.02	0.01	0.01	0.00	0.00	0.00
6272	12/07/2009	0.5815	1032.74	0.34	0.70	96.02	2.32	0.45	0.07	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6272	12/06/2009	0.5841	1034.12	0.32	0.82	95.87	2.23	0.52	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6272	12/05/2009	0.5831	1034.22	0.36	0.73	95.90	2.28	0.50	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6272	12/04/2009	0.5895	1041.55	0.35	0.84	95.15	2.66	0.67	0.11	0.12	0.04	0.03	0.02	0.01	0.00	0.00
6272	12/03/2009	0.5867	1037.55	0.37	0.82	95.43	2.55	0.57	0.09	0.10	0.03	0.02	0.01	0.01	0.00	0.00
6272	12/02/2009	0.5965	1047.85	0.35	1.03	94.33	3.01	0.85	0.14	0.16	0.05	0.03	0.03	0.02	0.01	0.00
6272	12/01/2009	0.6061	1059.41	0.31	1.18	93.25	3.52	1.15	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
6272	11/30/2009	0.6028	1052.52	0.31	1.26	93.71	3.16	1.03	0.18	0.20	0.06	0.04	0.03	0.02	0.01	0.00
6272	11/29/2009	0.6058	1060.95	0.30	1.11	93.24	3.58	1.17	0.20	0.23	0.07	0.05	0.03	0.02	0.01	0.00
6272	11/28/2009	0.6051	1057.98	0.31	1.18	93.35	3.46	1.12	0.19	0.22	0.06	0.05	0.03	0.02	0.01	0.00
6272	11/27/2009	0.6037	1056.23	0.32	1.15	93.55	3.32	1.08	0.19	0.21	0.07	0.05	0.03	0.02	0.01	0.00
6272	11/26/2009	0.6022	1050.60	0.29	1.31	93.79	3.11	0.99	0.17	0.19	0.06	0.04	0.03	0.02	0.01	0.00
6272	11/25/2009	0.6058	1059.68	0.33	1.14	93.24	3.55	1.14	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
6272	11/24/2009	0.6050	1057.76	0.33	1.17	93.35	3.47	1.10	0.19	0.22	0.07	0.05	0.03	0.02	0.01	0.00
6272	11/23/2009	0.6045	1057.50	0.32	1.15	93.44	3.40	1.10	0.19	0.22	0.07	0.05	0.03	0.02	0.01	0.00
6272	11/22/2009	0.5888	1039.65	0.34	0.88	95.28	2.53	0.65	0.11	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6272	11/21/2009	0.5870	1038.51	0.35	0.80	95.44	2.51	0.59	0.10	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6272	11/20/2009	0.6027	1058.44	0.34	0.99	93.55	3.49	1.07	0.19	0.21	0.06	0.05	0.03	0.02	0.01	0.00
6272	11/19/2009	0.5898	1041.93	0.37	0.83	95.06	2.74	0.68	0.11	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6272	11/18/2009	0.5988	1054.57	0.36	0.90	93.88	3.45	0.96	0.17	0.17	0.05	0.03	0.02	0.01	0.00	0.00
6272	11/17/2009	0.6069	1063.73	0.35	1.04	93.00	3.79	1.20	0.21	0.23	0.07	0.05	0.03	0.02	0.01	0.00
6272	11/16/2009	0.6081	1065.25	0.34	1.06	92.87	3.86	1.23	0.21	0.24	0.07	0.05	0.04	0.02	0.01	0.00
6272	11/15/2009	0.6070	1062.78	0.42	1.04	93.10	3.58	1.21	0.21	0.24	0.07	0.05	0.04	0.03	0.01	0.00
6272	11/14/2009	0.6013	1047.90	0.34	1.32	93.99	2.90	0.93	0.16	0.18	0.06	0.04	0.04	0.02	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Cedar City Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6272	11/13/2009	0.5875	1033.49	0.30	1.07	95.55	2.26	0.54	0.09	0.10	0.03	0.02	0.02	0.01	0.01	0.00
6272	11/12/2009	0.5795	1029.31	0.36	0.70	96.28	2.15	0.36	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6272	11/11/2009	0.5796	1029.87	0.35	0.69	96.27	2.16	0.37	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6272	11/10/2009	0.5805	1030.69	0.35	0.72	96.15	2.23	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00

Meter Name = Garland Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6230	02/07/2010	0.5862	1033.01	0.56	0.84	95.37	2.53	0.46	0.09	0.08	0.03	0.02	0.01	0.01	0.00	0.00
6230	02/06/2010	0.5904	1037.02	0.54	0.95	94.86	2.77	0.58	0.11	0.10	0.03	0.02	0.02	0.01	0.00	0.00
6230	02/05/2010	0.5783	1027.82	0.35	0.70	96.43	2.10	0.30	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6230	02/04/2010	0.5925	1044.24	0.51	0.82	94.56	3.04	0.72	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6230	02/03/2010	0.5829	1034.03	0.40	0.70	95.87	2.37	0.46	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6230	02/02/2010	0.5808	1030.31	0.45	0.68	96.14	2.16	0.38	0.07	0.06	0.02	0.01	0.01	0.01	0.01	0.00
6230	02/01/2010	0.5901	1040.04	0.55	0.81	94.94	2.74	0.63	0.12	0.12	0.04	0.02	0.02	0.01	0.01	0.00
6230	01/31/2010	0.5965	1047.09	0.63	0.87	94.10	3.15	0.81	0.16	0.15	0.05	0.03	0.02	0.01	0.01	0.00
6230	01/30/2010	0.5798	1030.57	0.36	0.67	96.27	2.15	0.38	0.06	0.06	0.02	0.01	0.01	0.01	0.01	0.00
6230	01/29/2010	0.5718	1022.36	0.22	0.59	97.34	1.64	0.16	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
6230	01/28/2010	0.5713	1021.93	0.21	0.58	97.44	1.55	0.16	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6230	01/27/2010	0.5708	1021.09	0.22	0.58	97.49	1.53	0.14	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6230	01/26/2010	0.5706	1020.79	0.22	0.58	97.54	1.49	0.14	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6230	01/25/2010	0.5741	1024.64	0.26	0.61	97.08	1.72	0.23	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6230	01/24/2010	0.5921	1044.48	0.40	0.85	94.73	2.96	0.71	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6230	01/23/2010	0.5892	1040.38	0.37	0.85	95.10	2.77	0.61	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6230	01/22/2010	0.5904	1041.41	0.41	0.86	94.88	2.92	0.62	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6230	01/21/2010	0.5887	1038.98	0.43	0.84	95.16	2.66	0.59	0.11	0.11	0.04	0.02	0.02	0.01	0.00	0.00
6230	01/20/2010	0.5867	1036.55	0.42	0.82	95.42	2.55	0.53	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6230	01/19/2010	0.5897	1040.93	0.43	0.83	94.96	2.83	0.64	0.12	0.11	0.03	0.02	0.01	0.01	0.00	0.00
6230	01/18/2010	0.5734	1023.61	0.25	0.62	97.13	1.74	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6230	01/17/2010	0.5722	1023.70	0.22	0.56	97.26	1.72	0.18	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6230	01/16/2010	0.5722	1023.70	0.22	0.56	97.26	1.72	0.18	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6230	01/15/2010	0.5722	1023.69	0.22	0.56	97.26	1.72	0.18	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6230	01/14/2010	0.5727	1024.54	0.21	0.56	97.26	1.68	0.21	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
6230	01/13/2010	0.5720	1023.20	0.23	0.57	97.31	1.66	0.18	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6230	01/12/2010	0.5738	1025.79	0.23	0.57	97.04	1.85	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6230	01/11/2010	0.5733	1025.10	0.23	0.57	97.12	1.81	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6230	01/10/2010	0.5738	1025.67	0.23	0.57	97.04	1.85	0.23	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6230	01/09/2010	0.5752	1028.17	0.23	0.57	96.87	1.94	0.28	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6230	01/08/2010	0.5734	1025.12	0.23	0.57	97.14	1.77	0.21	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6230	01/07/2010	0.5723	1023.86	0.22	0.56	97.28	1.68	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6230	01/06/2010	0.5737	1025.86	0.22	0.57	97.08	1.82	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6230	01/05/2010	0.5746	1027.36	0.23	0.56	97.02	1.81	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6230	01/04/2010	0.5748	1026.61	0.25	0.59	96.94	1.86	0.25	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6230	01/03/2010	0.5780	1030.34	0.28	0.62	96.53	2.08	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6230	01/02/2010	0.5770	1031.28	0.23	0.55	96.76	1.96	0.31	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6230	01/01/2010	0.5731	1024.67	0.23	0.57	97.12	1.83	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6230	12/31/2009	0.5781	1032.33	0.24	0.57	96.66	1.96	0.35	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6230	12/30/2009	0.5803	1034.55	0.29	0.59	96.32	2.17	0.41	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	12/29/2009	0.5765	1029.90	0.25	0.56	96.85	1.84	0.32	0.06	0.05	0.02	0.01	0.01	0.01	0.01	0.00
6230	12/28/2009	0.5791	1033.25	0.26	0.58	96.56	1.98	0.38	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	12/27/2009	0.5759	1028.59	0.26	0.58	96.81	1.94	0.29	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/26/2009	0.5743	1027.14	0.23	0.55	97.07	1.78	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/25/2009	0.5742	1026.78	0.23	0.55	97.08	1.77	0.25	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/24/2009	0.5750	1027.65	0.24	0.57	96.97	1.83	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/23/2009	0.5735	1025.70	0.23	0.56	97.14	1.76	0.23	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/22/2009	0.5737	1025.88	0.23	0.56	97.10	1.78	0.23	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/21/2009	0.5739	1025.85	0.23	0.57	97.08	1.80	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/20/2009	0.5740	1026.21	0.24	0.56	97.06	1.82	0.23	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/19/2009	0.5754	1028.40	0.23	0.57	96.84	1.97	0.29	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/18/2009	0.5766	1030.23	0.23	0.57	96.79	1.94	0.31	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6230	12/17/2009	0.5819	1036.08	0.24	0.66	96.14	2.25	0.46	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6230	12/16/2009	0.5839	1038.52	0.20	0.71	95.87	2.42	0.53	0.10	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6230	12/15/2009	0.5831	1038.86	0.21	0.64	95.89	2.50	0.52	0.09	0.08	0.03	0.02	0.01	0.01	0.00	0.00
6230	12/14/2009	0.5842	1036.46	0.46	0.64	95.67	2.46	0.52	0.10	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6230	12/13/2009	0.5752	1028.55	0.21	0.56	96.92	1.90	0.28	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/12/2009	0.5748	1028.20	0.21	0.55	96.97	1.87	0.28	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/11/2009	0.5742	1026.93	0.22	0.56	97.03	1.85	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6230	12/10/2009	0.5767	1030.32	0.22	0.58	96.69	2.05	0.32	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6230	12/09/2009	0.5788	1033.45	0.22	0.59	96.46	2.17	0.38	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6230	12/08/2009	0.5782	1032.64	0.21	0.59	96.40	2.31	0.37	0.06	0.04	0.01	0.01	0.01	0.00	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Garland Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6230	12/07/2009	0.5780	1030.91	0.28	0.59	96.54	2.08	0.34	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6230	12/06/2009	0.5782	1030.23	0.33	0.61	96.44	2.15	0.34	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6230	12/05/2009	0.5759	1028.01	0.27	0.59	96.75	2.00	0.28	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/04/2009	0.5765	1028.75	0.26	0.60	96.65	2.10	0.28	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/03/2009	0.5767	1029.37	0.25	0.60	96.65	2.07	0.30	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6230	12/02/2009	0.5847	1036.70	0.42	0.69	95.62	2.51	0.51	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6230	12/01/2009	0.5784	1029.78	0.43	0.56	96.38	2.13	0.34	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6230	11/30/2009	0.5805	1029.11	0.79	0.48	95.98	2.16	0.39	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6230	11/29/2009	0.5787	1030.09	0.52	0.52	96.37	2.04	0.37	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6230	11/28/2009	0.5783	1029.86	0.47	0.53	96.41	2.07	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6230	11/27/2009	0.5792	1030.48	0.49	0.55	96.27	2.14	0.37	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6230	11/26/2009	0.5797	1031.09	0.44	0.59	96.20	2.22	0.38	0.07	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6230	11/25/2009	0.5800	1030.69	0.46	0.61	96.22	2.13	0.39	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6230	11/24/2009	0.5839	1035.80	0.43	0.67	95.73	2.43	0.49	0.09	0.08	0.03	0.02	0.01	0.01	0.00	0.00
6230	11/23/2009	0.5891	1040.99	0.49	0.75	94.99	2.87	0.60	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
6230	11/22/2009	0.5916	1044.10	0.60	0.71	94.61	3.06	0.67	0.12	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6230	11/21/2009	0.5914	1046.50	0.37	0.75	94.70	3.16	0.69	0.12	0.11	0.04	0.02	0.02	0.01	0.01	0.00
6230	11/20/2009	0.5884	1036.52	0.76	0.71	95.14	2.48	0.58	0.12	0.11	0.04	0.03	0.02	0.01	0.01	0.00
6230	11/19/2009	0.5866	1036.00	0.69	0.66	95.35	2.46	0.54	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
6230	11/18/2009	0.5852	1035.78	0.55	0.67	95.54	2.46	0.51	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6230	11/17/2009	0.5827	1032.88	0.63	0.58	95.83	2.25	0.47	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6230	11/16/2009	0.5838	1034.86	0.51	0.64	95.71	2.39	0.49	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6230	11/15/2009	0.5749	1027.57	0.23	0.57	96.92	1.92	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6230	11/14/2009	0.5777	1029.74	0.33	0.59	96.52	2.08	0.32	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6230	11/13/2009	0.5867	1040.38	0.37	0.70	95.40	2.69	0.54	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
6230	11/12/2009	0.5882	1042.33	0.32	0.74	95.19	2.86	0.57	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
6230	11/11/2009	0.5870	1041.30	0.31	0.72	95.35	2.77	0.56	0.11	0.10	0.03	0.02	0.02	0.01	0.00	0.00
6230	11/10/2009	0.5831	1037.35	0.29	0.65	95.81	2.57	0.46	0.08	0.07	0.03	0.02	0.01	0.01	0.00	0.00

Meter Name = Hildale 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6125	02/07/2010	0.6039	1049.94	0.29	1.44	93.45	3.33	1.02	0.17	0.19	0.05	0.03	0.02	0.01	0.00	0.00
6125	02/06/2010	0.6034	1051.25	0.28	1.36	93.51	3.34	1.03	0.17	0.19	0.05	0.03	0.02	0.01	0.00	0.00
6125	02/05/2010	0.5990	1046.89	0.30	1.25	94.02	3.12	0.90	0.15	0.16	0.04	0.03	0.02	0.01	0.00	0.00
6125	02/04/2010	0.5909	1038.35	0.33	1.07	94.98	2.68	0.66	0.11	0.11	0.03	0.02	0.01	0.01	0.00	0.00
6125	02/03/2010	0.5931	1041.25	0.31	1.10	94.72	2.81	0.72	0.12	0.12	0.03	0.02	0.02	0.01	0.00	0.00
6125	02/02/2010	0.5923	1041.56	0.33	1.02	94.84	2.75	0.70	0.12	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6125	02/01/2010	0.5891	1039.07	0.34	0.93	95.21	2.59	0.63	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6125	01/31/2010	0.5897	1040.10	0.33	0.92	95.11	2.69	0.64	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6125	01/30/2010	0.5919	1042.03	0.34	0.98	94.82	2.80	0.72	0.12	0.13	0.04	0.02	0.02	0.01	0.00	0.00
6125	01/29/2010	0.5927	1040.87	0.34	1.08	94.73	2.81	0.72	0.12	0.12	0.03	0.02	0.01	0.01	0.00	0.00
6125	01/28/2010	0.5947	1040.50	0.33	1.22	94.52	2.86	0.74	0.12	0.13	0.03	0.02	0.01	0.01	0.00	0.00
6125	01/27/2010	0.5889	1036.82	0.33	1.01	95.21	2.57	0.62	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
6125	01/26/2010	0.5903	1038.94	0.32	1.01	95.03	2.68	0.66	0.11	0.11	0.03	0.02	0.01	0.01	0.00	0.00
6125	01/25/2010	0.5867	1035.83	0.34	0.90	95.45	2.50	0.57	0.09	0.09	0.02	0.02	0.01	0.01	0.00	0.00
6125	01/24/2010	0.5815	1031.92	0.35	0.73	96.04	2.29	0.42	0.07	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6125	01/23/2010	0.5896	1039.58	0.34	0.93	95.08	2.70	0.66	0.11	0.11	0.03	0.02	0.01	0.01	0.00	0.00
6125	01/22/2010	0.6022	1051.66	0.30	1.26	93.58	3.38	1.00	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
6125	01/21/2010	0.6048	1054.26	0.30	1.32	93.30	3.51	1.07	0.18	0.19	0.05	0.04	0.02	0.01	0.00	0.00
6125	01/20/2010	0.6056	1054.61	0.30	1.35	93.21	3.54	1.10	0.18	0.20	0.05	0.04	0.02	0.01	0.00	0.00
6125	01/19/2010	0.6092	1060.83	0.28	1.34	92.74	3.82	1.23	0.21	0.23	0.06	0.04	0.03	0.01	0.00	0.00
6125	01/18/2010	0.6015	1051.26	0.31	1.22	93.69	3.32	0.99	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
6125	01/17/2010	0.5945	1045.08	0.33	1.03	94.47	3.02	0.80	0.13	0.14	0.04	0.02	0.02	0.01	0.00	0.00
6125	01/16/2010	0.6102	1060.86	0.30	1.39	92.61	3.86	1.25	0.21	0.23	0.06	0.04	0.03	0.01	0.00	0.00
6125	01/15/2010	0.5923	1042.95	0.34	0.96	94.75	2.88	0.73	0.12	0.13	0.03	0.02	0.02	0.01	0.00	0.00
6125	01/14/2010	0.5852	1035.21	0.36	0.82	95.63	2.44	0.52	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6125	01/13/2010	0.5884	1038.87	0.35	0.88	95.33	2.52	0.62	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6125	01/12/2010	0.5860	1036.24	0.35	0.83	95.60	2.40	0.55	0.09	0.10	0.03	0.02	0.01	0.01	0.00	0.00
6125	01/11/2010	0.5872	1036.75	0.34	0.90	95.49	2.41	0.58	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
6125	01/10/2010	0.5840	1034.47	0.37	0.77	95.74	2.39	0.51	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6125	01/09/2010	0.5861	1038.31	0.36	0.75	95.54	2.51	0.57	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
6125	01/08/2010	0.5837	1034.79	0.35	0.75	95.81	2.37	0.49	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6125	01/07/2010	0.5805	1031.45	0.36	0.68	96.17	2.20	0.41	0.07	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6125	01/06/2010	0.5810	1032.73	0.35	0.66	96.15	2.22	0.43	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6125	01/05/2010	0.5807	1031.50	0.35	0.69	96.19	2.17	0.42	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6125	01/04/2010	0.5867	1035.98	0.32	0.91	95.61	2.31	0.56	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
6125	01/03/2010	0.5881	1036.66	0.34	0.95	95.41	2.40	0.59	0.10	0.11	0.04	0.02	0.02	0.01	0.00	0.00
6125	01/02/2010	0.5859	1034.51	0.34	0.90	95.67	2.28	0.53	0.09	0.10	0.03	0.02	0.02	0.01	0.00	0.00
6125	01/01/2010	0.5890	1038.40	0.34	0.94	95.31	2.46	0.62	0.11	0.12	0.04	0.03	0.02	0.01	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Hildale 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6125	12/31/2009	0.5867	1038.35	0.35	0.79	95.53	2.43	0.59	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6125	12/30/2009	0.5822	1033.95	0.36	0.68	96.03	2.23	0.46	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6125	12/29/2009	0.5854	1037.58	0.35	0.75	95.67	2.40	0.55	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
6125	12/28/2009	0.5830	1034.70	0.35	0.71	95.92	2.31	0.48	0.08	0.08	0.03	0.02	0.01	0.01	0.00	0.00
6125	12/27/2009	0.5847	1035.84	0.35	0.77	95.74	2.35	0.54	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6125	12/26/2009	0.5865	1037.99	0.34	0.80	95.55	2.43	0.59	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
6125	12/25/2009	0.5870	1039.32	0.34	0.78	95.47	2.50	0.62	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6125	12/24/2009	0.5826	1033.95	0.34	0.72	95.99	2.24	0.49	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6125	12/23/2009	0.5901	1042.41	0.34	0.85	95.09	2.67	0.70	0.12	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6125	12/22/2009	0.5953	1048.63	0.33	0.93	94.49	2.95	0.86	0.15	0.17	0.05	0.03	0.02	0.01	0.00	0.00
6125	12/21/2009	0.6064	1060.87	0.29	1.16	93.23	3.51	1.20	0.21	0.24	0.07	0.05	0.03	0.02	0.01	0.00
6125	12/20/2009	0.6053	1058.84	0.26	1.19	93.46	3.33	1.14	0.20	0.24	0.07	0.05	0.04	0.02	0.01	0.00
6125	12/19/2009	0.5935	1048.60	0.34	0.82	94.63	2.98	0.83	0.14	0.16	0.04	0.03	0.02	0.01	0.00	0.00
6125	12/18/2009	0.6003	1057.29	0.33	0.90	93.81	3.39	1.05	0.18	0.20	0.06	0.04	0.03	0.01	0.00	0.00
6125	12/17/2009	0.5825	1034.15	0.33	0.71	96.03	2.22	0.47	0.08	0.08	0.03	0.02	0.01	0.01	0.00	0.00
6125	12/16/2009	0.5795	1030.12	0.34	0.68	96.34	2.08	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6125	12/15/2009	0.5785	1028.95	0.34	0.67	96.47	2.00	0.38	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6125	12/14/2009	0.5795	1029.57	0.35	0.69	96.34	2.06	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6125	12/13/2009	0.5811	1032.31	0.37	0.67	96.15	2.17	0.44	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6125	12/12/2009	0.5784	1028.38	0.36	0.66	96.47	1.99	0.37	0.06	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6125	12/11/2009	0.5785	1029.04	0.35	0.66	96.44	2.04	0.37	0.06	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6125	12/10/2009	0.5796	1030.15	0.34	0.68	96.27	2.17	0.39	0.06	0.05	0.01	0.01	0.00	0.00	0.00	0.00
6125	12/09/2009	0.5821	1032.66	0.33	0.75	95.93	2.37	0.46	0.07	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6125	12/08/2009	0.5843	1036.56	0.33	0.73	95.57	2.67	0.53	0.08	0.07	0.02	0.01	0.01	0.00	0.00	0.00
6125	12/07/2009	0.5796	1030.25	0.35	0.67	96.31	2.11	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6125	12/06/2009	0.5798	1030.30	0.36	0.68	96.28	2.12	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6125	12/05/2009	0.5796	1029.37	0.38	0.69	96.27	2.14	0.37	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6125	12/04/2009	0.5802	1030.12	0.37	0.71	96.15	2.26	0.38	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6125	12/03/2009	0.5815	1031.35	0.35	0.75	95.99	2.34	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6125	12/02/2009	0.5873	1038.05	0.35	0.84	95.41	2.53	0.59	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
6125	12/01/2009	0.5856	1035.75	0.37	0.82	95.58	2.43	0.54	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6125	11/30/2009	0.5803	1030.41	0.36	0.71	96.19	2.20	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6125	11/29/2009	0.5803	1030.16	0.38	0.71	96.19	2.17	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6125	11/28/2009	0.5823	1032.27	0.34	0.77	96.02	2.22	0.46	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6125	11/27/2009	0.5828	1031.59	0.34	0.83	95.99	2.20	0.45	0.07	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6125	11/26/2009	0.5857	1036.66	0.35	0.80	95.62	2.42	0.55	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6125	11/25/2009	0.5883	1039.27	0.35	0.86	95.29	2.57	0.62	0.10	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6125	11/24/2009	0.5834	1033.83	0.35	0.76	95.85	2.33	0.48	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6125	11/23/2009	0.5793	1029.42	0.36	0.69	96.32	2.12	0.37	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6125	11/22/2009	0.5794	1029.05	0.36	0.70	96.30	2.14	0.36	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6125	11/21/2009	0.5811	1031.53	0.37	0.70	96.03	2.33	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6125	11/20/2009	0.5860	1037.98	0.38	0.75	95.32	2.83	0.51	0.08	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6125	11/19/2009	0.5822	1032.33	0.36	0.75	95.98	2.28	0.44	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6125	11/18/2009	0.5828	1033.38	0.35	0.75	95.92	2.31	0.47	0.08	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6125	11/17/2009	0.5805	1030.87	0.35	0.71	96.19	2.18	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6125	11/16/2009	0.5799	1029.90	0.36	0.70	96.26	2.14	0.38	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6125	11/15/2009	0.5787	1028.27	0.37	0.68	96.38	2.11	0.33	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6125	11/14/2009	0.5789	1028.75	0.36	0.69	96.35	2.12	0.35	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6125	11/13/2009	0.5803	1030.33	0.35	0.71	96.17	2.23	0.38	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6125	11/12/2009	0.5801	1029.95	0.34	0.73	96.21	2.20	0.38	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6125	11/11/2009	0.5804	1028.71	0.34	0.79	96.21	2.14	0.36	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6125	11/10/2009	0.5808	1031.21	0.36	0.70	96.10	2.28	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00

Meter Name = Kennecott Orifice

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
7099	02/07/2010	0.5745	1025.28	0.39	0.53	96.88	1.88	0.23	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	02/06/2010	0.5746	1025.21	0.40	0.53	96.87	1.89	0.23	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	02/05/2010	0.5736	1023.94	0.38	0.53	97.00	1.81	0.20	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
7099	02/04/2010	0.5743	1025.16	0.38	0.53	96.91	1.87	0.23	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	02/03/2010	0.5744	1024.52	0.40	0.55	96.86	1.90	0.21	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	02/02/2010	0.5739	1024.14	0.38	0.55	96.95	1.84	0.20	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
7099	02/01/2010	0.5735	1023.50	0.38	0.54	97.01	1.81	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	01/31/2010	0.5742	1024.43	0.39	0.54	96.91	1.87	0.21	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	01/30/2010	0.5739	1024.44	0.37	0.54	96.95	1.86	0.21	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
7099	01/29/2010	0.5751	1025.82	0.38	0.55	96.79	1.95	0.23	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	01/28/2010	0.5759	1026.79	0.39	0.55	96.71	1.97	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
7099	01/27/2010	0.5759	1026.81	0.39	0.56	96.71	1.97	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
7099	01/26/2010	0.5743	1024.79	0.37	0.55	96.92	1.85	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	01/25/2010	0.5735	1023.75	0.36	0.55	97.01	1.80	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Kennecott Orifice

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
7099	01/24/2010	0.5731	1023.49	0.36	0.53	97.06	1.79	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	01/23/2010	0.5744	1025.23	0.37	0.54	96.88	1.90	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	01/22/2010	0.5757	1027.29	0.37	0.54	96.71	2.01	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
7099	01/21/2010	0.5740	1024.88	0.36	0.53	96.95	1.85	0.22	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	01/20/2010	0.5733	1023.76	0.37	0.53	97.03	1.81	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	01/19/2010	0.5739	1024.37	0.38	0.53	96.94	1.87	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	01/18/2010	0.5734	1023.78	0.37	0.54	97.00	1.84	0.18	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	01/17/2010	0.5737	1023.92	0.36	0.55	96.99	1.84	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	01/16/2010	0.5740	1024.22	0.37	0.56	96.93	1.88	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	01/15/2010	0.5731	1023.54	0.37	0.52	97.06	1.80	0.18	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	01/14/2010	0.5725	1022.62	0.38	0.52	97.15	1.73	0.16	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	01/13/2010	0.5753	1026.16	0.39	0.55	96.78	1.95	0.23	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	01/12/2010	0.5741	1024.58	0.39	0.53	96.93	1.85	0.21	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	01/11/2010	0.5729	1022.88	0.39	0.52	97.08	1.77	0.17	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	01/10/2010	0.5732	1023.52	0.37	0.53	97.04	1.81	0.18	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	01/09/2010	0.5738	1024.20	0.39	0.53	96.95	1.86	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	01/08/2010	0.5769	1028.75	0.40	0.54	96.54	2.10	0.30	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
7099	01/07/2010	0.5744	1024.83	0.39	0.54	96.86	1.92	0.20	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	01/06/2010	0.5741	1024.62	0.38	0.54	96.92	1.87	0.21	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	01/05/2010	0.5743	1025.37	0.36	0.53	96.91	1.89	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	01/04/2010	0.5751	1026.69	0.36	0.53	96.84	1.91	0.25	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
7099	01/03/2010	0.5742	1025.39	0.36	0.53	96.96	1.83	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	01/02/2010	0.5746	1025.83	0.37	0.53	96.90	1.87	0.23	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	01/01/2010	0.5738	1024.13	0.37	0.54	96.98	1.83	0.20	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	12/31/2009	0.5746	1025.56	0.38	0.53	96.88	1.89	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	12/30/2009	0.5765	1028.10	0.39	0.54	96.68	1.97	0.27	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
7099	12/29/2009	0.5772	1029.73	0.38	0.53	96.62	2.01	0.30	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
7099	12/28/2009	0.5768	1029.37	0.37	0.52	96.72	1.90	0.30	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
7099	12/27/2009	0.5779	1030.74	0.37	0.53	96.60	1.97	0.33	0.07	0.06	0.02	0.02	0.02	0.01	0.00	0.00
7099	12/26/2009	0.5756	1027.10	0.37	0.53	96.77	1.96	0.25	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
7099	12/25/2009	0.5745	1025.85	0.37	0.52	96.94	1.82	0.24	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
7099	12/24/2009	0.5750	1026.70	0.37	0.52	96.87	1.87	0.25	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
7099	12/23/2009	0.5743	1025.34	0.38	0.52	96.97	1.80	0.23	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
7099	12/22/2009	0.5731	1023.72	0.36	0.52	97.11	1.73	0.19	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	12/21/2009	0.5726	1022.92	0.37	0.52	97.18	1.68	0.18	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	12/20/2009	0.5726	1022.65	0.38	0.53	97.16	1.69	0.17	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	12/19/2009	0.5725	1022.66	0.36	0.53	97.18	1.69	0.16	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
7099	12/18/2009	0.5733	1023.97	0.36	0.52	97.07	1.76	0.20	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	12/17/2009	0.5734	1023.80	0.37	0.54	97.03	1.80	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	12/16/2009	0.5737	1024.43	0.35	0.54	97.03	1.79	0.20	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	12/15/2009	0.5738	1025.01	0.34	0.53	97.08	1.72	0.22	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
7099	12/14/2009	0.5718	1022.49	0.35	0.50	97.27	1.65	0.18	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	12/13/2009	0.5718	1022.22	0.36	0.51	97.28	1.63	0.17	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	12/12/2009	0.5735	1024.36	0.37	0.52	97.06	1.74	0.21	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	12/11/2009	0.5733	1023.93	0.38	0.51	97.09	1.71	0.21	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	12/10/2009	0.5715	1021.71	0.36	0.51	97.31	1.62	0.15	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	12/09/2009	0.5744	1025.52	0.36	0.54	96.89	1.89	0.23	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	12/08/2009	0.5757	1027.50	0.35	0.54	96.80	1.91	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
7099	12/07/2009	0.5776	1030.37	0.32	0.56	96.40	2.28	0.33	0.05	0.04	0.01	0.01	0.00	0.00	0.00	0.00
7099	12/06/2009	0.5732	1023.73	0.37	0.52	97.07	1.77	0.19	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
7099	12/05/2009	0.5732	1023.89	0.36	0.52	97.09	1.74	0.20	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	12/04/2009	0.5734	1023.63	0.39	0.53	97.05	1.77	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	12/03/2009	0.5737	1023.82	0.39	0.54	96.94	1.88	0.18	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	12/02/2009	0.5752	1025.67	0.39	0.55	96.73	2.03	0.22	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	12/01/2009	0.5749	1025.47	0.38	0.56	96.80	1.96	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	11/30/2009	0.5749	1026.14	0.37	0.53	96.80	1.98	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	11/29/2009	0.5749	1026.15	0.37	0.53	96.80	1.99	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	11/28/2009	0.5749	1026.15	0.37	0.53	96.80	1.99	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	11/27/2009	0.5747	1025.73	0.38	0.53	96.84	1.93	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	11/26/2009	0.5739	1024.72	0.37	0.53	96.99	1.80	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	11/25/2009	0.5742	1025.01	0.36	0.54	96.95	1.84	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	11/24/2009	0.5742	1025.14	0.37	0.53	96.96	1.81	0.23	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	11/23/2009	0.5735	1024.01	0.38	0.52	97.02	1.80	0.20	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
7099	11/22/2009	0.5734	1024.01	0.37	0.52	97.03	1.80	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
7099	11/21/2009	0.5741	1025.20	0.37	0.52	96.95	1.85	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	11/20/2009	0.5744	1025.45	0.37	0.53	96.92	1.86	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	11/19/2009	0.5743	1025.07	0.37	0.54	96.90	1.90	0.21	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	11/18/2009	0.5763	1027.52	0.41	0.54	96.62	2.06	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
7099	11/17/2009	0.5852	1041.34	0.38	0.56	95.32	2.98	0.55	0.09	0.07	0.02	0.01	0.01	0.00	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Kennecott Orifice

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
7099	11/16/2009	0.5747	1025.96	0.38	0.52	96.84	1.94	0.23	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	11/15/2009	0.5742	1025.49	0.36	0.52	96.95	1.85	0.23	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	11/14/2009	0.5747	1026.00	0.38	0.52	96.85	1.91	0.24	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	11/13/2009	0.5746	1025.24	0.38	0.54	96.85	1.92	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	11/12/2009	0.5747	1025.61	0.38	0.54	96.85	1.92	0.23	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
7099	11/11/2009	0.5746	1025.39	0.37	0.54	96.84	1.94	0.22	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
7099	11/10/2009	0.5748	1026.19	0.36	0.53	96.83	1.96	0.23	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00

Meter Name = Lakeside M&R 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
994	02/07/2010	0.5747	1025.39	0.39	0.53	96.86	1.87	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	02/06/2010	0.5747	1025.32	0.41	0.53	96.85	1.87	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	02/05/2010	0.5738	1024.18	0.38	0.54	96.96	1.82	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
994	02/04/2010	0.5745	1025.37	0.39	0.52	96.88	1.87	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	02/03/2010	0.5747	1024.60	0.41	0.56	96.83	1.90	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
994	02/02/2010	0.5740	1024.18	0.37	0.55	96.94	1.84	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	02/01/2010	0.5737	1023.68	0.39	0.54	96.98	1.81	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	01/31/2010	0.5744	1024.63	0.39	0.55	96.89	1.86	0.23	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	01/30/2010	0.5743	1024.84	0.38	0.54	96.90	1.87	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
994	01/29/2010	0.5746	1025.01	0.39	0.55	96.86	1.87	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	01/28/2010	0.5748	1025.04	0.40	0.55	96.83	1.89	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	01/27/2010	0.5752	1025.65	0.39	0.56	96.79	1.91	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	01/26/2010	0.5743	1024.72	0.37	0.55	96.92	1.83	0.24	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00
994	01/25/2010	0.5737	1023.79	0.37	0.55	97.01	1.79	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	01/24/2010	0.5734	1023.79	0.37	0.54	97.03	1.78	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	01/23/2010	0.5748	1025.69	0.37	0.54	96.84	1.91	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	01/22/2010	0.5761	1027.79	0.37	0.54	96.67	2.02	0.28	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
994	01/21/2010	0.5743	1025.13	0.37	0.54	96.93	1.84	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	01/20/2010	0.5733	1023.77	0.37	0.53	97.03	1.80	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	01/19/2010	0.5740	1024.44	0.39	0.53	96.94	1.85	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	01/18/2010	0.5736	1024.03	0.37	0.54	96.98	1.84	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	01/17/2010	0.5739	1024.15	0.37	0.55	96.96	1.84	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	01/16/2010	0.5742	1024.47	0.37	0.56	96.90	1.88	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	01/15/2010	0.5732	1023.54	0.38	0.53	97.05	1.78	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	01/14/2010	0.5727	1022.84	0.38	0.52	97.13	1.72	0.19	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	01/13/2010	0.5762	1027.25	0.39	0.55	96.68	1.98	0.27	0.04	0.04	0.01	0.01	0.01	0.01	0.00	0.00
994	01/12/2010	0.5739	1024.20	0.40	0.53	96.96	1.81	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
994	01/11/2010	0.5730	1023.00	0.39	0.52	97.08	1.75	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	01/10/2010	0.5735	1023.93	0.38	0.53	97.00	1.82	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	01/09/2010	0.5743	1024.87	0.39	0.53	96.88	1.88	0.24	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
994	01/08/2010	0.5771	1028.85	0.40	0.54	96.53	2.09	0.32	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
994	01/07/2010	0.5744	1024.83	0.39	0.55	96.87	1.89	0.22	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	01/06/2010	0.5743	1024.80	0.39	0.54	96.91	1.85	0.23	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	01/05/2010	0.5747	1025.78	0.36	0.54	96.86	1.90	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	01/04/2010	0.5759	1027.89	0.37	0.53	96.77	1.91	0.29	0.05	0.04	0.01	0.01	0.01	0.01	0.00	0.00
994	01/03/2010	0.5745	1025.82	0.36	0.53	96.93	1.83	0.25	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	01/02/2010	0.5744	1025.44	0.37	0.53	96.91	1.85	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	01/01/2010	0.5740	1024.22	0.38	0.55	96.96	1.81	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
994	12/31/2009	0.5749	1025.88	0.39	0.53	96.85	1.89	0.24	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	12/30/2009	0.5773	1029.24	0.40	0.54	96.60	1.99	0.31	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	12/29/2009	0.5775	1030.22	0.38	0.53	96.59	2.00	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	12/28/2009	0.5773	1030.00	0.38	0.53	96.67	1.91	0.33	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	12/27/2009	0.5780	1030.80	0.38	0.54	96.59	1.96	0.35	0.07	0.06	0.02	0.02	0.02	0.01	0.00	0.00
994	12/26/2009	0.5757	1027.30	0.38	0.53	96.75	1.95	0.27	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
994	12/25/2009	0.5747	1026.10	0.37	0.52	96.92	1.81	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
994	12/24/2009	0.5753	1026.98	0.37	0.52	96.85	1.86	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
994	12/23/2009	0.5746	1025.69	0.38	0.53	96.93	1.80	0.25	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
994	12/22/2009	0.5732	1023.91	0.36	0.52	97.11	1.71	0.21	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	12/21/2009	0.5728	1023.04	0.38	0.52	97.16	1.67	0.20	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
994	12/20/2009	0.5728	1023.00	0.38	0.53	97.14	1.69	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	12/19/2009	0.5728	1022.99	0.37	0.53	97.15	1.69	0.19	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
994	12/18/2009	0.5737	1024.44	0.36	0.53	97.02	1.77	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
994	12/17/2009	0.5738	1024.27	0.37	0.54	96.98	1.81	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	12/16/2009	0.5741	1024.94	0.35	0.54	96.99	1.79	0.23	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	12/15/2009	0.5739	1025.20	0.34	0.53	97.07	1.70	0.25	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	12/14/2009	0.5720	1022.73	0.35	0.50	97.24	1.64	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	12/13/2009	0.5721	1022.54	0.36	0.51	97.25	1.63	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	12/12/2009	0.5738	1024.67	0.37	0.52	97.04	1.74	0.23	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	12/11/2009	0.5730	1023.70	0.37	0.51	97.14	1.68	0.22	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Lakeside M&R 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
994	12/10/2009	0.5716	1021.91	0.35	0.51	97.29	1.62	0.17	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
994	12/09/2009	0.5741	1025.29	0.35	0.53	96.95	1.84	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	12/08/2009	0.5759	1027.93	0.35	0.54	96.78	1.90	0.29	0.05	0.04	0.02	0.01	0.01	0.01	0.00	0.00
994	12/07/2009	0.5759	1028.10	0.32	0.55	96.65	2.10	0.30	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00
994	12/06/2009	0.5733	1023.87	0.37	0.52	97.07	1.74	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
994	12/05/2009	0.5733	1024.01	0.36	0.52	97.09	1.73	0.22	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	12/04/2009	0.5735	1023.69	0.39	0.53	97.05	1.73	0.21	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	12/03/2009	0.5742	1024.48	0.39	0.55	96.86	1.93	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
994	12/02/2009	0.5753	1025.63	0.39	0.56	96.71	2.02	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
994	12/01/2009	0.5749	1025.39	0.38	0.56	96.82	1.92	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	11/30/2009	0.5748	1025.36	0.40	0.54	96.84	1.88	0.25	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	11/29/2009	0.5748	1025.30	0.40	0.54	96.86	1.86	0.25	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	11/28/2009	0.5749	1026.08	0.37	0.54	96.82	1.93	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	11/27/2009	0.5749	1025.99	0.38	0.53	96.83	1.92	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	11/26/2009	0.5742	1025.08	0.36	0.54	96.96	1.81	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	11/25/2009	0.5748	1025.87	0.37	0.54	96.88	1.85	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	11/24/2009	0.5750	1026.28	0.38	0.53	96.90	1.80	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
994	11/23/2009	0.5738	1024.32	0.38	0.53	97.00	1.79	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
994	11/22/2009	0.5736	1024.28	0.37	0.53	97.03	1.78	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
994	11/21/2009	0.5748	1026.20	0.36	0.53	96.88	1.88	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	11/20/2009	0.5743	1024.94	0.38	0.54	96.91	1.86	0.23	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
994	11/19/2009	0.5750	1026.81	0.35	0.53	96.83	1.92	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	11/18/2009	0.5750	1026.81	0.35	0.53	96.83	1.92	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	11/17/2009	0.5750	1026.81	0.35	0.53	96.83	1.92	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	11/16/2009	0.5750	1026.81	0.35	0.53	96.83	1.92	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	11/15/2009	0.5750	1026.81	0.35	0.53	96.83	1.92	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	11/14/2009	0.5750	1026.81	0.35	0.53	96.83	1.92	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	11/13/2009	0.5750	1026.82	0.35	0.53	96.83	1.93	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	11/12/2009	0.5750	1026.88	0.35	0.53	96.83	1.93	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	11/11/2009	0.5750	1026.83	0.35	0.53	96.83	1.93	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
994	11/10/2009	0.5750	1026.77	0.35	0.53	96.83	1.93	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00

Meter Name = Lark Compressor Control

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6263	02/07/2010	0.5745	1025.24	0.40	0.53	96.88	1.86	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	02/06/2010	0.5747	1025.45	0.40	0.53	96.85	1.88	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	02/05/2010	0.5736	1024.08	0.38	0.53	97.00	1.80	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6263	02/04/2010	0.5743	1025.21	0.38	0.52	96.91	1.85	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	02/03/2010	0.5744	1024.59	0.41	0.54	96.87	1.88	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6263	02/02/2010	0.5739	1024.20	0.38	0.54	96.96	1.83	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6263	02/01/2010	0.5735	1023.67	0.38	0.54	97.01	1.80	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/31/2010	0.5742	1024.46	0.39	0.54	96.91	1.85	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/30/2010	0.5738	1024.34	0.37	0.53	96.97	1.82	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/29/2010	0.5753	1026.01	0.39	0.55	96.76	1.95	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	01/28/2010	0.5752	1025.41	0.40	0.56	96.78	1.91	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	01/27/2010	0.5750	1025.45	0.39	0.56	96.81	1.91	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	01/26/2010	0.5743	1024.89	0.37	0.55	96.92	1.84	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	01/25/2010	0.5736	1023.89	0.36	0.55	97.02	1.79	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/24/2010	0.5732	1023.62	0.36	0.53	97.06	1.77	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/23/2010	0.5742	1025.02	0.37	0.54	96.92	1.87	0.23	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	01/22/2010	0.5759	1027.64	0.37	0.53	96.70	2.01	0.28	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	01/21/2010	0.5741	1025.07	0.37	0.53	96.94	1.84	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	01/20/2010	0.5734	1023.90	0.37	0.53	97.02	1.81	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/19/2010	0.5739	1024.49	0.38	0.53	96.94	1.86	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/18/2010	0.5735	1023.88	0.37	0.53	96.99	1.84	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/17/2010	0.5738	1024.05	0.37	0.55	96.97	1.84	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/16/2010	0.5740	1024.25	0.37	0.56	96.92	1.87	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/15/2010	0.5736	1024.11	0.37	0.53	97.00	1.82	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/14/2010	0.5752	1025.44	0.39	0.56	96.81	1.89	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	01/13/2010	0.5754	1026.28	0.39	0.55	96.76	1.94	0.25	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6263	01/12/2010	0.5755	1025.92	0.41	0.55	96.75	1.93	0.26	0.04	0.04	0.01	0.01	0.00	0.00	0.00	0.00
6263	01/11/2010	0.5731	1023.16	0.39	0.52	97.06	1.76	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/10/2010	0.5733	1023.72	0.38	0.53	97.02	1.81	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/09/2010	0.5737	1024.13	0.39	0.53	96.96	1.84	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	01/08/2010	0.5769	1028.76	0.40	0.53	96.55	2.08	0.32	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	01/07/2010	0.5749	1025.50	0.39	0.55	96.81	1.94	0.23	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	01/06/2010	0.5755	1025.91	0.40	0.56	96.75	1.93	0.26	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	01/05/2010	0.5751	1026.24	0.37	0.55	96.80	1.93	0.26	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	01/04/2010	0.5754	1027.05	0.37	0.53	96.80	1.91	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Lark Compressor Control

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6263	01/03/2010	0.5743	1025.57	0.36	0.53	96.94	1.83	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	01/02/2010	0.5748	1026.12	0.37	0.53	96.88	1.87	0.26	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	01/01/2010	0.5748	1025.30	0.38	0.55	96.85	1.88	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	12/31/2009	0.5747	1025.65	0.38	0.53	96.87	1.88	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	12/30/2009	0.5764	1027.93	0.39	0.54	96.69	1.95	0.28	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6263	12/29/2009	0.5775	1030.22	0.38	0.53	96.58	2.01	0.32	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6263	12/28/2009	0.5767	1029.19	0.38	0.52	96.73	1.88	0.31	0.06	0.05	0.02	0.01	0.01	0.01	0.01	0.00
6263	12/27/2009	0.5782	1031.14	0.38	0.53	96.57	1.96	0.35	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6263	12/26/2009	0.5759	1027.56	0.37	0.53	96.73	1.97	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	12/25/2009	0.5746	1026.00	0.37	0.52	96.93	1.81	0.25	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	12/24/2009	0.5751	1026.83	0.37	0.52	96.86	1.86	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	12/23/2009	0.5746	1025.74	0.38	0.52	96.94	1.79	0.25	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	12/22/2009	0.5750	1025.86	0.38	0.54	96.87	1.85	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	12/21/2009	0.5754	1026.07	0.39	0.56	96.82	1.86	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	12/20/2009	0.5751	1025.57	0.39	0.55	96.84	1.86	0.25	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	12/19/2009	0.5755	1026.22	0.38	0.56	96.79	1.89	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	12/18/2009	0.5740	1024.75	0.37	0.54	96.98	1.79	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	12/17/2009	0.5735	1023.97	0.37	0.54	97.02	1.78	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	12/16/2009	0.5738	1024.57	0.35	0.54	97.02	1.78	0.22	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	12/15/2009	0.5742	1025.54	0.35	0.53	97.04	1.72	0.25	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	12/14/2009	0.5720	1022.77	0.35	0.50	97.25	1.65	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	12/13/2009	0.5719	1022.36	0.36	0.51	97.27	1.62	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	12/12/2009	0.5735	1024.37	0.37	0.52	97.07	1.72	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	12/11/2009	0.5730	1023.84	0.37	0.51	97.13	1.68	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	12/10/2009	0.5716	1021.88	0.36	0.51	97.30	1.61	0.17	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	12/09/2009	0.5737	1024.78	0.35	0.53	97.00	1.82	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6263	12/08/2009	0.5758	1027.74	0.35	0.54	96.79	1.90	0.28	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	12/07/2009	0.5774	1030.16	0.33	0.56	96.43	2.24	0.34	0.05	0.04	0.01	0.01	0.00	0.00	0.00	0.00
6263	12/06/2009	0.5736	1024.36	0.37	0.52	97.01	1.80	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6263	12/05/2009	0.5732	1024.02	0.36	0.52	97.09	1.73	0.22	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	12/04/2009	0.5736	1024.00	0.39	0.52	97.03	1.76	0.22	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	12/03/2009	0.5737	1023.82	0.39	0.54	96.95	1.86	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	12/02/2009	0.5753	1025.88	0.39	0.55	96.72	2.02	0.24	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6263	12/01/2009	0.5751	1025.73	0.38	0.56	96.78	1.96	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/30/2009	0.5748	1025.36	0.40	0.54	96.84	1.88	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/29/2009	0.5747	1025.39	0.40	0.54	96.86	1.87	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/28/2009	0.5751	1026.27	0.37	0.54	96.81	1.93	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/27/2009	0.5750	1026.20	0.38	0.53	96.81	1.94	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/26/2009	0.5740	1024.84	0.37	0.53	96.98	1.79	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/25/2009	0.5743	1025.22	0.37	0.54	96.93	1.83	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/24/2009	0.5745	1025.46	0.37	0.53	96.93	1.81	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/23/2009	0.5735	1024.02	0.38	0.52	97.02	1.78	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6263	11/22/2009	0.5735	1024.19	0.37	0.53	97.02	1.79	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6263	11/21/2009	0.5742	1025.24	0.37	0.52	96.94	1.84	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/20/2009	0.5762	1026.85	0.42	0.55	96.69	1.92	0.28	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	11/19/2009	0.5745	1025.36	0.37	0.54	96.87	1.90	0.23	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/18/2009	0.5758	1026.78	0.41	0.54	96.70	1.99	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6263	11/17/2009	0.5856	1041.89	0.39	0.56	95.27	2.99	0.57	0.09	0.07	0.02	0.01	0.01	0.00	0.00	0.00
6263	11/16/2009	0.5753	1026.71	0.38	0.53	96.75	1.99	0.26	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/15/2009	0.5743	1025.63	0.36	0.52	96.93	1.84	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/14/2009	0.5747	1025.99	0.38	0.52	96.86	1.89	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/13/2009	0.5747	1025.39	0.39	0.54	96.84	1.92	0.23	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/12/2009	0.5749	1025.91	0.38	0.54	96.82	1.92	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/11/2009	0.5748	1025.58	0.37	0.55	96.82	1.94	0.23	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6263	11/10/2009	0.5748	1026.27	0.36	0.53	96.82	1.96	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00

Meter Name = Logan Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6229	02/07/2010	0.5889	1036.99	0.51	0.88	95.07	2.69	0.56	0.10	0.10	0.03	0.02	0.02	0.01	0.01	0.00
6229	02/06/2010	0.5893	1036.58	0.51	0.92	95.00	2.74	0.56	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
6229	02/05/2010	0.5784	1027.77	0.35	0.69	96.42	2.10	0.31	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	02/04/2010	0.5936	1044.68	0.52	0.86	94.44	3.07	0.75	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6229	02/03/2010	0.5803	1031.06	0.37	0.67	96.19	2.20	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6229	02/02/2010	0.5825	1031.68	0.45	0.74	95.90	2.28	0.44	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
6229	02/01/2010	0.6035	1053.00	0.66	1.05	93.11	3.68	1.01	0.18	0.18	0.05	0.03	0.02	0.01	0.00	0.00
6229	01/31/2010	0.6035	1053.00	0.66	1.05	93.11	3.68	1.01	0.18	0.18	0.05	0.03	0.02	0.01	0.00	0.00
6229	01/30/2010	0.5999	1049.41	0.61	1.00	93.60	3.44	0.91	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
6229	01/29/2010	0.5718	1022.16	0.23	0.60	97.34	1.63	0.16	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
6229	01/28/2010	0.5714	1021.93	0.22	0.58	97.42	1.56	0.16	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Logan Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6229	01/27/2010	0.5709	1021.05	0.22	0.59	97.48	1.53	0.15	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6229	01/26/2010	0.5706	1020.72	0.23	0.57	97.53	1.48	0.14	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6229	01/25/2010	0.5783	1029.80	0.28	0.66	96.53	2.02	0.35	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6229	01/24/2010	0.6069	1062.65	0.45	1.01	92.78	4.07	1.11	0.20	0.21	0.06	0.04	0.03	0.02	0.01	0.00
6229	01/23/2010	0.5884	1039.32	0.37	0.85	95.18	2.72	0.59	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6229	01/22/2010	0.5949	1045.49	0.48	0.93	94.29	3.20	0.73	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
6229	01/21/2010	0.5838	1033.76	0.39	0.77	95.81	2.33	0.47	0.09	0.08	0.03	0.02	0.01	0.01	0.00	0.00
6229	01/20/2010	0.5865	1036.18	0.43	0.82	95.43	2.53	0.53	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6229	01/19/2010	0.5853	1035.59	0.39	0.79	95.56	2.51	0.50	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6229	01/18/2010	0.5749	1024.91	0.28	0.64	96.93	1.83	0.24	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6229	01/17/2010	0.5704	1020.34	0.25	0.56	97.53	1.50	0.13	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6229	01/16/2010	0.5704	1020.34	0.25	0.56	97.53	1.50	0.13	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6229	01/15/2010	0.5707	1020.87	0.25	0.56	97.49	1.53	0.14	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6229	01/14/2010	0.5726	1024.33	0.22	0.56	97.27	1.67	0.21	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6229	01/13/2010	0.5720	1022.98	0.24	0.57	97.31	1.65	0.18	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6229	01/12/2010	0.5737	1025.42	0.25	0.57	97.06	1.82	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6229	01/11/2010	0.5733	1024.83	0.24	0.57	97.12	1.78	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6229	01/10/2010	0.5740	1025.94	0.24	0.57	97.01	1.86	0.24	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6229	01/09/2010	0.5750	1027.66	0.23	0.57	96.91	1.91	0.28	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6229	01/08/2010	0.5735	1025.22	0.24	0.57	97.12	1.77	0.22	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6229	01/07/2010	0.5721	1023.41	0.23	0.56	97.31	1.64	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6229	01/06/2010	0.5739	1026.04	0.23	0.56	97.06	1.82	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6229	01/05/2010	0.5741	1026.35	0.24	0.56	97.06	1.79	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6229	01/04/2010	0.5739	1025.72	0.24	0.57	97.06	1.80	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6229	01/03/2010	0.5773	1029.64	0.28	0.60	96.62	2.03	0.32	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6229	01/02/2010	0.5762	1029.93	0.24	0.55	96.83	1.93	0.30	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6229	01/01/2010	0.5734	1024.94	0.25	0.57	97.09	1.83	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6229	12/31/2009	0.5775	1031.54	0.24	0.56	96.75	1.91	0.34	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6229	12/30/2009	0.5779	1032.62	0.24	0.55	96.65	2.00	0.36	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6229	12/29/2009	0.5752	1028.53	0.24	0.54	97.03	1.75	0.28	0.05	0.05	0.02	0.01	0.01	0.01	0.01	0.00
6229	12/28/2009	0.5781	1032.53	0.24	0.56	96.71	1.90	0.37	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6229	12/27/2009	0.5748	1027.48	0.24	0.56	96.98	1.85	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	12/26/2009	0.5741	1026.79	0.24	0.54	97.09	1.75	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	12/25/2009	0.5742	1026.68	0.24	0.55	97.08	1.76	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	12/24/2009	0.5749	1027.39	0.24	0.56	96.99	1.81	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	12/23/2009	0.5731	1025.11	0.23	0.55	97.19	1.73	0.22	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6229	12/22/2009	0.5735	1025.54	0.24	0.56	97.12	1.76	0.23	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6229	12/21/2009	0.5738	1025.59	0.24	0.58	97.08	1.79	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6229	12/20/2009	0.5739	1025.99	0.25	0.56	97.06	1.80	0.24	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6229	12/19/2009	0.5756	1028.50	0.24	0.57	96.82	1.96	0.30	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	12/18/2009	0.5771	1030.92	0.24	0.57	96.74	1.95	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6229	12/17/2009	0.5808	1034.64	0.20	0.68	96.26	2.22	0.43	0.08	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6229	12/16/2009	0.5851	1039.87	0.21	0.73	95.74	2.46	0.57	0.11	0.10	0.03	0.02	0.01	0.01	0.00	0.00
6229	12/15/2009	0.5828	1038.53	0.23	0.63	95.91	2.50	0.51	0.09	0.08	0.03	0.02	0.01	0.01	0.00	0.00
6229	12/14/2009	0.5843	1036.11	0.50	0.63	95.65	2.45	0.52	0.10	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6229	12/13/2009	0.5746	1027.66	0.22	0.55	96.99	1.85	0.27	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	12/12/2009	0.5745	1027.52	0.22	0.55	97.01	1.83	0.28	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	12/11/2009	0.5737	1026.14	0.22	0.56	97.10	1.79	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6229	12/10/2009	0.5768	1030.58	0.21	0.58	96.68	2.06	0.33	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6229	12/09/2009	0.5790	1033.62	0.23	0.58	96.45	2.15	0.39	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6229	12/08/2009	0.5784	1032.81	0.22	0.59	96.37	2.32	0.38	0.06	0.04	0.01	0.01	0.00	0.00	0.00	0.00
6229	12/07/2009	0.5777	1030.52	0.28	0.59	96.58	2.04	0.35	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6229	12/06/2009	0.5767	1028.97	0.29	0.59	96.65	2.05	0.30	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	12/05/2009	0.5743	1026.46	0.23	0.57	96.98	1.89	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6229	12/04/2009	0.5754	1027.98	0.23	0.58	96.79	2.05	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6229	12/03/2009	0.5756	1028.27	0.23	0.58	96.81	2.00	0.27	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6229	12/02/2009	0.5763	1029.54	0.23	0.58	96.73	2.04	0.30	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	12/01/2009	0.5761	1028.60	0.27	0.57	96.75	1.99	0.29	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	11/30/2009	0.5797	1028.08	0.86	0.43	96.05	2.09	0.37	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6229	11/29/2009	0.5763	1028.87	0.31	0.55	96.78	1.91	0.31	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6229	11/28/2009	0.5771	1030.33	0.28	0.56	96.68	1.98	0.33	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6229	11/27/2009	0.5773	1030.33	0.28	0.58	96.60	2.07	0.34	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6229	11/26/2009	0.5779	1030.62	0.30	0.59	96.49	2.13	0.35	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6229	11/25/2009	0.5759	1028.71	0.25	0.58	96.78	1.97	0.30	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	11/24/2009	0.5746	1027.00	0.23	0.57	97.00	1.83	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6229	11/23/2009	0.5779	1031.70	0.23	0.59	96.46	2.24	0.34	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	11/22/2009	0.5825	1037.83	0.28	0.60	95.72	2.79	0.44	0.07	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6229	11/21/2009	0.5823	1037.46	0.26	0.62	95.80	2.71	0.44	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6229	11/20/2009	0.5860	1034.61	0.73	0.65	95.45	2.35	0.52	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Logan Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6229	11/19/2009	0.5807	1032.06	0.48	0.59	96.10	2.23	0.40	0.08	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6229	11/18/2009	0.5787	1031.27	0.32	0.60	96.41	2.14	0.36	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6229	11/17/2009	0.5776	1029.99	0.36	0.55	96.55	2.04	0.34	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6229	11/16/2009	0.5764	1029.94	0.23	0.57	96.72	2.05	0.31	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6229	11/15/2009	0.5747	1027.13	0.24	0.57	96.93	1.91	0.26	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6229	11/14/2009	0.5752	1027.92	0.23	0.58	96.87	1.96	0.27	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6229	11/13/2009	0.5851	1038.90	0.33	0.69	95.59	2.62	0.50	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6229	11/12/2009	0.5821	1036.08	0.28	0.64	95.98	2.45	0.44	0.08	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6229	11/11/2009	0.5856	1039.69	0.31	0.70	95.52	2.68	0.53	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6229	11/10/2009	0.5794	1033.08	0.27	0.60	96.28	2.31	0.37	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00

Meter Name = Magna Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6233	02/07/2010	0.5747	1025.52	0.40	0.53	96.85	1.88	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	02/06/2010	0.5749	1025.61	0.40	0.54	96.82	1.90	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	02/05/2010	0.5738	1024.26	0.39	0.53	96.96	1.82	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	02/04/2010	0.5745	1025.34	0.38	0.53	96.88	1.87	0.25	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	02/03/2010	0.5747	1024.98	0.41	0.55	96.82	1.91	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	02/02/2010	0.5741	1024.32	0.38	0.55	96.93	1.85	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	02/01/2010	0.5736	1023.76	0.38	0.54	96.99	1.82	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/31/2010	0.5744	1024.62	0.39	0.55	96.88	1.88	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/30/2010	0.5740	1024.50	0.37	0.54	96.95	1.84	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/29/2010	0.5750	1025.75	0.38	0.55	96.78	1.95	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	01/28/2010	0.5746	1024.79	0.39	0.55	96.86	1.88	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/27/2010	0.5751	1025.52	0.39	0.56	96.78	1.93	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	01/26/2010	0.5746	1025.14	0.37	0.55	96.88	1.86	0.25	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/25/2010	0.5738	1024.06	0.36	0.55	96.98	1.81	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/24/2010	0.5733	1023.69	0.36	0.54	97.04	1.79	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/23/2010	0.5743	1025.01	0.37	0.54	96.90	1.88	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/22/2010	0.5762	1027.86	0.37	0.54	96.66	2.04	0.28	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6233	01/21/2010	0.5743	1020.26	0.37	0.53	96.91	1.86	0.24	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/20/2010	0.5735	1022.33	0.37	0.53	97.00	1.82	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/19/2010	0.5741	1024.65	0.38	0.53	96.92	1.87	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/18/2010	0.5736	1023.97	0.37	0.54	96.98	1.85	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/17/2010	0.5739	1024.19	0.37	0.55	96.96	1.85	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/16/2010	0.5741	1024.31	0.37	0.56	96.91	1.88	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/15/2010	0.5735	1024.05	0.37	0.53	97.01	1.82	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/14/2010	0.5727	1022.80	0.38	0.53	97.13	1.73	0.19	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/13/2010	0.5750	1025.81	0.39	0.54	96.82	1.91	0.24	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	01/12/2010	0.5746	1023.32	0.39	0.54	96.88	1.87	0.24	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	01/11/2010	0.5732	1022.42	0.40	0.53	97.04	1.77	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/10/2010	0.5735	1023.90	0.37	0.53	97.00	1.82	0.21	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/09/2010	0.5737	1024.11	0.39	0.53	96.96	1.84	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/08/2010	0.5769	1016.49	0.40	0.54	96.55	2.08	0.32	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6233	01/07/2010	0.5749	1025.17	0.39	0.55	96.81	1.94	0.23	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	01/06/2010	0.5744	1024.07	0.39	0.54	96.88	1.88	0.23	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	01/05/2010	0.5746	1016.40	0.36	0.54	96.87	1.90	0.25	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	01/04/2010	0.5753	1025.75	0.36	0.53	96.82	1.90	0.27	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6233	01/03/2010	0.5746	1025.59	0.36	0.53	96.92	1.84	0.25	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	01/02/2010	0.5749	1026.29	0.37	0.53	96.86	1.87	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	01/01/2010	0.5742	1023.78	0.37	0.55	96.93	1.84	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	12/31/2009	0.5748	1018.99	0.38	0.54	96.87	1.88	0.24	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	12/30/2009	0.5765	1025.64	0.39	0.54	96.67	1.97	0.29	0.05	0.04	0.02	0.01	0.01	0.01	0.00	0.00
6233	12/29/2009	0.5777	1030.38	0.38	0.53	96.57	2.01	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6233	12/28/2009	0.5767	1029.08	0.38	0.52	96.74	1.88	0.31	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6233	12/27/2009	0.5785	1031.11	0.38	0.54	96.53	1.98	0.36	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6233	12/26/2009	0.5760	1024.35	0.37	0.54	96.71	1.98	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6233	12/25/2009	0.5748	1020.03	0.37	0.52	96.91	1.83	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6233	12/24/2009	0.5752	1026.89	0.37	0.52	96.85	1.87	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6233	12/23/2009	0.5747	1025.98	0.37	0.53	96.92	1.81	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6233	12/22/2009	0.5735	1024.22	0.37	0.52	97.06	1.75	0.22	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	12/21/2009	0.5730	1023.40	0.37	0.52	97.13	1.69	0.20	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	12/20/2009	0.5727	1022.87	0.37	0.53	97.15	1.69	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	12/19/2009	0.5727	1022.92	0.36	0.53	97.15	1.69	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	12/18/2009	0.5734	1024.18	0.36	0.53	97.06	1.75	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	12/17/2009	0.5736	1024.07	0.37	0.54	97.01	1.80	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	12/16/2009	0.5740	1024.83	0.35	0.54	97.00	1.80	0.23	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	12/15/2009	0.5743	1025.69	0.35	0.53	97.02	1.73	0.25	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6233	12/14/2009	0.5721	1022.89	0.35	0.51	97.23	1.66	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Magna Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6233	12/13/2009	0.5719	1022.40	0.36	0.51	97.26	1.63	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	12/12/2009	0.5735	1015.54	0.36	0.52	97.07	1.73	0.23	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	12/11/2009	0.5740	1021.18	0.39	0.52	97.00	1.75	0.25	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	12/10/2009	0.5717	1021.99	0.36	0.51	97.28	1.62	0.18	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	12/09/2009	0.5746	1025.66	0.36	0.54	96.87	1.89	0.25	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	12/08/2009	0.5759	1027.90	0.35	0.54	96.79	1.90	0.29	0.05	0.04	0.01	0.01	0.01	0.01	0.00	0.00
6233	12/07/2009	0.5773	1029.95	0.33	0.56	96.47	2.21	0.34	0.05	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	12/06/2009	0.5739	1024.77	0.36	0.53	96.97	1.83	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	12/05/2009	0.5733	1024.13	0.36	0.52	97.08	1.74	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	12/04/2009	0.5737	1024.14	0.39	0.53	97.01	1.77	0.22	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	12/03/2009	0.5738	1023.85	0.39	0.54	96.94	1.86	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	12/02/2009	0.5753	1025.87	0.39	0.55	96.72	2.02	0.24	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	12/01/2009	0.5753	1025.99	0.38	0.56	96.75	1.98	0.25	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	11/30/2009	0.5749	1025.14	0.40	0.54	96.83	1.89	0.25	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	11/29/2009	0.5749	1025.58	0.40	0.54	96.84	1.88	0.25	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	11/28/2009	0.5752	1026.39	0.37	0.54	96.80	1.93	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	11/27/2009	0.5751	1026.29	0.37	0.54	96.79	1.95	0.25	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	11/26/2009	0.5742	1018.22	0.37	0.53	96.95	1.81	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	11/25/2009	0.5744	1024.76	0.36	0.54	96.92	1.84	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	11/24/2009	0.5746	1025.63	0.37	0.54	96.92	1.82	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	11/23/2009	0.5736	1024.17	0.38	0.53	97.00	1.79	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	11/22/2009	0.5736	1023.29	0.37	0.53	97.01	1.80	0.22	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6233	11/21/2009	0.5742	1020.85	0.37	0.52	96.93	1.85	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	11/20/2009	0.5746	1025.72	0.37	0.53	96.90	1.86	0.25	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	11/19/2009	0.5745	1025.44	0.37	0.54	96.87	1.91	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	11/18/2009	0.5754	1025.04	0.40	0.54	96.77	1.94	0.25	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	11/17/2009	0.5860	1031.15	0.38	0.57	95.21	3.03	0.59	0.09	0.08	0.02	0.01	0.01	0.01	0.00	0.00
6233	11/16/2009	0.5755	1025.85	0.38	0.53	96.71	2.03	0.26	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	11/15/2009	0.5744	1025.78	0.36	0.52	96.92	1.85	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	11/14/2009	0.5748	1020.58	0.38	0.53	96.85	1.90	0.26	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
6233	11/13/2009	0.5749	1018.27	0.39	0.54	96.81	1.94	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	11/12/2009	0.5749	1025.92	0.38	0.54	96.82	1.92	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6233	11/11/2009	0.5748	1025.64	0.37	0.55	96.81	1.95	0.24	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6233	11/10/2009	0.5749	1026.37	0.36	0.54	96.80	1.96	0.25	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00

Meter Name = North Temple 20"

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
206	02/07/2010	0.5867	1033.38	0.64	0.80	95.18	2.70	0.45	0.08	0.08	0.03	0.02	0.01	0.01	0.00	0.00
206	02/06/2010	0.5909	1035.41	0.74	0.91	94.68	2.81	0.57	0.11	0.10	0.03	0.02	0.02	0.01	0.00	0.00
206	02/05/2010	0.5843	1032.23	0.71	0.65	95.39	2.64	0.41	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
206	02/04/2010	0.6004	1046.31	0.78	1.04	93.27	3.76	0.76	0.14	0.14	0.04	0.03	0.02	0.01	0.01	0.00
206	02/03/2010	0.5987	1049.12	0.81	0.80	93.73	3.28	0.89	0.17	0.17	0.05	0.04	0.03	0.01	0.01	0.00
206	02/02/2010	0.5969	1044.52	0.90	0.82	93.87	3.20	0.79	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
206	02/01/2010	0.5943	1042.93	0.82	0.77	94.26	3.02	0.73	0.14	0.14	0.05	0.03	0.02	0.01	0.01	0.00
206	01/31/2010	0.5974	1047.37	0.77	0.83	93.90	3.24	0.82	0.16	0.16	0.05	0.03	0.03	0.02	0.01	0.00
206	01/30/2010	0.5949	1045.05	0.71	0.80	94.20	3.12	0.77	0.15	0.14	0.05	0.03	0.02	0.01	0.00	0.00
206	01/29/2010	0.5949	1043.01	0.70	0.89	94.18	3.12	0.74	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
206	01/28/2010	0.5924	1040.74	0.66	0.84	94.51	3.00	0.65	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
206	01/27/2010	0.5957	1042.81	0.70	0.95	94.01	3.27	0.71	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
206	01/26/2010	0.5924	1038.14	0.72	0.92	94.43	3.03	0.61	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
206	01/25/2010	0.5931	1038.71	0.71	0.94	94.41	3.00	0.62	0.12	0.11	0.04	0.02	0.02	0.01	0.00	0.00
206	01/24/2010	0.5985	1048.33	0.68	0.91	93.71	3.46	0.80	0.15	0.15	0.05	0.03	0.03	0.02	0.01	0.00
206	01/23/2010	0.6089	1064.63	0.55	1.00	92.49	4.19	1.16	0.21	0.22	0.07	0.04	0.04	0.02	0.01	0.00
206	01/22/2010	0.6068	1059.42	0.57	1.06	92.70	4.07	1.04	0.20	0.20	0.06	0.04	0.03	0.02	0.01	0.00
206	01/21/2010	0.5982	1045.32	0.70	1.00	93.74	3.37	0.78	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
206	01/20/2010	0.6006	1050.78	0.71	0.92	93.51	3.48	0.88	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
206	01/19/2010	0.5954	1044.65	0.67	0.88	94.07	3.31	0.70	0.14	0.13	0.04	0.03	0.02	0.01	0.01	0.00
206	01/18/2010	0.5984	1048.81	0.65	0.91	93.70	3.53	0.79	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
206	01/17/2010	0.5980	1047.57	0.67	0.91	93.73	3.50	0.77	0.15	0.14	0.05	0.03	0.02	0.01	0.01	0.00
206	01/16/2010	0.5987	1049.21	0.63	0.92	93.67	3.55	0.80	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
206	01/15/2010	0.6028	1054.57	0.62	0.97	93.14	3.85	0.93	0.18	0.17	0.05	0.03	0.03	0.01	0.01	0.00
206	01/14/2010	0.6026	1055.01	0.61	0.94	93.19	3.83	0.94	0.18	0.18	0.06	0.03	0.03	0.01	0.01	0.00
206	01/13/2010	0.5990	1049.42	0.65	0.92	93.65	3.52	0.83	0.16	0.15	0.05	0.03	0.02	0.01	0.01	0.00
206	01/12/2010	0.5946	1044.55	0.68	0.82	94.21	3.19	0.72	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
206	01/11/2010	0.5870	1033.14	0.74	0.76	95.14	2.61	0.50	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
206	01/10/2010	0.5868	1034.12	0.73	0.71	95.14	2.65	0.52	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
206	01/09/2010	0.5875	1034.74	0.75	0.73	95.06	2.66	0.55	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
206	01/08/2010	0.5857	1033.47	0.67	0.72	95.33	2.54	0.50	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
206	01/07/2010	0.5935	1043.72	0.58	0.85	94.43	3.07	0.71	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = North Temple 20"

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
206	01/06/2010	0.5954	1044.86	0.67	0.86	94.19	3.14	0.74	0.15	0.14	0.05	0.03	0.03	0.01	0.01	0.00
206	01/05/2010	0.5951	1044.69	0.65	0.86	94.25	3.08	0.74	0.15	0.14	0.05	0.03	0.02	0.01	0.01	0.00
206	01/04/2010	0.5945	1043.86	0.62	0.88	94.31	3.07	0.72	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
206	01/03/2010	0.6018	1053.58	0.72	0.88	93.35	3.56	0.95	0.19	0.19	0.06	0.04	0.03	0.01	0.01	0.00
206	01/02/2010	0.6023	1055.58	0.73	0.82	93.25	3.67	1.00	0.19	0.20	0.06	0.04	0.03	0.01	0.01	0.00
206	01/01/2010	0.5986	1051.86	0.60	0.83	93.73	3.50	0.88	0.17	0.16	0.05	0.03	0.03	0.01	0.01	0.00
206	12/31/2009	0.5966	1050.25	0.52	0.82	94.03	3.37	0.83	0.16	0.15	0.05	0.03	0.02	0.01	0.00	0.00
206	12/30/2009	0.5966	1048.58	0.60	0.84	94.00	3.35	0.81	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
206	12/29/2009	0.5927	1044.35	0.60	0.76	94.49	3.04	0.73	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
206	12/28/2009	0.5928	1043.40	0.63	0.79	94.50	3.01	0.72	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
206	12/27/2009	0.5934	1042.89	0.66	0.82	94.36	3.08	0.71	0.13	0.13	0.04	0.02	0.02	0.01	0.00	0.00
206	12/26/2009	0.5920	1040.29	0.68	0.83	94.52	3.00	0.64	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
206	12/25/2009	0.5950	1043.39	0.73	0.85	94.16	3.14	0.73	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
206	12/24/2009	0.5949	1044.90	0.65	0.84	94.19	3.20	0.73	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
206	12/23/2009	0.5965	1048.50	0.66	0.80	93.94	3.39	0.79	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
206	12/22/2009	0.5983	1051.60	0.56	0.85	93.78	3.51	0.86	0.16	0.16	0.05	0.03	0.03	0.01	0.01	0.00
206	12/21/2009	0.5971	1050.90	0.50	0.84	94.00	3.38	0.82	0.16	0.16	0.05	0.03	0.03	0.01	0.01	0.00
206	12/20/2009	0.5996	1053.88	0.54	0.85	93.63	3.62	0.89	0.17	0.17	0.05	0.03	0.03	0.01	0.01	0.00
206	12/19/2009	0.5989	1053.38	0.52	0.84	93.73	3.55	0.89	0.17	0.17	0.05	0.03	0.03	0.01	0.00	0.00
206	12/18/2009	0.5967	1048.84	0.50	0.90	94.06	3.31	0.80	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
206	12/17/2009	0.6004	1052.80	0.57	0.93	93.66	3.43	0.90	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
206	12/16/2009	0.5954	1047.79	0.56	0.82	94.26	3.13	0.79	0.16	0.15	0.05	0.03	0.03	0.01	0.00	0.00
206	12/15/2009	0.5934	1043.54	0.64	0.81	94.47	2.97	0.71	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
206	12/14/2009	0.5894	1036.06	0.87	0.71	94.88	2.63	0.59	0.12	0.11	0.04	0.02	0.02	0.01	0.00	0.00
206	12/13/2009	0.5964	1046.31	0.83	0.76	93.97	3.18	0.82	0.16	0.15	0.05	0.03	0.02	0.01	0.00	0.00
206	12/12/2009	0.5942	1044.01	0.79	0.74	94.26	3.03	0.77	0.15	0.14	0.04	0.03	0.02	0.01	0.00	0.00
206	12/11/2009	0.5922	1043.02	0.73	0.70	94.50	2.99	0.72	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
206	12/10/2009	0.5948	1044.55	0.76	0.78	94.09	3.26	0.75	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
206	12/09/2009	0.5918	1041.68	0.72	0.74	94.49	3.06	0.67	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
206	12/08/2009	0.5938	1044.04	0.78	0.73	94.18	3.23	0.74	0.13	0.13	0.04	0.02	0.02	0.01	0.00	0.00
206	12/07/2009	0.5956	1045.77	0.78	0.77	94.01	3.26	0.79	0.15	0.14	0.04	0.03	0.02	0.01	0.00	0.00
206	12/06/2009	0.5978	1046.90	0.84	0.82	93.79	3.26	0.84	0.16	0.16	0.05	0.03	0.03	0.01	0.00	0.00
206	12/05/2009	0.5964	1044.00	0.89	0.81	94.00	3.06	0.81	0.16	0.15	0.05	0.03	0.02	0.01	0.01	0.00
206	12/04/2009	0.5925	1041.27	0.81	0.74	94.50	2.88	0.71	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
206	12/03/2009	0.5933	1043.26	0.69	0.79	94.47	2.93	0.72	0.14	0.14	0.05	0.03	0.02	0.01	0.01	0.00
206	12/02/2009	0.5947	1045.06	0.69	0.80	94.27	3.08	0.74	0.15	0.14	0.05	0.03	0.03	0.01	0.01	0.00
206	12/01/2009	0.5876	1036.12	0.85	0.61	95.05	2.64	0.55	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
206	11/30/2009	0.5842	1032.04	0.89	0.53	95.44	2.43	0.46	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
206	11/29/2009	0.5833	1031.21	0.99	0.44	95.54	2.30	0.46	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
206	11/28/2009	0.5823	1029.67	1.04	0.41	95.65	2.23	0.43	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
206	11/27/2009	0.5819	1028.90	0.99	0.45	95.77	2.13	0.43	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
206	11/26/2009	0.5832	1028.85	1.00	0.52	95.53	2.31	0.41	0.08	0.07	0.03	0.02	0.02	0.01	0.00	0.00
206	11/25/2009	0.5866	1032.38	0.93	0.65	95.23	2.38	0.52	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
206	11/24/2009	0.5944	1044.54	0.75	0.76	94.31	3.01	0.75	0.15	0.15	0.05	0.03	0.03	0.01	0.00	0.00
206	11/23/2009	0.5985	1049.43	0.72	0.84	93.76	3.36	0.85	0.17	0.16	0.05	0.03	0.03	0.01	0.01	0.00
206	11/22/2009	0.5974	1047.22	0.82	0.80	93.87	3.25	0.80	0.16	0.16	0.05	0.03	0.03	0.02	0.01	0.00
206	11/21/2009	0.6007	1054.04	0.59	0.88	93.59	3.50	0.92	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
206	11/20/2009	0.5936	1039.14	1.00	0.76	94.45	2.67	0.68	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
206	11/19/2009	0.5939	1041.16	0.90	0.77	94.44	2.74	0.72	0.15	0.15	0.05	0.03	0.03	0.02	0.01	0.00
206	11/18/2009	0.5935	1041.17	0.86	0.77	94.43	2.85	0.68	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
206	11/17/2009	0.5898	1037.52	0.84	0.69	94.90	2.59	0.61	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00
206	11/16/2009	0.5911	1039.08	0.86	0.70	94.69	2.72	0.65	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00
206	11/15/2009	0.5916	1037.83	0.91	0.75	94.69	2.60	0.67	0.14	0.13	0.05	0.03	0.02	0.01	0.01	0.00
206	11/14/2009	0.5835	1031.50	0.88	0.52	95.63	2.25	0.45	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
206	11/13/2009	0.5933	1046.51	0.58	0.73	94.56	2.99	0.70	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
206	11/12/2009	0.6040	1059.89	0.47	0.93	93.17	3.90	0.96	0.20	0.19	0.07	0.04	0.04	0.02	0.01	0.00
206	11/11/2009	0.6052	1061.01	0.46	0.97	93.05	3.92	1.01	0.21	0.20	0.07	0.04	0.04	0.02	0.01	0.00
206	11/10/2009	0.5948	1052.32	0.40	0.71	94.31	3.39	0.75	0.16	0.14	0.05	0.03	0.03	0.02	0.01	0.00

Meter Name = Sandy Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6264	02/07/2010	0.5846	1032.17	0.60	0.75	95.50	2.51	0.43	0.08	0.08	0.02	0.01	0.01	0.01	0.00	0.00
6264	02/06/2010	0.5880	1034.55	0.67	0.82	95.07	2.65	0.52	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
6264	02/05/2010	0.5877	1034.07	0.70	0.79	95.03	2.75	0.49	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6264	02/04/2010	0.5982	1045.46	0.72	0.98	93.53	3.71	0.71	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6264	02/03/2010	0.6013	1052.72	0.75	0.86	93.38	3.55	0.95	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6264	02/02/2010	0.5976	1045.94	0.89	0.82	93.80	3.23	0.82	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
6264	02/01/2010	0.5928	1040.73	0.81	0.77	94.48	2.88	0.68	0.13	0.13	0.04	0.03	0.02	0.01	0.01	0.00
6264	01/31/2010	0.5944	1044.18	0.72	0.79	94.32	3.02	0.75	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Sandy Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6264	01/30/2010	0.5948	1045.65	0.69	0.78	94.24	3.11	0.78	0.14	0.14	0.05	0.03	0.02	0.01	0.01	0.00
6264	01/29/2010	0.5938	1042.34	0.67	0.86	94.35	3.03	0.72	0.13	0.13	0.04	0.02	0.02	0.01	0.00	0.00
6264	01/28/2010	0.5924	1041.17	0.65	0.84	94.52	2.99	0.66	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6264	01/27/2010	0.5955	1042.99	0.69	0.93	94.06	3.25	0.71	0.13	0.13	0.04	0.02	0.02	0.01	0.00	0.00
6264	01/26/2010	0.5926	1038.72	0.71	0.91	94.42	3.03	0.62	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6264	01/25/2010	0.5926	1039.03	0.68	0.91	94.49	2.96	0.62	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6264	01/24/2010	0.5984	1048.66	0.67	0.90	93.75	3.43	0.81	0.15	0.15	0.05	0.03	0.03	0.02	0.01	0.00
6264	01/23/2010	0.6091	1064.70	0.55	1.01	92.46	4.20	1.17	0.21	0.22	0.07	0.04	0.04	0.02	0.01	0.00
6264	01/22/2010	0.6070	1060.58	0.52	1.06	92.70	4.09	1.07	0.20	0.20	0.06	0.04	0.03	0.02	0.01	0.00
6264	01/21/2010	0.5996	1049.23	0.63	0.98	93.55	3.58	0.84	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
6264	01/20/2010	0.6005	1050.49	0.67	0.96	93.52	3.50	0.87	0.17	0.17	0.06	0.03	0.03	0.02	0.01	0.00
6264	01/19/2010	0.5966	1046.25	0.66	0.89	93.95	3.35	0.74	0.14	0.14	0.05	0.03	0.02	0.01	0.01	0.00
6264	01/18/2010	0.5978	1048.09	0.64	0.90	93.80	3.47	0.78	0.15	0.14	0.05	0.03	0.02	0.01	0.01	0.00
6264	01/17/2010	0.5974	1047.27	0.66	0.90	93.83	3.44	0.77	0.14	0.14	0.05	0.03	0.02	0.02	0.01	0.00
6264	01/16/2010	0.5986	1049.23	0.62	0.92	93.70	3.53	0.81	0.15	0.15	0.05	0.03	0.02	0.02	0.01	0.00
6264	01/15/2010	0.6024	1054.27	0.61	0.96	93.21	3.81	0.92	0.17	0.17	0.05	0.03	0.03	0.02	0.01	0.00
6264	01/14/2010	0.6026	1055.03	0.61	0.95	93.21	3.81	0.94	0.18	0.17	0.06	0.03	0.03	0.02	0.01	0.00
6264	01/13/2010	0.5989	1049.39	0.64	0.92	93.69	3.49	0.83	0.15	0.15	0.05	0.03	0.02	0.02	0.01	0.00
6264	01/12/2010	0.5946	1044.72	0.67	0.82	94.23	3.17	0.73	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6264	01/11/2010	0.5867	1033.11	0.72	0.76	95.21	2.57	0.50	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6264	01/10/2010	0.5870	1034.48	0.72	0.72	95.13	2.65	0.53	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
6264	01/09/2010	0.5878	1035.19	0.76	0.72	95.04	2.65	0.57	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
6264	01/08/2010	0.5858	1033.76	0.66	0.72	95.34	2.53	0.51	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6264	01/07/2010	0.5931	1043.51	0.57	0.84	94.50	3.02	0.71	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6264	01/06/2010	0.5954	1045.13	0.66	0.86	94.21	3.12	0.75	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
6264	01/05/2010	0.5954	1045.12	0.65	0.87	94.23	3.08	0.76	0.15	0.14	0.05	0.03	0.03	0.01	0.01	0.00
6264	01/04/2010	0.5947	1044.32	0.61	0.88	94.31	3.06	0.74	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
6264	01/03/2010	0.6015	1052.76	0.71	0.90	93.43	3.51	0.94	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6264	01/02/2010	0.6022	1055.77	0.72	0.82	93.27	3.65	1.00	0.19	0.19	0.06	0.04	0.03	0.02	0.01	0.00
6264	01/01/2010	0.5991	1052.40	0.60	0.84	93.70	3.50	0.90	0.17	0.17	0.05	0.03	0.03	0.01	0.01	0.00
6264	12/31/2009	0.5966	1050.42	0.52	0.82	94.05	3.35	0.84	0.16	0.15	0.05	0.03	0.02	0.01	0.01	0.00
6264	12/30/2009	0.5964	1048.79	0.58	0.83	94.05	3.31	0.81	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
6264	12/29/2009	0.5928	1044.65	0.60	0.76	94.50	3.03	0.75	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6264	12/28/2009	0.5925	1043.36	0.61	0.78	94.56	2.97	0.72	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6264	12/27/2009	0.5932	1043.03	0.65	0.82	94.41	3.05	0.72	0.13	0.13	0.04	0.02	0.02	0.01	0.00	0.00
6264	12/26/2009	0.5918	1040.44	0.66	0.82	94.57	2.97	0.65	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6264	12/25/2009	0.5947	1043.58	0.71	0.85	94.21	3.11	0.73	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00
6264	12/24/2009	0.5940	1044.35	0.65	0.81	94.33	3.10	0.73	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6264	12/23/2009	0.5965	1048.70	0.65	0.79	93.96	3.38	0.80	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
6264	12/22/2009	0.5984	1051.90	0.55	0.85	93.78	3.51	0.87	0.16	0.16	0.05	0.03	0.03	0.02	0.01	0.00
6264	12/21/2009	0.5971	1050.98	0.50	0.84	94.02	3.36	0.83	0.16	0.16	0.05	0.03	0.03	0.02	0.01	0.00
6264	12/20/2009	0.5995	1054.00	0.53	0.85	93.66	3.60	0.89	0.17	0.17	0.05	0.03	0.03	0.02	0.01	0.00
6264	12/19/2009	0.5992	1053.88	0.52	0.84	93.72	3.55	0.90	0.17	0.17	0.05	0.03	0.03	0.02	0.01	0.00
6264	12/18/2009	0.5966	1048.95	0.49	0.89	94.09	3.29	0.81	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
6264	12/17/2009	0.6001	1053.04	0.54	0.92	93.68	3.47	0.89	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6264	12/16/2009	0.5949	1047.51	0.53	0.82	94.34	3.10	0.78	0.15	0.15	0.05	0.03	0.03	0.01	0.00	0.00
6264	12/15/2009	0.5937	1044.28	0.64	0.80	94.46	2.97	0.73	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
6264	12/14/2009	0.5888	1035.75	0.84	0.70	94.98	2.57	0.59	0.12	0.11	0.04	0.02	0.02	0.01	0.00	0.00
6264	12/13/2009	0.5962	1046.35	0.82	0.76	94.02	3.16	0.82	0.16	0.15	0.05	0.03	0.02	0.01	0.01	0.00
6264	12/12/2009	0.5936	1043.56	0.78	0.73	94.36	2.99	0.76	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00
6264	12/11/2009	0.5907	1041.84	0.69	0.68	94.72	2.88	0.69	0.13	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6264	12/10/2009	0.5920	1042.06	0.70	0.74	94.49	3.05	0.69	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6264	12/09/2009	0.5910	1041.19	0.69	0.72	94.62	2.98	0.66	0.12	0.11	0.04	0.02	0.02	0.01	0.00	0.00
6264	12/08/2009	0.5928	1043.24	0.75	0.72	94.34	3.14	0.72	0.13	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6264	12/07/2009	0.5937	1044.18	0.72	0.75	94.28	3.13	0.75	0.13	0.13	0.04	0.02	0.02	0.01	0.00	0.00
6264	12/06/2009	0.5949	1044.75	0.79	0.76	94.18	3.09	0.78	0.15	0.14	0.05	0.03	0.02	0.01	0.00	0.00
6264	12/05/2009	0.5940	1042.18	0.82	0.78	94.35	2.90	0.75	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
6264	12/04/2009	0.5914	1040.31	0.79	0.72	94.65	2.80	0.69	0.13	0.12	0.04	0.03	0.02	0.01	0.00	0.00
6264	12/03/2009	0.5931	1043.21	0.68	0.78	94.52	2.90	0.72	0.14	0.13	0.05	0.03	0.02	0.01	0.01	0.00
6264	12/02/2009	0.5956	1046.18	0.67	0.82	94.18	3.11	0.78	0.15	0.15	0.05	0.03	0.03	0.02	0.01	0.00
6264	12/01/2009	0.5869	1035.43	0.84	0.59	95.15	2.58	0.53	0.11	0.10	0.03	0.02	0.02	0.01	0.00	0.00
6264	11/30/2009	0.5896	1039.06	0.73	0.69	94.92	2.68	0.63	0.12	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6264	11/29/2009	0.5978	1050.02	0.54	0.89	94.08	3.10	0.91	0.16	0.17	0.05	0.04	0.03	0.02	0.01	0.00
6264	11/28/2009	0.5961	1046.93	0.59	0.87	94.30	2.94	0.84	0.15	0.16	0.05	0.04	0.03	0.02	0.01	0.00
6264	11/27/2009	0.5988	1047.64	0.43	1.12	94.15	2.92	0.90	0.16	0.17	0.05	0.04	0.03	0.02	0.01	0.00
6264	11/26/2009	0.5837	1030.08	0.97	0.53	95.50	2.33	0.44	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6264	11/25/2009	0.5861	1031.78	0.91	0.65	95.31	2.33	0.51	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6264	11/24/2009	0.5943	1044.73	0.73	0.76	94.33	3.00	0.76	0.15	0.14	0.05	0.03	0.02	0.01	0.00	0.00
6264	11/23/2009	0.5989	1050.02	0.72	0.85	93.72	3.38	0.87	0.17	0.16	0.05	0.03	0.03	0.02	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Sandy Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6264	11/22/2009	0.5967	1047.19	0.80	0.77	93.98	3.21	0.80	0.16	0.15	0.05	0.03	0.03	0.02	0.01	0.00
6264	11/21/2009	0.5995	1053.34	0.55	0.86	93.76	3.42	0.91	0.18	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6264	11/20/2009	0.5954	1042.38	0.80	0.88	94.34	2.77	0.76	0.15	0.15	0.05	0.04	0.03	0.02	0.01	0.00
6264	11/19/2009	0.5954	1043.61	0.80	0.83	94.32	2.81	0.78	0.16	0.16	0.05	0.04	0.03	0.02	0.01	0.00
6264	11/18/2009	0.5960	1046.15	0.66	0.85	94.23	3.01	0.80	0.15	0.15	0.05	0.03	0.03	0.02	0.01	0.00
6264	11/17/2009	0.5885	1036.61	0.84	0.65	95.07	2.50	0.60	0.12	0.11	0.04	0.03	0.02	0.01	0.00	0.00
6264	11/16/2009	0.5911	1039.46	0.85	0.69	94.72	2.70	0.66	0.13	0.12	0.04	0.03	0.02	0.02	0.01	0.00
6264	11/15/2009	0.5918	1038.19	0.90	0.75	94.68	2.59	0.68	0.14	0.13	0.05	0.03	0.03	0.02	0.01	0.00
6264	11/14/2009	0.5838	1032.14	0.85	0.52	95.63	2.25	0.47	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6264	11/13/2009	0.5934	1045.72	0.57	0.77	94.56	2.95	0.72	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
6264	11/12/2009	0.5995	1050.04	0.37	1.11	93.87	3.32	0.88	0.16	0.16	0.05	0.03	0.03	0.02	0.01	0.00
6264	11/11/2009	0.6038	1048.98	0.30	1.46	93.45	3.32	1.00	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
6264	11/10/2009	0.6016	1050.87	0.32	1.24	93.64	3.41	0.94	0.16	0.17	0.05	0.03	0.03	0.01	0.01	0.00

Meter Name = So. Jordan Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6232	02/07/2010	0.5745	1025.30	0.39	0.53	96.88	1.87	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6232	02/06/2010	0.5745	1025.04	0.41	0.53	96.87	1.87	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6232	02/05/2010	0.5744	1024.53	0.40	0.55	96.87	1.88	0.23	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6232	02/04/2010	0.5824	1032.77	0.49	0.65	95.79	2.47	0.42	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6232	02/03/2010	0.5817	1032.71	0.51	0.60	95.92	2.32	0.44	0.08	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6232	02/02/2010	0.5859	1034.62	0.67	0.68	95.35	2.51	0.52	0.10	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6232	02/01/2010	0.5844	1035.07	0.59	0.63	95.56	2.48	0.50	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6232	01/31/2010	0.5742	1024.52	0.39	0.55	96.90	1.87	0.22	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
6232	01/30/2010	0.5784	1029.26	0.44	0.58	96.35	2.15	0.34	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6232	01/29/2010	0.5789	1028.47	0.46	0.63	96.28	2.17	0.32	0.05	0.05	0.02	0.01	0.00	0.00	0.00	0.00
6232	01/28/2010	0.5931	1042.12	0.66	0.84	94.41	3.06	0.67	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6232	01/27/2010	0.5954	1042.59	0.70	0.94	94.06	3.25	0.71	0.13	0.13	0.04	0.02	0.02	0.01	0.00	0.00
6232	01/26/2010	0.5913	1037.34	0.70	0.88	94.57	2.98	0.58	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
6232	01/25/2010	0.5866	1036.61	0.49	0.77	95.39	2.54	0.54	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
6232	01/24/2010	0.5859	1036.94	0.49	0.71	95.38	2.64	0.53	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6232	01/23/2010	0.5876	1040.12	0.42	0.73	95.21	2.77	0.59	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
6232	01/22/2010	0.5857	1037.05	0.44	0.72	95.41	2.68	0.51	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6232	01/21/2010	0.5744	1025.18	0.37	0.54	96.90	1.87	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6232	01/20/2010	0.5971	1047.72	0.65	0.87	93.97	3.26	0.81	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
6232	01/19/2010	0.5986	1048.89	0.64	0.92	93.66	3.56	0.79	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
6232	01/18/2010	0.5979	1048.09	0.65	0.90	93.76	3.49	0.78	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
6232	01/17/2010	0.5980	1047.65	0.67	0.92	93.73	3.49	0.78	0.15	0.14	0.05	0.03	0.02	0.01	0.01	0.00
6232	01/16/2010	0.5989	1049.60	0.63	0.92	93.65	3.56	0.82	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
6232	01/15/2010	0.6026	1054.36	0.61	0.97	93.17	3.84	0.93	0.17	0.17	0.05	0.03	0.02	0.02	0.01	0.00
6232	01/14/2010	0.6022	1054.76	0.61	0.94	93.23	3.80	0.94	0.18	0.17	0.06	0.03	0.02	0.02	0.01	0.00
6232	01/13/2010	0.5990	1049.36	0.65	0.92	93.65	3.51	0.84	0.15	0.15	0.05	0.03	0.02	0.02	0.01	0.00
6232	01/12/2010	0.5942	1044.07	0.68	0.81	94.26	3.15	0.72	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6232	01/11/2010	0.5789	1026.95	0.55	0.63	96.27	2.08	0.32	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6232	01/10/2010	0.5872	1034.60	0.73	0.72	95.09	2.67	0.54	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6232	01/09/2010	0.5877	1035.00	0.76	0.72	95.04	2.66	0.56	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
6232	01/08/2010	0.5856	1033.71	0.63	0.72	95.37	2.54	0.50	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6232	01/07/2010	0.5939	1044.26	0.58	0.85	94.39	3.09	0.72	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6232	01/06/2010	0.5954	1044.84	0.67	0.86	94.19	3.13	0.75	0.14	0.14	0.05	0.03	0.02	0.02	0.01	0.00
6232	01/05/2010	0.5954	1045.17	0.65	0.87	94.21	3.10	0.76	0.15	0.14	0.05	0.03	0.02	0.01	0.00	0.00
6232	01/04/2010	0.5948	1044.34	0.62	0.88	94.28	3.09	0.74	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
6232	01/03/2010	0.6017	1053.08	0.71	0.90	93.37	3.55	0.95	0.19	0.19	0.06	0.04	0.03	0.02	0.00	0.00
6232	01/02/2010	0.6022	1055.56	0.73	0.82	93.25	3.66	1.01	0.19	0.19	0.06	0.04	0.02	0.01	0.00	0.00
6232	01/01/2010	0.5991	1052.43	0.60	0.84	93.67	3.52	0.90	0.17	0.17	0.05	0.03	0.02	0.01	0.00	0.00
6232	12/31/2009	0.5967	1050.49	0.52	0.82	94.03	3.37	0.84	0.16	0.15	0.05	0.03	0.02	0.01	0.00	0.00
6232	12/30/2009	0.5962	1048.17	0.60	0.83	94.05	3.30	0.81	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
6232	12/29/2009	0.5929	1044.68	0.60	0.76	94.49	3.05	0.74	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6232	12/28/2009	0.5907	1041.72	0.59	0.75	94.80	2.86	0.67	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6232	12/27/2009	0.5895	1039.65	0.59	0.75	94.93	2.80	0.62	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6232	12/26/2009	0.5865	1036.03	0.57	0.73	95.28	2.65	0.52	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6232	12/25/2009	0.5862	1035.96	0.58	0.71	95.35	2.57	0.53	0.10	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6232	12/24/2009	0.5828	1034.23	0.48	0.63	95.84	2.35	0.46	0.09	0.08	0.03	0.02	0.01	0.01	0.00	0.00
6232	12/23/2009	0.5900	1042.14	0.55	0.72	94.79	3.00	0.62	0.11	0.11	0.04	0.02	0.01	0.01	0.00	0.00
6232	12/22/2009	0.5986	1052.13	0.55	0.85	93.75	3.52	0.87	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
6232	12/21/2009	0.5971	1050.98	0.50	0.84	94.00	3.38	0.83	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
6232	12/20/2009	0.5998	1054.24	0.54	0.85	93.61	3.63	0.90	0.17	0.17	0.06	0.04	0.02	0.02	0.00	0.00
6232	12/19/2009	0.5992	1053.71	0.52	0.84	93.71	3.54	0.91	0.17	0.17	0.05	0.03	0.02	0.01	0.00	0.00
6232	12/18/2009	0.5967	1048.96	0.50	0.90	94.06	3.33	0.80	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
6232	12/17/2009	0.5935	1045.79	0.51	0.81	94.49	3.06	0.73	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = So. Jordan Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6232	12/16/2009	0.5936	1045.58	0.53	0.82	94.49	3.03	0.74	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
6232	12/15/2009	0.5935	1043.61	0.66	0.80	94.45	2.97	0.72	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
6232	12/14/2009	0.5862	1034.10	0.75	0.67	95.32	2.46	0.53	0.10	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6232	12/13/2009	0.5959	1045.83	0.80	0.77	94.05	3.15	0.81	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
6232	12/12/2009	0.5883	1038.48	0.68	0.67	95.06	2.66	0.62	0.12	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6232	12/11/2009	0.5765	1027.30	0.44	0.54	96.65	1.92	0.31	0.05	0.05	0.01	0.01	0.00	0.00	0.00	0.00
6232	12/10/2009	0.5727	1022.97	0.37	0.52	97.15	1.70	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6232	12/09/2009	0.5847	1035.16	0.57	0.65	95.48	2.57	0.50	0.09	0.08	0.03	0.02	0.01	0.01	0.00	0.00
6232	12/08/2009	0.5857	1036.63	0.59	0.64	95.34	2.65	0.53	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6232	12/07/2009	0.5815	1033.56	0.44	0.60	95.90	2.46	0.44	0.07	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6232	12/06/2009	0.5729	1023.46	0.37	0.52	97.11	1.73	0.20	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6232	12/05/2009	0.5731	1023.93	0.36	0.52	97.10	1.74	0.21	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
6232	12/04/2009	0.5869	1036.21	0.66	0.69	95.27	2.53	0.56	0.11	0.10	0.03	0.02	0.02	0.01	0.00	0.00
6232	12/03/2009	0.5918	1041.93	0.67	0.76	94.67	2.85	0.68	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6232	12/02/2009	0.5973	1047.71	0.68	0.86	93.96	3.23	0.82	0.16	0.16	0.05	0.03	0.02	0.02	0.01	0.00
6232	12/01/2009	0.5852	1033.37	0.87	0.55	95.33	2.50	0.48	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6232	11/30/2009	0.5886	1039.13	0.50	0.78	95.18	2.61	0.62	0.11	0.11	0.04	0.02	0.02	0.01	0.00	0.00
6232	11/29/2009	0.5948	1047.28	0.40	0.91	94.50	2.95	0.83	0.14	0.16	0.05	0.03	0.02	0.02	0.01	0.00
6232	11/28/2009	0.5962	1048.05	0.33	1.02	94.40	2.97	0.85	0.14	0.16	0.05	0.03	0.02	0.02	0.01	0.00
6232	11/27/2009	0.5998	1050.23	0.31	1.16	94.05	3.04	0.94	0.16	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6232	11/26/2009	0.5887	1039.48	0.48	0.78	95.18	2.59	0.64	0.11	0.12	0.04	0.03	0.02	0.01	0.00	0.00
6232	11/25/2009	0.5882	1037.74	0.58	0.76	95.24	2.48	0.62	0.11	0.12	0.04	0.03	0.02	0.01	0.00	0.00
6232	11/24/2009	0.5951	1045.55	0.71	0.79	94.22	3.10	0.77	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
6232	11/23/2009	0.5913	1041.60	0.64	0.76	94.68	2.91	0.66	0.13	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6232	11/22/2009	0.5918	1043.15	0.74	0.66	94.60	2.94	0.69	0.13	0.13	0.04	0.03	0.02	0.02	0.01	0.00
6232	11/21/2009	0.5769	1028.34	0.39	0.56	96.61	2.00	0.31	0.05	0.05	0.01	0.01	0.00	0.00	0.00	0.00
6232	11/20/2009	0.5844	1034.26	0.55	0.68	95.69	2.31	0.50	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6232	11/19/2009	0.5965	1046.68	0.60	0.90	94.25	2.95	0.83	0.16	0.17	0.05	0.04	0.03	0.02	0.01	0.00
6232	11/18/2009	0.5964	1047.65	0.56	0.89	94.22	3.05	0.83	0.15	0.16	0.05	0.04	0.03	0.02	0.01	0.00
6232	11/17/2009	0.5843	1033.70	0.79	0.54	95.53	2.36	0.51	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6232	11/16/2009	0.5911	1039.52	0.86	0.68	94.69	2.73	0.67	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6232	11/15/2009	0.5904	1036.69	0.89	0.73	94.84	2.53	0.64	0.13	0.12	0.04	0.03	0.02	0.01	0.00	0.00
6232	11/14/2009	0.5830	1033.83	0.56	0.61	95.80	2.32	0.47	0.08	0.08	0.03	0.02	0.01	0.01	0.00	0.00
6232	11/13/2009	0.5764	1027.62	0.37	0.57	96.63	2.04	0.28	0.04	0.04	0.01	0.01	0.00	0.00	0.00	0.00
6232	11/12/2009	0.5764	1027.31	0.38	0.58	96.64	2.00	0.29	0.04	0.04	0.01	0.01	0.00	0.00	0.00	0.00
6232	11/11/2009	0.5773	1027.65	0.36	0.63	96.53	2.06	0.30	0.05	0.04	0.01	0.01	0.00	0.00	0.00	0.00
6232	11/10/2009	0.5782	1030.63	0.37	0.56	96.38	2.21	0.34	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00

Meter Name = St. George Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6231	02/07/2010	0.6035	1050.35	0.29	1.40	93.50	3.32	1.03	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
6231	02/06/2010	0.5998	1048.46	0.30	1.24	93.92	3.17	0.95	0.15	0.17	0.04	0.03	0.02	0.01	0.00	0.00
6231	02/05/2010	0.5913	1039.29	0.33	1.06	94.92	2.70	0.69	0.11	0.11	0.03	0.02	0.01	0.01	0.00	0.00
6231	02/04/2010	0.5835	1032.38	0.37	0.82	95.80	2.35	0.47	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
6231	02/03/2010	0.5842	1033.58	0.34	0.83	95.76	2.35	0.49	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6231	02/02/2010	0.5831	1032.84	0.36	0.79	95.87	2.32	0.46	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	02/01/2010	0.5821	1032.39	0.36	0.74	96.01	2.25	0.45	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	01/31/2010	0.5888	1039.44	0.34	0.89	95.22	2.61	0.64	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6231	01/30/2010	0.5903	1040.00	0.34	0.96	95.02	2.71	0.67	0.11	0.11	0.03	0.02	0.01	0.01	0.00	0.00
6231	01/29/2010	0.5916	1040.57	0.34	1.01	94.85	2.78	0.70	0.11	0.12	0.03	0.02	0.01	0.01	0.00	0.00
6231	01/28/2010	0.5928	1041.88	0.32	1.05	94.72	2.83	0.75	0.12	0.12	0.03	0.02	0.01	0.01	0.00	0.00
6231	01/27/2010	0.5890	1037.48	0.33	0.99	95.19	2.59	0.63	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
6231	01/26/2010	0.5884	1037.42	0.33	0.95	95.26	2.58	0.62	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
6231	01/25/2010	0.5825	1032.26	0.35	0.78	95.94	2.28	0.46	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
6231	01/24/2010	0.5814	1031.80	0.35	0.72	96.06	2.26	0.43	0.07	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	01/23/2010	0.5857	1036.63	0.35	0.80	95.54	2.54	0.54	0.09	0.09	0.02	0.02	0.01	0.01	0.00	0.00
6231	01/22/2010	0.5934	1043.71	0.32	1.01	94.64	2.91	0.77	0.12	0.13	0.04	0.02	0.02	0.01	0.00	0.00
6231	01/21/2010	0.5857	1035.81	0.34	0.84	95.57	2.47	0.55	0.09	0.09	0.02	0.02	0.01	0.01	0.00	0.00
6231	01/20/2010	0.5957	1045.71	0.32	1.08	94.37	3.02	0.84	0.13	0.15	0.04	0.03	0.02	0.01	0.00	0.00
6231	01/19/2010	0.5851	1035.62	0.34	0.81	95.62	2.47	0.53	0.08	0.09	0.02	0.02	0.01	0.01	0.00	0.00
6231	01/18/2010	0.5796	1029.88	0.35	0.69	96.28	2.16	0.37	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	01/17/2010	0.5789	1029.19	0.37	0.66	96.38	2.08	0.36	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6231	01/16/2010	0.5789	1029.19	0.37	0.66	96.38	2.08	0.36	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6231	01/15/2010	0.5789	1029.18	0.37	0.66	96.38	2.08	0.36	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6231	01/14/2010	0.5807	1031.45	0.37	0.68	96.15	2.22	0.41	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6231	01/13/2010	0.5819	1032.59	0.36	0.72	96.01	2.26	0.45	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	01/12/2010	0.5815	1031.50	0.36	0.73	96.09	2.19	0.44	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
6231	01/11/2010	0.5808	1031.17	0.36	0.71	96.13	2.22	0.41	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	01/10/2010	0.5810	1031.43	0.37	0.70	96.09	2.24	0.42	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = St. George Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6231	01/09/2010	0.5841	1035.89	0.37	0.72	95.69	2.47	0.52	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6231	01/08/2010	0.5811	1032.00	0.37	0.69	96.08	2.26	0.42	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
6231	01/07/2010	0.5802	1031.10	0.37	0.67	96.21	2.19	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	01/06/2010	0.5800	1031.14	0.35	0.66	96.23	2.20	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	01/05/2010	0.5810	1032.73	0.35	0.66	96.15	2.21	0.44	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	01/04/2010	0.5809	1032.01	0.35	0.69	96.16	2.19	0.43	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	01/03/2010	0.5829	1032.62	0.35	0.79	95.98	2.21	0.46	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6231	01/02/2010	0.5826	1031.50	0.35	0.81	96.00	2.19	0.45	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	01/01/2010	0.5811	1031.55	0.36	0.71	96.12	2.20	0.42	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/31/2009	0.5819	1032.97	0.37	0.70	96.01	2.27	0.44	0.08	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	12/30/2009	0.5834	1035.49	0.36	0.69	95.88	2.33	0.49	0.09	0.08	0.03	0.02	0.01	0.01	0.00	0.00
6231	12/29/2009	0.5813	1032.84	0.36	0.67	96.16	2.15	0.44	0.08	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6231	12/28/2009	0.5835	1036.12	0.36	0.68	95.93	2.26	0.50	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6231	12/27/2009	0.5813	1032.66	0.36	0.68	96.08	2.26	0.43	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	12/26/2009	0.5804	1031.73	0.36	0.66	96.23	2.15	0.42	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	12/25/2009	0.5806	1032.11	0.35	0.66	96.20	2.17	0.43	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	12/24/2009	0.5796	1030.49	0.36	0.66	96.34	2.08	0.39	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6231	12/23/2009	0.5795	1030.28	0.35	0.66	96.33	2.09	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/22/2009	0.5796	1030.26	0.36	0.67	96.32	2.09	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/21/2009	0.5790	1029.28	0.36	0.67	96.39	2.06	0.37	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/20/2009	0.5793	1029.60	0.35	0.68	96.35	2.08	0.38	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/19/2009	0.5793	1029.88	0.35	0.67	96.35	2.08	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/18/2009	0.5798	1030.26	0.35	0.68	96.26	2.15	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/17/2009	0.5794	1030.17	0.34	0.67	96.34	2.10	0.38	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/16/2009	0.5804	1031.56	0.33	0.69	96.28	2.08	0.43	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	12/15/2009	0.5792	1029.85	0.34	0.68	96.37	2.07	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/14/2009	0.5794	1029.66	0.34	0.69	96.36	2.05	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/13/2009	0.5808	1031.76	0.36	0.69	96.18	2.16	0.43	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	12/12/2009	0.5794	1030.10	0.36	0.66	96.35	2.06	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/11/2009	0.5783	1028.73	0.35	0.66	96.47	2.02	0.37	0.06	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6231	12/10/2009	0.5796	1030.46	0.34	0.68	96.29	2.14	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/09/2009	0.5818	1033.54	0.33	0.69	96.08	2.22	0.46	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6231	12/08/2009	0.5830	1035.15	0.32	0.71	95.80	2.49	0.50	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/07/2009	0.5805	1031.37	0.35	0.69	96.15	2.23	0.42	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/06/2009	0.5796	1030.45	0.35	0.67	96.31	2.11	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/05/2009	0.5796	1029.92	0.37	0.68	96.30	2.11	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/04/2009	0.5795	1029.25	0.38	0.69	96.26	2.16	0.37	0.06	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6231	12/03/2009	0.5808	1031.28	0.38	0.69	96.07	2.31	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	12/02/2009	0.5828	1033.05	0.36	0.76	95.88	2.36	0.46	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	12/01/2009	0.5804	1030.27	0.38	0.71	96.18	2.17	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	11/30/2009	0.5802	1030.13	0.37	0.70	96.22	2.15	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	11/29/2009	0.5804	1030.74	0.35	0.70	96.18	2.20	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	11/28/2009	0.5805	1030.81	0.36	0.70	96.17	2.21	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	11/27/2009	0.5800	1030.06	0.35	0.70	96.27	2.12	0.39	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6231	11/26/2009	0.5814	1031.97	0.35	0.72	96.10	2.21	0.43	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	11/25/2009	0.5810	1031.35	0.36	0.71	96.16	2.15	0.42	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6231	11/24/2009	0.5783	1027.86	0.36	0.68	96.45	2.03	0.34	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6231	11/23/2009	0.5782	1027.89	0.36	0.68	96.47	2.03	0.34	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6231	11/22/2009	0.5788	1028.85	0.36	0.67	96.40	2.07	0.36	0.06	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6231	11/21/2009	0.5795	1029.73	0.36	0.69	96.31	2.12	0.37	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6231	11/20/2009	0.5794	1029.25	0.36	0.70	96.29	2.15	0.36	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6231	11/19/2009	0.5806	1030.95	0.38	0.69	96.14	2.22	0.39	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6231	11/18/2009	0.5882	1042.29	0.37	0.72	95.04	2.99	0.63	0.10	0.09	0.02	0.02	0.01	0.01	0.00	0.00
6231	11/17/2009	0.5800	1029.81	0.36	0.71	96.22	2.19	0.37	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6231	11/16/2009	0.5791	1029.04	0.35	0.69	96.37	2.09	0.36	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6231	11/15/2009	0.5793	1029.29	0.37	0.69	96.32	2.12	0.36	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6231	11/14/2009	0.5789	1028.57	0.36	0.69	96.35	2.12	0.34	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6231	11/13/2009	0.5789	1028.66	0.37	0.69	96.35	2.11	0.34	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6231	11/12/2009	0.5801	1029.82	0.35	0.72	96.20	2.21	0.37	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6231	11/11/2009	0.5797	1030.18	0.35	0.69	96.24	2.20	0.38	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6231	11/10/2009	0.5807	1031.24	0.33	0.72	96.11	2.28	0.40	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00

Meter Name = West Valley Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6262	02/07/2010	0.5848	1032.12	0.60	0.75	95.47	2.53	0.42	0.08	0.08	0.02	0.02	0.01	0.01	0.00	0.00
6262	02/06/2010	0.5765	1026.73	0.44	0.57	96.62	1.97	0.29	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6262	02/05/2010	0.5812	1030.26	0.61	0.60	95.86	2.40	0.36	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6262	02/04/2010	0.5817	1031.80	0.49	0.65	95.87	2.41	0.39	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6262	02/03/2010	0.5876	1038.33	0.60	0.68	95.14	2.72	0.58	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = West Valley Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6262	02/02/2010	0.5925	1040.70	0.81	0.76	94.49	2.89	0.69	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6262	02/01/2010	0.5885	1037.39	0.71	0.70	95.04	2.65	0.58	0.11	0.11	0.04	0.02	0.02	0.01	0.00	0.00
6262	01/31/2010	0.5805	1031.39	0.50	0.59	96.11	2.22	0.40	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6262	01/30/2010	0.5812	1031.88	0.50	0.61	96.00	2.28	0.41	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6262	01/29/2010	0.5978	1034.59	1.50	0.87	93.46	3.07	0.73	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6262	01/28/2010	0.6123	975.74	6.67	0.70	89.08	2.74	0.54	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6262	01/27/2010	0.5951	1042.41	0.70	0.93	94.11	3.21	0.70	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6262	01/26/2010	0.5918	1038.02	0.71	0.88	94.52	2.99	0.60	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6262	01/25/2010	0.5927	1038.79	0.70	0.91	94.47	2.96	0.61	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6262	01/24/2010	0.5944	1044.23	0.63	0.85	94.28	3.15	0.71	0.13	0.13	0.04	0.03	0.02	0.01	0.01	0.00
6262	01/23/2010	0.6090	1064.64	0.55	1.00	92.49	4.18	1.17	0.22	0.22	0.07	0.04	0.03	0.02	0.01	0.00
6262	01/22/2010	0.6065	1059.29	0.55	1.06	92.76	4.03	1.04	0.20	0.20	0.06	0.04	0.03	0.02	0.01	0.00
6262	01/21/2010	0.5995	1048.37	0.66	0.99	93.57	3.54	0.82	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
6262	01/20/2010	0.6005	1050.56	0.68	0.95	93.53	3.48	0.88	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6262	01/19/2010	0.5965	1046.08	0.67	0.89	93.96	3.35	0.74	0.14	0.14	0.05	0.03	0.02	0.01	0.01	0.00
6262	01/18/2010	0.5975	1047.69	0.65	0.90	93.83	3.44	0.77	0.15	0.14	0.05	0.03	0.02	0.01	0.01	0.00
6262	01/17/2010	0.5970	1046.77	0.67	0.89	93.87	3.41	0.75	0.14	0.14	0.05	0.03	0.02	0.01	0.01	0.00
6262	01/16/2010	0.5983	1048.85	0.63	0.91	93.73	3.50	0.80	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
6262	01/15/2010	0.6022	1053.98	0.62	0.96	93.24	3.79	0.92	0.17	0.17	0.05	0.03	0.03	0.02	0.01	0.00
6262	01/14/2010	0.6025	1054.81	0.61	0.95	93.22	3.79	0.94	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6262	01/13/2010	0.5987	1049.16	0.65	0.91	93.71	3.47	0.83	0.15	0.15	0.05	0.03	0.02	0.02	0.01	0.00
6262	01/12/2010	0.5942	1044.28	0.68	0.81	94.27	3.15	0.72	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6262	01/11/2010	0.5859	1032.48	0.72	0.73	95.31	2.51	0.48	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6262	01/10/2010	0.5868	1034.20	0.74	0.71	95.15	2.63	0.53	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6262	01/09/2010	0.5875	1034.74	0.76	0.71	95.08	2.63	0.55	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
6262	01/08/2010	0.5857	1033.63	0.66	0.71	95.36	2.52	0.51	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
6262	01/07/2010	0.5930	1043.34	0.58	0.84	94.51	3.01	0.70	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
6262	01/06/2010	0.5951	1044.73	0.66	0.86	94.23	3.10	0.74	0.14	0.14	0.05	0.03	0.02	0.02	0.01	0.00
6262	01/05/2010	0.5951	1044.73	0.66	0.86	94.26	3.06	0.75	0.15	0.14	0.05	0.03	0.02	0.01	0.01	0.00
6262	01/04/2010	0.5944	1043.83	0.62	0.87	94.35	3.03	0.72	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
6262	01/03/2010	0.6011	1052.15	0.72	0.89	93.47	3.48	0.92	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6262	01/02/2010	0.6020	1055.38	0.73	0.81	93.31	3.62	1.00	0.19	0.19	0.06	0.04	0.03	0.01	0.01	0.00
6262	01/01/2010	0.5988	1051.91	0.61	0.83	93.74	3.47	0.89	0.17	0.17	0.05	0.03	0.02	0.01	0.01	0.00
6262	12/31/2009	0.5964	1050.07	0.52	0.82	94.08	3.33	0.83	0.16	0.15	0.05	0.03	0.02	0.01	0.01	0.00
6262	12/30/2009	0.5961	1048.22	0.59	0.83	94.08	3.28	0.80	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
6262	12/29/2009	0.5913	1042.88	0.59	0.74	94.71	2.92	0.70	0.13	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6262	12/28/2009	0.5764	1028.94	0.37	0.52	96.78	1.86	0.30	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6262	12/27/2009	0.5779	1030.89	0.37	0.53	96.61	1.94	0.34	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6262	12/26/2009	0.5756	1027.21	0.37	0.53	96.78	1.94	0.26	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6262	12/25/2009	0.5744	1025.81	0.37	0.51	96.96	1.80	0.25	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6262	12/24/2009	0.5763	1027.91	0.39	0.54	96.72	1.92	0.29	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6262	12/23/2009	0.5962	1048.26	0.66	0.79	94.00	3.35	0.79	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
6262	12/22/2009	0.5981	1051.33	0.56	0.85	93.82	3.47	0.85	0.16	0.16	0.05	0.03	0.02	0.01	0.01	0.00
6262	12/21/2009	0.5970	1050.74	0.50	0.84	94.04	3.35	0.82	0.16	0.16	0.05	0.03	0.03	0.01	0.01	0.00
6262	12/20/2009	0.5993	1053.66	0.54	0.85	93.69	3.57	0.88	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6262	12/19/2009	0.5988	1053.36	0.52	0.84	93.76	3.52	0.89	0.17	0.17	0.05	0.03	0.02	0.01	0.01	0.00
6262	12/18/2009	0.5963	1048.46	0.50	0.89	94.13	3.27	0.79	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
6262	12/17/2009	0.5998	1052.49	0.55	0.91	93.70	3.46	0.87	0.18	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6262	12/16/2009	0.5959	1048.53	0.55	0.83	94.22	3.15	0.81	0.16	0.16	0.05	0.03	0.03	0.01	0.00	0.00
6262	12/15/2009	0.5925	1042.77	0.63	0.80	94.60	2.90	0.69	0.14	0.13	0.05	0.03	0.02	0.01	0.00	0.00
6262	12/14/2009	0.5720	1022.72	0.35	0.50	97.25	1.65	0.19	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6262	12/08/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	12/07/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	12/06/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	12/05/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	12/04/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	12/03/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	12/02/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	12/01/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/30/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/29/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/28/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/27/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/26/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/25/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/24/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/23/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/22/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/21/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = West Valley Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6262	11/20/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/19/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/18/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/17/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/16/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/15/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/14/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/13/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/12/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/11/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	11/10/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00