

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = **3800 So Wasatch Chromatograph**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1193	07/02/2009	0.5884	1044.17	0.39	0.64	95.09	2.95	0.61	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
1193	07/01/2009	0.5862	1042.39	0.37	0.59	95.32	2.91	0.54	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
1193	06/30/2009	0.5965	1053.38	0.43	0.75	94.02	3.53	0.83	0.15	0.16	0.05	0.03	0.02	0.01	0.01	0.00
1193	06/29/2009	0.5944	1050.39	0.42	0.75	94.32	3.35	0.76	0.14	0.14	0.05	0.03	0.02	0.01	0.01	0.00
1193	06/28/2009	0.5972	1053.10	0.48	0.77	93.97	3.47	0.87	0.16	0.16	0.05	0.03	0.02	0.01	0.01	0.00
1193	06/27/2009	0.5843	1039.83	0.40	0.55	95.50	2.85	0.47	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1193	06/26/2009	0.5889	1044.22	0.39	0.67	95.01	3.01	0.59	0.11	0.11	0.04	0.02	0.02	0.01	0.01	0.00
1193	06/25/2009	0.5941	1050.40	0.40	0.74	94.30	3.46	0.72	0.13	0.13	0.04	0.03	0.02	0.02	0.01	0.00
1193	06/24/2009	0.5818	1035.69	0.35	0.60	95.94	2.50	0.41	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
1193	06/23/2009	0.5782	1031.58	0.36	0.53	96.39	2.24	0.33	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
1193	06/22/2009	0.5789	1032.34	0.32	0.57	96.33	2.27	0.34	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
1193	06/21/2009	0.5789	1032.22	0.35	0.56	96.31	2.29	0.34	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
1193	06/20/2009	0.5793	1031.78	0.48	0.51	96.16	2.33	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
1193	06/19/2009	0.5804	1033.88	0.33	0.59	96.10	2.43	0.37	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
1193	06/18/2009	0.5808	1035.25	0.33	0.57	96.03	2.50	0.38	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
1193	06/17/2009	0.5836	1036.39	0.36	0.67	95.66	2.70	0.41	0.07	0.06	0.02	0.01	0.01	0.01	0.01	0.00
1193	06/16/2009	0.5831	1034.67	0.41	0.68	95.69	2.64	0.39	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
1193	06/15/2009	0.5818	1032.78	0.40	0.68	95.83	2.58	0.34	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
1193	06/14/2009	0.5836	1034.08	0.43	0.72	95.60	2.70	0.37	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
1193	06/13/2009	0.5841	1035.39	0.44	0.69	95.49	2.79	0.39	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
1193	06/12/2009	0.5850	1036.14	0.45	0.72	95.36	2.87	0.41	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
1193	06/11/2009	0.5898	1043.95	0.41	0.72	94.79	3.24	0.55	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
1193	06/10/2009	0.5940	1047.74	0.46	0.81	94.24	3.50	0.65	0.13	0.11	0.04	0.03	0.02	0.02	0.01	0.00
1193	06/09/2009	0.5947	1047.74	0.46	0.84	94.13	3.55	0.66	0.13	0.12	0.04	0.03	0.02	0.02	0.01	0.00
1193	06/08/2009	0.5975	1049.12	0.52	0.93	93.75	3.71	0.71	0.14	0.13	0.05	0.03	0.02	0.01	0.00	0.00
1193	06/07/2009	0.5984	1053.04	0.48	0.86	93.76	3.67	0.80	0.16	0.15	0.05	0.03	0.03	0.02	0.01	0.00
1193	06/06/2009	0.5924	1046.86	0.37	0.79	94.43	3.49	0.60	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
1193	06/05/2009	0.5925	1046.64	0.41	0.79	94.35	3.56	0.59	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
1193	06/04/2009	0.5926	1047.50	0.39	0.77	94.31	3.62	0.61	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
1193	06/03/2009	0.5855	1034.92	0.46	0.78	95.14	3.12	0.35	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
1193	06/02/2009	0.5881	1036.74	0.57	0.80	94.68	3.42	0.37	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
1193	06/01/2009	0.5783	1026.93	0.84	0.40	96.15	2.14	0.33	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
1193	05/31/2009	0.5781	1026.67	0.88	0.37	96.13	2.16	0.32	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
1193	05/30/2009	0.5767	1024.41	0.87	0.38	96.39	1.93	0.29	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
1193	05/29/2009	0.5835	1035.29	0.76	0.45	95.64	2.39	0.49	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
1193	05/28/2009	0.5813	1030.42	0.95	0.38	95.85	2.13	0.44	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1193	05/27/2009	0.5782	1026.12	0.77	0.48	96.29	1.98	0.33	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
1193	05/26/2009	0.5826	1034.80	0.70	0.45	95.81	2.29	0.49	0.10	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1193	05/25/2009	0.5847	1037.75	0.70	0.47	95.56	2.43	0.54	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
1193	05/24/2009	0.5844	1036.96	0.74	0.45	95.58	2.40	0.53	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
1193	05/23/2009	0.5862	1039.78	0.80	0.41	95.30	2.56	0.59	0.11	0.11	0.04	0.03	0.02	0.02	0.01	0.00
1193	05/22/2009	0.5854	1037.86	0.87	0.38	95.40	2.44	0.57	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
1193	05/21/2009	0.5857	1041.07	0.63	0.44	95.43	2.59	0.59	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
1193	05/20/2009	0.5862	1039.67	0.80	0.41	95.28	2.59	0.58	0.12	0.11	0.04	0.02	0.02	0.01	0.01	0.00
1193	05/19/2009	0.5889	1043.64	0.70	0.49	94.91	2.93	0.62	0.13	0.11	0.04	0.03	0.02	0.02	0.01	0.00
1193	05/18/2009	0.5888	1041.79	0.91	0.42	94.88	2.80	0.63	0.13	0.12	0.04	0.03	0.03	0.02	0.01	0.00
1193	05/17/2009	0.5875	1041.06	0.89	0.38	94.97	2.85	0.58	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
1193	05/16/2009	0.5893	1039.55	0.91	0.54	94.72	2.96	0.56	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
1193	05/15/2009	0.5920	1040.13	0.85	0.72	94.33	3.22	0.56	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
1193	05/14/2009	0.5966	1045.05	0.87	0.80	93.83	3.38	0.72	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
1193	05/13/2009	0.5967	1044.87	0.85	0.83	93.87	3.31	0.72	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
1193	05/12/2009	0.5935	1041.76	0.84	0.76	94.27	3.11	0.65	0.13	0.12	0.04	0.03	0.02	0.02	0.01	0.00
1193	05/11/2009	0.6056	1054.29	0.92	0.96	92.81	3.75	0.98	0.20	0.20	0.07	0.04	0.03	0.02	0.01	0.00
1193	05/10/2009	0.6063	1052.33	0.88	1.10	92.74	3.78	0.94	0.20	0.19	0.07	0.04	0.03	0.02	0.01	0.00
1193	05/09/2009	0.5905	1038.53	0.94	0.64	94.48	3.10	0.54	0.10	0.10	0.04	0.02	0.02	0.01	0.01	0.00
1193	05/08/2009	0.5910	1040.01	1.01	0.56	94.52	2.93	0.62	0.12	0.11	0.04	0.03	0.03	0.02	0.01	0.00
1193	05/07/2009	0.5908	1041.82	0.77	0.64	94.57	3.09	0.60	0.11	0.11	0.04	0.02	0.02	0.02	0.01	0.00
1193	05/06/2009	0.5888	1039.35	0.72	0.64	94.83	2.99	0.54	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
1193	05/05/2009	0.5884	1038.02	0.76	0.64	94.90	2.90	0.51	0.10	0.09	0.03	0.02	0.02	0.02	0.01	0.00
1193	05/04/2009	0.5890	1037.82	0.85	0.63	94.76	2.93	0.53	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
1193	05/03/2009	0.5901	1039.63	0.76	0.68	94.68	3.01	0.56	0.10	0.10	0.04	0.02	0.02	0.01	0.01	0.00
1193	05/02/2009	0.5887	1036.82	0.96	0.58	94.83	2.77	0.56	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
1193	05/01/2009	0.5903	1039.59	0.93	0.59	94.66	2.87	0.60	0.12	0.11	0.04	0.03	0.03	0.02	0.01	0.00
1193	04/30/2009	0.5926	1044.33	0.88	0.57	94.33	3.16	0.68	0.13	0.12	0.04	0.03	0.03	0.02	0.01	0.00
1193	04/29/2009	0.5879	1038.67	0.70	0.63	95.06	2.79	0.52	0.10	0.09	0.04	0.02	0.02	0.02	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = 3800 So Wasatch Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1193	04/28/2009	0.5872	1035.11	0.85	0.62	95.09	2.64	0.50	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
1193	04/27/2009	0.5988	1048.97	0.78	0.84	93.71	3.39	0.81	0.16	0.16	0.06	0.04	0.03	0.02	0.01	0.00
1193	04/26/2009	0.5871	1036.80	0.85	0.55	95.08	2.70	0.52	0.10	0.09	0.03	0.02	0.02	0.02	0.01	0.00
1193	04/25/2009	0.5882	1039.45	0.64	0.65	94.89	3.02	0.52	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
1193	04/24/2009	0.6016	1058.31	0.44	0.87	93.28	4.07	0.87	0.16	0.16	0.06	0.04	0.03	0.02	0.01	0.00
1193	04/23/2009	0.6153	1076.88	0.45	0.98	91.69	4.82	1.32	0.24	0.26	0.09	0.06	0.05	0.03	0.01	0.00
1193	04/22/2009	0.6150	1076.41	0.43	0.98	91.72	4.82	1.33	0.23	0.25	0.08	0.06	0.05	0.03	0.01	0.00
1193	04/21/2009	0.6122	1075.38	0.40	0.87	92.08	4.66	1.29	0.23	0.24	0.08	0.05	0.05	0.03	0.01	0.00
1193	04/20/2009	0.6052	1065.94	0.47	0.77	92.86	4.26	1.07	0.19	0.19	0.07	0.04	0.04	0.03	0.01	0.00
1193	04/19/2009	0.5929	1049.81	0.62	0.55	94.46	3.20	0.76	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
1193	04/18/2009	0.5974	1052.35	0.69	0.68	93.95	3.31	0.88	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
1193	04/17/2009	0.5841	1033.07	0.88	0.49	95.56	2.28	0.50	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
1193	04/16/2009	0.5827	1032.77	0.77	0.49	95.78	2.23	0.47	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1193	04/15/2009	0.5850	1037.63	0.60	0.55	95.53	2.50	0.53	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
1193	04/14/2009	0.6019	1057.50	0.53	0.86	93.51	3.56	0.98	0.20	0.20	0.07	0.04	0.03	0.02	0.01	0.00
1193	04/13/2009	0.6080	1066.36	0.46	0.92	92.82	3.91	1.20	0.24	0.24	0.08	0.05	0.04	0.02	0.01	0.00
1193	04/12/2009	0.5999	1055.12	0.45	0.88	93.72	3.54	0.90	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
1193	04/11/2009	0.6004	1054.68	0.53	0.88	93.48	3.79	0.85	0.17	0.16	0.06	0.04	0.03	0.02	0.01	0.00
1193	04/10/2009	0.5937	1044.97	0.66	0.76	94.50	2.89	0.75	0.15	0.15	0.05	0.03	0.03	0.01	0.00	0.00
1193	04/09/2009	0.5946	1048.29	0.61	0.72	94.40	3.00	0.81	0.16	0.16	0.05	0.03	0.03	0.01	0.01	0.00
1193	04/08/2009	0.5973	1048.65	0.61	0.87	94.10	3.10	0.84	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
1193	04/07/2009	0.5858	1032.09	0.96	0.59	95.34	2.26	0.55	0.11	0.11	0.03	0.02	0.01	0.01	0.00	0.00
1193	04/06/2009	0.5912	1043.27	0.72	0.63	94.74	2.80	0.72	0.13	0.14	0.05	0.03	0.02	0.01	0.00	0.00
1193	04/05/2009	0.5877	1038.34	0.82	0.55	95.06	2.63	0.62	0.11	0.12	0.04	0.02	0.02	0.01	0.00	0.00
1193	04/04/2009	0.5888	1039.90	0.78	0.58	94.98	2.67	0.65	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00

Meter Name = 4800 South & State St Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1194	07/02/2009	0.6087	1067.66	0.36	0.99	92.70	4.13	1.17	0.21	0.23	0.08	0.05	0.04	0.03	0.01	0.00
1194	07/01/2009	0.6014	1059.27	0.38	0.85	93.55	3.71	0.97	0.18	0.19	0.06	0.04	0.03	0.02	0.01	0.00
1194	06/30/2009	0.6052	1064.34	0.38	0.88	93.04	4.03	1.07	0.19	0.21	0.07	0.05	0.04	0.02	0.01	0.00
1194	06/29/2009	0.6035	1062.00	0.37	0.88	93.30	3.86	1.02	0.18	0.20	0.07	0.05	0.04	0.02	0.01	0.00
1194	06/28/2009	0.6009	1058.43	0.36	0.87	93.65	3.63	0.95	0.17	0.19	0.06	0.04	0.04	0.02	0.01	0.00
1194	06/27/2009	0.5946	1050.60	0.36	0.79	94.44	3.20	0.77	0.14	0.15	0.05	0.04	0.03	0.02	0.01	0.00
1194	06/26/2009	0.5883	1043.04	0.37	0.69	95.20	2.81	0.60	0.11	0.11	0.04	0.03	0.02	0.01	0.01	0.00
1194	06/25/2009	0.5845	1038.69	0.39	0.62	95.65	2.56	0.51	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
1194	06/24/2009	0.5821	1036.33	0.40	0.55	95.98	2.36	0.47	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1194	06/23/2009	0.5769	1031.37	0.38	0.45	96.66	1.97	0.36	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
1194	06/22/2009	0.5744	1028.67	0.32	0.43	96.99	1.84	0.29	0.05	0.04	0.01	0.01	0.01	0.01	0.00	0.00
1194	06/21/2009	0.5778	1031.15	0.34	0.54	96.49	2.16	0.32	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
1194	06/20/2009	0.5827	1034.40	0.39	0.68	95.78	2.58	0.39	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
1194	06/19/2009	0.5832	1034.57	0.40	0.69	95.69	2.63	0.39	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
1194	06/18/2009	0.5825	1033.55	0.40	0.69	95.78	2.59	0.36	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
1194	06/17/2009	0.5836	1034.81	0.41	0.70	95.63	2.66	0.39	0.07	0.06	0.02	0.02	0.01	0.01	0.00	0.00
1194	06/16/2009	0.5851	1036.81	0.42	0.71	95.43	2.79	0.43	0.08	0.07	0.03	0.02	0.02	0.01	0.00	0.00
1194	06/15/2009	0.5850	1036.45	0.45	0.70	95.38	2.85	0.41	0.07	0.07	0.02	0.02	0.01	0.01	0.00	0.00
1194	06/14/2009	0.5871	1039.11	0.45	0.72	95.10	3.03	0.46	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1194	06/13/2009	0.5927	1046.33	0.45	0.78	94.37	3.45	0.61	0.12	0.11	0.04	0.02	0.02	0.01	0.01	0.00
1194	06/12/2009	0.5945	1047.70	0.48	0.82	94.16	3.52	0.66	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00
1194	06/11/2009	0.5959	1048.93	0.48	0.86	93.98	3.60	0.69	0.14	0.13	0.04	0.03	0.02	0.01	0.01	0.00
1194	06/10/2009	0.5949	1048.48	0.45	0.83	94.13	3.55	0.67	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00
1194	06/09/2009	0.5911	1044.49	0.41	0.79	94.54	3.43	0.55	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
1194	06/08/2009	0.5884	1040.70	0.43	0.75	94.86	3.25	0.47	0.08	0.08	0.03	0.02	0.01	0.01	0.00	0.00
1194	06/07/2009	0.5863	1037.86	0.45	0.72	95.13	3.07	0.43	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
1194	06/06/2009	0.5846	1036.37	0.48	0.66	95.41	2.82	0.42	0.07	0.07	0.02	0.02	0.01	0.01	0.00	0.00
1194	06/05/2009	0.5839	1036.47	0.53	0.58	95.57	2.63	0.46	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1194	06/04/2009	0.5833	1035.79	0.56	0.54	95.70	2.50	0.47	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1194	06/03/2009	0.5829	1035.48	0.56	0.54	95.77	2.44	0.46	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1194	06/02/2009	0.5836	1037.04	0.51	0.54	95.71	2.49	0.49	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1194	06/01/2009	0.5848	1039.24	0.49	0.55	95.57	2.58	0.53	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
1194	05/31/2009	0.5846	1038.34	0.55	0.54	95.59	2.51	0.53	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
1194	05/30/2009	0.5846	1037.20	0.66	0.50	95.58	2.43	0.53	0.10	0.10	0.03	0.02	0.02	0.01	0.01	0.00
1194	05/29/2009	0.5848	1037.56	0.72	0.46	95.53	2.44	0.54	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
1194	05/28/2009	0.5847	1037.52	0.76	0.43	95.52	2.43	0.54	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
1194	05/27/2009	0.5852	1038.26	0.80	0.41	95.44	2.48	0.56	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
1194	05/26/2009	0.5856	1038.95	0.80	0.41	95.38	2.52	0.57	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
1194	05/25/2009	0.5860	1039.74	0.76	0.42	95.32	2.58	0.58	0.12	0.11	0.04	0.02	0.02	0.01	0.01	0.00
1194	05/24/2009	0.5864	1040.06	0.76	0.44	95.25	2.66	0.57	0.12	0.10	0.04	0.02	0.02	0.01	0.01	0.00
1194	05/23/2009	0.5867	1040.34	0.74	0.46	95.18	2.74	0.56	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = 4800 South & State St Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1194	05/22/2009	0.5871	1040.38	0.76	0.47	95.09	2.81	0.56	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
1194	05/21/2009	0.5881	1039.76	0.85	0.49	94.90	2.88	0.56	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
1194	05/20/2009	0.5906	1040.34	0.88	0.61	94.55	3.05	0.58	0.11	0.11	0.04	0.02	0.02	0.01	0.01	0.00
1194	05/19/2009	0.5941	1043.07	0.84	0.74	94.14	3.26	0.65	0.12	0.12	0.04	0.03	0.02	0.02	0.01	0.00
1194	05/18/2009	0.5969	1045.94	0.79	0.84	93.87	3.36	0.73	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
1194	05/17/2009	0.6005	1050.68	0.68	0.94	93.55	3.49	0.85	0.16	0.17	0.06	0.04	0.03	0.02	0.01	0.00
1194	05/16/2009	0.6033	1055.30	0.55	1.02	93.34	3.59	0.95	0.18	0.19	0.07	0.05	0.04	0.02	0.01	0.00
1194	05/15/2009	0.6044	1057.61	0.51	1.02	93.24	3.65	0.99	0.19	0.20	0.07	0.05	0.04	0.02	0.01	0.00
1194	05/14/2009	0.6055	1060.11	0.51	0.99	93.10	3.77	1.04	0.19	0.21	0.07	0.05	0.04	0.03	0.01	0.00
1194	05/13/2009	0.6090	1061.41	0.71	1.02	92.49	4.03	1.10	0.21	0.22	0.08	0.05	0.04	0.03	0.01	0.00
1194	05/12/2009	0.6079	1061.08	0.74	0.94	92.61	3.99	1.09	0.21	0.22	0.07	0.05	0.04	0.03	0.01	0.00
1194	05/11/2009	0.6055	1060.67	0.69	0.85	92.85	3.99	1.04	0.19	0.20	0.07	0.05	0.04	0.02	0.01	0.00
1194	05/10/2009	0.5971	1051.94	0.68	0.68	93.71	3.73	0.79	0.14	0.14	0.05	0.03	0.02	0.02	0.01	0.00
1194	05/09/2009	0.5902	1040.73	0.74	0.66	94.64	3.11	0.54	0.10	0.10	0.04	0.02	0.02	0.02	0.01	0.00
1194	05/08/2009	0.5909	1041.98	0.79	0.62	94.61	3.01	0.62	0.12	0.11	0.04	0.03	0.02	0.01	0.01	0.00
1194	05/07/2009	0.5895	1038.48	0.78	0.68	94.77	2.93	0.54	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
1194	05/06/2009	0.5933	1044.17	0.73	0.72	94.33	3.20	0.65	0.12	0.12	0.04	0.03	0.03	0.02	0.01	0.00
1194	05/05/2009	0.5902	1039.02	0.95	0.59	94.64	2.91	0.58	0.12	0.11	0.04	0.03	0.03	0.02	0.01	0.00
1194	05/04/2009	0.6178	1078.49	0.41	1.09	91.59	4.66	1.44	0.26	0.29	0.09	0.07	0.05	0.03	0.01	0.00
1194	05/03/2009	0.6188	1081.38	0.43	1.02	91.44	4.79	1.47	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
1194	05/02/2009	0.5937	1043.45	0.94	0.63	94.26	3.04	0.72	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
1194	05/01/2009	0.5913	1041.27	0.89	0.60	94.53	2.98	0.63	0.12	0.12	0.04	0.03	0.02	0.02	0.01	0.00
1194	04/30/2009	0.5873	1035.37	0.96	0.55	95.06	2.60	0.53	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
1194	04/29/2009	0.5886	1038.99	0.81	0.59	94.98	2.72	0.56	0.12	0.11	0.04	0.03	0.03	0.02	0.01	0.00
1194	04/28/2009	0.5985	1045.40	0.80	0.94	93.78	3.26	0.75	0.15	0.15	0.05	0.04	0.03	0.02	0.01	0.00
1194	04/27/2009	0.5930	1045.48	0.73	0.65	94.43	3.11	0.70	0.13	0.13	0.05	0.03	0.03	0.02	0.01	0.00
1194	04/26/2009	0.5879	1037.16	0.83	0.60	94.97	2.78	0.53	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
1194	04/25/2009	0.5996	1055.05	0.54	0.81	93.58	3.75	0.87	0.15	0.16	0.05	0.04	0.03	0.02	0.01	0.00
1194	04/24/2009	0.6203	1083.22	0.42	1.05	91.27	4.88	1.52	0.28	0.31	0.10	0.07	0.06	0.04	0.01	0.00
1194	04/23/2009	0.6184	1080.49	0.42	1.04	91.49	4.77	1.46	0.26	0.29	0.10	0.07	0.06	0.03	0.01	0.00
1194	04/22/2009	0.6161	1078.02	0.42	0.99	91.73	4.68	1.40	0.25	0.27	0.09	0.06	0.05	0.03	0.01	0.00
1194	04/21/2009	0.6115	1072.70	0.44	0.91	92.22	4.48	1.26	0.22	0.23	0.08	0.05	0.05	0.03	0.01	0.00
1194	04/20/2009	0.6040	1065.41	0.44	0.74	93.10	4.10	1.05	0.19	0.19	0.07	0.04	0.04	0.03	0.01	0.00
1194	04/19/2009	0.5897	1043.01	0.77	0.52	94.86	2.81	0.67	0.13	0.13	0.04	0.03	0.02	0.01	0.01	0.00
1194	04/18/2009	0.5965	1050.66	0.73	0.66	94.02	3.25	0.86	0.17	0.17	0.05	0.04	0.03	0.02	0.01	0.00
1194	04/17/2009	0.6015	1056.21	0.67	0.79	93.49	3.51	0.99	0.19	0.20	0.07	0.04	0.04	0.02	0.01	0.00
1194	04/16/2009	0.5821	1032.14	0.76	0.48	95.85	2.20	0.46	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
1194	04/15/2009	0.5849	1037.58	0.60	0.55	95.54	2.50	0.53	0.10	0.10	0.03	0.02	0.02	0.01	0.01	0.00
1194	04/14/2009	0.6211	1082.95	0.43	1.10	91.17	4.89	1.53	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
1194	04/13/2009	0.6026	1059.63	0.51	0.83	93.47	3.55	1.05	0.22	0.21	0.07	0.04	0.03	0.02	0.01	0.00
1194	04/12/2009	0.5996	1053.12	0.56	0.87	93.75	3.42	0.89	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
1194	04/11/2009	0.6020	1056.69	0.58	0.87	93.20	3.97	0.88	0.18	0.17	0.06	0.04	0.03	0.02	0.01	0.00
1194	04/10/2009	0.5917	1042.98	0.74	0.66	94.75	2.70	0.72	0.15	0.15	0.05	0.03	0.03	0.01	0.01	0.00
1194	04/09/2009	0.6037	1060.29	0.54	0.85	93.30	3.66	1.06	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
1194	04/08/2009	0.5967	1047.99	0.62	0.86	94.16	3.06	0.83	0.17	0.17	0.06	0.04	0.03	0.01	0.01	0.00
1194	04/07/2009	0.5874	1035.87	0.79	0.64	95.20	2.46	0.59	0.12	0.11	0.04	0.02	0.02	0.01	0.00	0.00
1194	04/06/2009	0.5883	1041.09	0.59	0.63	95.14	2.67	0.63	0.11	0.12	0.04	0.03	0.02	0.01	0.01	0.00
1194	04/05/2009	0.5901	1043.86	0.56	0.65	94.78	3.03	0.64	0.11	0.12	0.04	0.03	0.02	0.01	0.00	0.00
1194	04/04/2009	0.5885	1039.63	0.78	0.57	95.01	2.65	0.64	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00

Meter Name = Cedar City Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6272	07/02/2009	0.6157	1076.63	0.34	1.08	91.87	4.58	1.36	0.24	0.27	0.09	0.07	0.06	0.03	0.01	0.00
6272	07/01/2009	0.6137	1074.34	0.35	1.04	92.14	4.38	1.33	0.23	0.27	0.09	0.07	0.05	0.03	0.01	0.00
6272	06/30/2009	0.6143	1076.99	0.35	0.97	92.07	4.46	1.37	0.24	0.28	0.09	0.07	0.06	0.03	0.01	0.00
6272	06/29/2009	0.6154	1077.50	0.33	1.03	91.86	4.64	1.36	0.24	0.27	0.09	0.07	0.05	0.03	0.01	0.00
6272	06/28/2009	0.6162	1078.59	0.34	1.03	91.75	4.70	1.39	0.25	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6272	06/27/2009	0.6162	1078.60	0.36	1.02	91.76	4.67	1.40	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6272	06/26/2009	0.6147	1076.64	0.38	0.99	91.96	4.54	1.36	0.25	0.27	0.09	0.07	0.05	0.03	0.01	0.00
6272	06/25/2009	0.6130	1070.29	0.37	1.14	92.28	4.22	1.26	0.23	0.26	0.09	0.06	0.05	0.03	0.01	0.00
6272	06/24/2009	0.6135	1071.13	0.39	1.13	92.13	4.33	1.30	0.23	0.26	0.09	0.06	0.05	0.03	0.01	0.00
6272	06/23/2009	0.6131	1070.71	0.39	1.12	92.16	4.30	1.32	0.24	0.26	0.09	0.06	0.04	0.02	0.00	0.00
6272	06/22/2009	0.5749	1026.83	0.25	0.59	97.30	1.27	0.39	0.07	0.07	0.02	0.02	0.01	0.00	0.00	0.00
6272	06/21/2009	0.5607	1018.30	0.23	0.06	99.06	0.48	0.13	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
6272	06/20/2009	0.5604	1017.35	0.23	0.08	99.13	0.42	0.10	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6272	06/19/2009	0.5671	1021.42	0.24	0.32	98.38	0.70	0.22	0.04	0.03	0.01	0.01	0.01	0.02	0.01	0.00
6272	06/18/2009	0.6098	1064.29	0.38	1.18	92.76	3.84	1.15	0.21	0.24	0.09	0.06	0.05	0.03	0.01	0.00
6272	06/17/2009	0.6147	1073.86	0.42	1.07	92.03	4.36	1.33	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6272	06/16/2009	0.6155	1075.87	0.41	1.05	91.90	4.50	1.37	0.25	0.28	0.10	0.07	0.05	0.03	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Cedar City Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6272	06/15/2009	0.6163	1077.32	0.40	1.05	91.78	4.58	1.40	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6272	06/14/2009	0.6158	1077.11	0.41	1.02	91.84	4.55	1.38	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6272	06/13/2009	0.6160	1076.67	0.40	1.06	91.80	4.58	1.37	0.25	0.28	0.10	0.07	0.05	0.03	0.01	0.00
6272	06/12/2009	0.6145	1073.26	0.39	1.11	92.06	4.36	1.32	0.24	0.27	0.09	0.07	0.06	0.03	0.01	0.00
6272	06/11/2009	0.6164	1075.30	0.39	1.14	91.84	4.47	1.36	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6272	06/10/2009	0.6169	1073.36	0.38	1.26	91.75	4.50	1.34	0.24	0.27	0.10	0.07	0.05	0.03	0.01	0.00
6272	06/09/2009	0.6175	1073.75	0.41	1.26	91.69	4.51	1.36	0.25	0.28	0.10	0.07	0.05	0.03	0.01	0.00
6272	06/08/2009	0.6184	1073.43	0.42	1.32	91.58	4.52	1.37	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6272	06/07/2009	0.6170	1073.00	0.46	1.22	91.74	4.44	1.35	0.25	0.28	0.10	0.07	0.05	0.03	0.01	0.00
6272	06/06/2009	0.6163	1072.53	0.43	1.22	91.81	4.44	1.33	0.24	0.27	0.09	0.07	0.05	0.03	0.01	0.00
6272	06/05/2009	0.6166	1073.75	0.40	1.21	91.77	4.50	1.35	0.24	0.27	0.09	0.07	0.05	0.03	0.01	0.00
6272	06/04/2009	0.6165	1074.20	0.40	1.18	91.78	4.51	1.34	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6272	06/03/2009	0.6164	1074.66	0.44	1.13	91.78	4.51	1.35	0.25	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6272	06/02/2009	0.6164	1075.53	0.41	1.12	91.76	4.57	1.36	0.25	0.27	0.10	0.07	0.05	0.03	0.01	0.00
6272	06/01/2009	0.6154	1077.05	0.44	0.98	91.88	4.52	1.38	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/31/2009	0.6149	1076.47	0.42	0.98	91.96	4.49	1.35	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/30/2009	0.6148	1075.34	0.41	1.02	91.95	4.51	1.33	0.24	0.27	0.10	0.07	0.05	0.03	0.01	0.00
6272	05/29/2009	0.6158	1077.09	0.42	1.02	91.80	4.61	1.36	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/28/2009	0.6149	1075.66	0.41	1.02	91.93	4.52	1.33	0.24	0.27	0.10	0.07	0.05	0.03	0.01	0.00
6272	05/27/2009	0.6146	1074.62	0.44	1.02	91.99	4.44	1.33	0.24	0.27	0.09	0.07	0.06	0.03	0.01	0.00
6272	05/26/2009	0.6147	1074.28	0.44	1.05	92.02	4.36	1.35	0.25	0.28	0.09	0.07	0.06	0.03	0.01	0.00
6272	05/25/2009	0.6148	1074.62	0.43	1.04	91.99	4.41	1.35	0.25	0.28	0.09	0.07	0.06	0.03	0.01	0.00
6272	05/24/2009	0.6149	1075.80	0.44	1.00	91.93	4.47	1.39	0.25	0.28	0.09	0.06	0.05	0.03	0.01	0.00
6272	05/23/2009	0.6088	1062.97	0.43	1.14	92.90	3.67	1.17	0.22	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6272	05/22/2009	0.6084	1061.99	0.43	1.15	92.95	3.65	1.14	0.21	0.24	0.08	0.06	0.05	0.03	0.01	0.00
6272	05/21/2009	0.6079	1061.45	0.40	1.16	93.01	3.64	1.12	0.21	0.23	0.08	0.06	0.05	0.03	0.01	0.00
6272	05/20/2009	0.6096	1065.69	0.38	1.10	92.75	3.89	1.18	0.22	0.24	0.09	0.06	0.05	0.03	0.01	0.00
6272	05/19/2009	0.6099	1066.78	0.37	1.09	92.69	3.96	1.19	0.22	0.25	0.09	0.06	0.05	0.03	0.01	0.00
6272	05/18/2009	0.6076	1062.34	0.34	1.14	93.07	3.65	1.12	0.21	0.24	0.08	0.06	0.05	0.02	0.01	0.00
6272	05/17/2009	0.6072	1061.13	0.32	1.18	93.16	3.57	1.11	0.21	0.23	0.08	0.06	0.05	0.03	0.01	0.00
6272	05/16/2009	0.6101	1066.75	0.34	1.12	92.74	3.88	1.21	0.22	0.25	0.09	0.06	0.05	0.03	0.01	0.00
6272	05/15/2009	0.6113	1068.79	0.35	1.11	92.58	4.01	1.22	0.23	0.25	0.09	0.06	0.06	0.03	0.01	0.00
6272	05/14/2009	0.6167	1079.36	0.39	1.00	91.73	4.65	1.41	0.26	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/13/2009	0.6171	1079.17	0.40	1.02	91.62	4.76	1.39	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/12/2009	0.6167	1078.31	0.40	1.04	91.75	4.59	1.41	0.26	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/11/2009	0.6182	1081.65	0.40	1.00	91.48	4.83	1.46	0.27	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/10/2009	0.6162	1077.47	0.38	1.05	91.83	4.53	1.40	0.26	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/09/2009	0.6183	1081.30	0.41	1.01	91.50	4.77	1.46	0.27	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/08/2009	0.6184	1081.43	0.39	1.02	91.50	4.80	1.45	0.26	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/07/2009	0.6189	1082.13	0.40	1.01	91.45	4.80	1.49	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/06/2009	0.6190	1082.16	0.42	1.01	91.40	4.85	1.48	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/05/2009	0.6191	1081.98	0.42	1.03	91.39	4.85	1.48	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/04/2009	0.6191	1082.04	0.41	1.03	91.40	4.83	1.49	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/03/2009	0.6193	1082.98	0.38	1.02	91.39	4.84	1.52	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/02/2009	0.6195	1083.11	0.39	1.02	91.34	4.89	1.50	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6272	05/01/2009	0.6196	1083.14	0.40	1.02	91.32	4.91	1.50	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6272	04/30/2009	0.6197	1083.22	0.40	1.02	91.31	4.90	1.52	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6272	04/29/2009	0.6207	1085.53	0.41	0.99	91.14	5.03	1.57	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6272	04/28/2009	0.6212	1085.99	0.41	1.00	91.05	5.12	1.55	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6272	04/27/2009	0.6202	1083.25	0.43	1.03	91.26	4.88	1.53	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6272	04/26/2009	0.6212	1085.06	0.42	1.03	91.09	5.04	1.54	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6272	04/25/2009	0.6223	1087.03	0.41	1.03	90.96	5.12	1.59	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00
6272	04/24/2009	0.6213	1085.36	0.42	1.03	91.10	5.01	1.57	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6272	04/23/2009	0.6212	1084.07	0.42	1.07	91.14	4.96	1.54	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6272	04/22/2009	0.6213	1083.85	0.42	1.08	91.12	4.96	1.54	0.28	0.31	0.11	0.07	0.06	0.03	0.01	0.00
6272	04/21/2009	0.6212	1083.83	0.41	1.09	91.14	4.95	1.55	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6272	04/20/2009	0.6213	1083.87	0.42	1.09	91.11	4.97	1.55	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6272	04/19/2009	0.6217	1085.10	0.40	1.07	91.04	5.04	1.57	0.29	0.31	0.10	0.07	0.05	0.03	0.01	0.00
6272	04/18/2009	0.6212	1082.80	0.41	1.13	91.18	4.89	1.53	0.28	0.31	0.10	0.07	0.06	0.04	0.01	0.00
6272	04/17/2009	0.6235	1086.07	0.41	1.14	90.93	5.00	1.59	0.30	0.33	0.11	0.08	0.06	0.03	0.01	0.00
6272	04/16/2009	0.6233	1085.56	0.42	1.14	90.87	5.08	1.59	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00
6272	04/15/2009	0.6231	1085.75	0.42	1.12	90.86	5.12	1.58	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00
6272	04/14/2009	0.6227	1086.19	0.42	1.08	90.94	5.07	1.60	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00
6272	04/13/2009	0.6232	1085.29	0.43	1.14	90.88	5.08	1.59	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00
6272	04/12/2009	0.6242	1086.41	0.42	1.17	90.73	5.17	1.61	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00
6272	04/11/2009	0.6239	1087.35	0.39	1.12	90.78	5.20	1.60	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00
6272	04/10/2009	0.6249	1086.81	0.40	1.20	90.67	5.19	1.63	0.30	0.33	0.11	0.07	0.06	0.03	0.01	0.00
6272	04/09/2009	0.6229	1086.08	0.39	1.11	90.92	5.09	1.59	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00
6272	04/08/2009	0.6216	1083.81	0.39	1.13	91.17	4.86	1.54	0.29	0.32	0.11	0.08	0.06	0.03	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Cedar City Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6272	04/07/2009	0.6225	1084.26	0.40	1.16	91.04	4.93	1.58	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00
6272	04/06/2009	0.6230	1087.69	0.40	1.05	90.95	5.05	1.62	0.30	0.34	0.11	0.08	0.06	0.03	0.01	0.00
6272	04/05/2009	0.6220	1085.65	0.42	1.06	91.04	5.01	1.58	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00
6272	04/04/2009	0.6220	1084.93	0.41	1.09	91.05	5.00	1.56	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00

Meter Name = Garland Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6230	07/02/2009	0.5831	1038.53	0.34	0.57	95.74	2.67	0.45	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6230	07/01/2009	0.5890	1045.42	0.39	0.63	94.94	3.12	0.62	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
6230	06/30/2009	0.5931	1049.62	0.39	0.72	94.50	3.26	0.74	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00
6230	06/29/2009	0.5964	1052.44	0.49	0.75	94.02	3.48	0.83	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
6230	06/28/2009	0.5874	1043.09	0.40	0.61	95.15	2.98	0.57	0.10	0.10	0.03	0.02	0.02	0.01	0.01	0.00
6230	06/27/2009	0.5836	1038.84	0.39	0.55	95.61	2.77	0.44	0.08	0.07	0.03	0.02	0.02	0.01	0.00	0.00
6230	06/26/2009	0.5907	1045.95	0.40	0.71	94.77	3.15	0.63	0.12	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6230	06/25/2009	0.5913	1046.81	0.37	0.73	94.70	3.21	0.65	0.12	0.11	0.04	0.03	0.02	0.01	0.01	0.00
6230	06/24/2009	0.5798	1033.51	0.34	0.56	96.20	2.36	0.36	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6230	06/23/2009	0.5763	1029.91	0.26	0.54	96.77	1.98	0.30	0.05	0.04	0.02	0.01	0.01	0.01	0.00	0.00
6230	06/22/2009	0.5748	1027.98	0.24	0.54	96.99	1.84	0.26	0.04	0.04	0.01	0.01	0.01	0.01	0.00	0.00
6230	06/21/2009	0.5793	1033.79	0.27	0.56	96.36	2.25	0.36	0.06	0.06	0.02	0.01	0.02	0.01	0.01	0.00
6230	06/20/2009	0.5789	1033.71	0.25	0.56	96.44	2.19	0.36	0.06	0.06	0.02	0.01	0.02	0.01	0.01	0.00
6230	06/19/2009	0.5810	1035.64	0.30	0.58	96.07	2.46	0.39	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6230	06/18/2009	0.5827	1038.07	0.28	0.61	95.88	2.57	0.44	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	06/17/2009	0.5836	1035.86	0.38	0.68	95.64	2.70	0.40	0.07	0.06	0.02	0.01	0.02	0.01	0.01	0.00
6230	06/16/2009	0.5822	1033.20	0.41	0.68	95.78	2.62	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6230	06/15/2009	0.5818	1032.36	0.40	0.69	95.85	2.56	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6230	06/14/2009	0.5843	1035.61	0.43	0.70	95.49	2.80	0.39	0.07	0.06	0.02	0.01	0.02	0.01	0.01	0.00
6230	06/13/2009	0.5844	1035.50	0.44	0.71	95.46	2.80	0.40	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6230	06/12/2009	0.5876	1040.62	0.41	0.72	95.07	3.06	0.48	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6230	06/11/2009	0.5928	1047.03	0.43	0.78	94.36	3.49	0.61	0.12	0.10	0.04	0.02	0.02	0.01	0.01	0.00
6230	06/10/2009	0.5946	1047.34	0.48	0.84	94.14	3.54	0.65	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6230	06/09/2009	0.5947	1048.49	0.45	0.83	94.14	3.55	0.67	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6230	06/08/2009	0.5980	1049.38	0.53	0.94	93.70	3.71	0.72	0.14	0.13	0.05	0.03	0.03	0.01	0.01	0.00
6230	06/07/2009	0.5968	1053.06	0.40	0.80	93.99	3.61	0.77	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
6230	06/06/2009	0.5910	1044.36	0.39	0.80	94.56	3.44	0.53	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6230	06/05/2009	0.5951	1051.49	0.39	0.77	94.01	3.79	0.68	0.12	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6230	06/04/2009	0.5867	1037.85	0.42	0.77	95.02	3.20	0.40	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6230	06/03/2009	0.5865	1035.71	0.47	0.81	94.99	3.23	0.35	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
6230	06/02/2009	0.5857	1034.86	0.68	0.66	95.04	3.06	0.39	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6230	06/01/2009	0.5777	1026.02	0.88	0.38	96.20	2.11	0.30	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6230	05/31/2009	0.5764	1023.93	0.89	0.37	96.39	1.96	0.27	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6230	05/30/2009	0.5799	1029.56	0.81	0.42	96.04	2.16	0.37	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6230	05/29/2009	0.5831	1034.22	0.82	0.42	95.69	2.31	0.49	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6230	05/28/2009	0.5801	1029.14	0.86	0.41	96.03	2.10	0.39	0.07	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6230	05/27/2009	0.5799	1029.50	0.74	0.47	96.11	2.09	0.39	0.07	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6230	05/26/2009	0.5836	1036.57	0.68	0.46	95.69	2.37	0.51	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6230	05/25/2009	0.5841	1037.08	0.68	0.47	95.64	2.40	0.52	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6230	05/24/2009	0.5858	1039.00	0.80	0.41	95.37	2.51	0.57	0.11	0.11	0.04	0.03	0.03	0.02	0.01	0.00
6230	05/23/2009	0.5857	1038.29	0.88	0.38	95.37	2.46	0.57	0.11	0.10	0.04	0.02	0.03	0.02	0.01	0.00
6230	05/22/2009	0.5857	1040.70	0.64	0.44	95.43	2.58	0.58	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
6230	05/21/2009	0.5864	1039.73	0.82	0.42	95.28	2.55	0.59	0.12	0.11	0.04	0.03	0.03	0.02	0.01	0.00
6230	05/20/2009	0.5876	1042.22	0.72	0.46	95.06	2.84	0.59	0.12	0.11	0.04	0.02	0.02	0.01	0.01	0.00
6230	05/19/2009	0.5899	1043.98	0.79	0.48	94.79	2.91	0.65	0.13	0.12	0.05	0.03	0.03	0.02	0.01	0.00
6230	05/18/2009	0.5879	1041.41	0.76	0.47	95.00	2.86	0.57	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
6230	05/17/2009	0.5852	1041.06	0.35	0.59	95.56	2.71	0.50	0.09	0.08	0.03	0.02	0.02	0.02	0.01	0.00
6230	05/16/2009	0.5849	1040.26	0.33	0.62	95.61	2.68	0.49	0.09	0.08	0.03	0.02	0.02	0.02	0.01	0.00
6230	05/15/2009	0.5831	1039.53	0.26	0.59	95.90	2.53	0.47	0.09	0.08	0.03	0.02	0.02	0.02	0.01	0.00
6230	05/14/2009	0.5832	1037.92	0.33	0.61	95.84	2.52	0.46	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	05/13/2009	0.5944	1044.19	0.65	0.84	94.25	3.22	0.65	0.13	0.12	0.05	0.03	0.03	0.02	0.01	0.00
6230	05/12/2009	0.5952	1045.29	0.69	0.82	94.15	3.24	0.69	0.14	0.13	0.05	0.03	0.03	0.02	0.01	0.00
6230	05/11/2009	0.5924	1039.84	0.86	0.75	94.34	3.13	0.58	0.12	0.11	0.04	0.03	0.02	0.01	0.01	0.00
6230	05/10/2009	0.5814	1037.34	0.26	0.57	96.15	2.34	0.45	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	05/09/2009	0.5811	1037.74	0.23	0.56	96.20	2.33	0.45	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	05/08/2009	0.5860	1037.07	0.60	0.64	95.22	2.87	0.44	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	05/07/2009	0.5824	1035.84	0.40	0.60	95.86	2.51	0.42	0.08	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6230	05/06/2009	0.5813	1035.27	0.34	0.58	96.04	2.42	0.41	0.07	0.06	0.02	0.01	0.01	0.01	0.01	0.00
6230	05/05/2009	0.5814	1035.40	0.36	0.58	96.00	2.45	0.41	0.07	0.06	0.02	0.02	0.01	0.01	0.01	0.00
6230	05/04/2009	0.5811	1036.46	0.28	0.57	96.17	2.33	0.43	0.08	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6230	05/03/2009	0.5803	1032.69	0.43	0.57	96.15	2.30	0.37	0.06	0.06	0.02	0.01	0.01	0.01	0.01	0.00
6230	05/02/2009	0.5828	1036.39	0.42	0.59	95.84	2.48	0.43	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Garland Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6230	05/01/2009	0.5807	1036.46	0.24	0.57	96.24	2.30	0.42	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6230	04/30/2009	0.5822	1037.01	0.31	0.60	96.02	2.39	0.44	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	04/29/2009	0.5822	1038.58	0.23	0.59	96.05	2.42	0.46	0.08	0.07	0.03	0.02	0.02	0.02	0.01	0.00
6230	04/28/2009	0.5875	1041.26	0.41	0.69	95.31	2.72	0.56	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
6230	04/27/2009	0.5844	1038.86	0.41	0.59	95.65	2.60	0.49	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6230	04/26/2009	0.5869	1039.83	0.44	0.69	95.20	2.92	0.49	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6230	04/25/2009	0.5937	1047.36	0.50	0.78	94.16	3.64	0.61	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
6230	04/24/2009	0.5982	1053.85	0.43	0.84	93.63	3.98	0.72	0.14	0.13	0.05	0.03	0.03	0.02	0.01	0.00
6230	04/23/2009	0.6024	1059.47	0.51	0.83	92.96	4.42	0.85	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
6230	04/22/2009	0.5886	1046.62	0.28	0.63	95.04	3.17	0.58	0.10	0.09	0.04	0.02	0.02	0.02	0.01	0.00
6230	04/21/2009	0.5794	1034.81	0.24	0.56	96.41	2.21	0.39	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6230	04/20/2009	0.5810	1036.56	0.30	0.55	96.18	2.31	0.44	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	04/19/2009	0.5867	1040.51	0.59	0.55	95.32	2.64	0.58	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
6230	04/18/2009	0.5822	1037.07	0.34	0.57	96.01	2.38	0.46	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	04/17/2009	0.5807	1036.77	0.23	0.56	96.26	2.29	0.43	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	04/16/2009	0.5808	1037.05	0.23	0.56	96.24	2.31	0.44	0.08	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6230	04/15/2009	0.5803	1036.05	0.23	0.57	96.29	2.28	0.41	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6230	04/14/2009	0.5857	1041.14	0.26	0.68	95.60	2.62	0.54	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6230	04/13/2009	0.5813	1036.06	0.28	0.60	96.14	2.34	0.43	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	04/12/2009	0.5834	1038.16	0.34	0.60	95.84	2.48	0.48	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6230	04/11/2009	0.5826	1037.31	0.33	0.59	95.95	2.41	0.47	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6230	04/10/2009	0.5817	1036.50	0.30	0.59	96.09	2.33	0.45	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	04/09/2009	0.5829	1037.89	0.26	0.64	95.91	2.49	0.46	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	04/08/2009	0.5865	1043.02	0.24	0.67	95.13	3.31	0.45	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6230	04/07/2009	0.5866	1042.89	0.27	0.67	95.10	3.30	0.46	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6230	04/06/2009	0.5872	1039.35	0.73	0.53	95.19	2.64	0.60	0.11	0.11	0.04	0.02	0.02	0.01	0.01	0.00
6230	04/05/2009	0.5804	1036.09	0.25	0.55	96.29	2.25	0.43	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6230	04/04/2009	0.5791	1034.20	0.24	0.56	96.44	2.18	0.38	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00

Meter Name = Hildale 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6125	07/02/2009	0.6146	1075.40	0.34	1.05	92.03	4.47	1.34	0.24	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6125	07/01/2009	0.6137	1074.81	0.37	1.01	92.14	4.38	1.33	0.24	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6125	06/30/2009	0.6160	1078.65	0.33	1.02	91.70	4.84	1.34	0.24	0.27	0.09	0.07	0.05	0.03	0.01	0.00
6125	06/29/2009	0.6165	1079.21	0.33	1.04	91.65	4.84	1.37	0.24	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6125	06/28/2009	0.6167	1079.36	0.36	1.02	91.65	4.79	1.39	0.25	0.28	0.10	0.07	0.05	0.03	0.01	0.00
6125	06/27/2009	0.6153	1076.90	0.38	1.02	91.89	4.56	1.37	0.25	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6125	06/26/2009	0.6128	1071.84	0.36	1.07	92.28	4.26	1.28	0.23	0.26	0.09	0.06	0.05	0.03	0.01	0.00
6125	06/25/2009	0.6142	1071.79	0.39	1.15	92.07	4.34	1.30	0.24	0.27	0.09	0.06	0.05	0.03	0.01	0.00
6125	06/24/2009	0.6136	1071.15	0.40	1.13	92.09	4.36	1.29	0.24	0.26	0.09	0.06	0.05	0.02	0.01	0.00
6125	06/23/2009	0.5874	1041.01	0.29	0.76	95.61	2.27	0.70	0.12	0.14	0.04	0.03	0.02	0.01	0.00	0.00
6125	06/22/2009	0.5608	1018.36	0.23	0.06	99.05	0.49	0.13	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6125	06/21/2009	0.5602	1017.33	0.22	0.07	99.14	0.42	0.10	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6125	06/20/2009	0.5656	1019.85	0.24	0.29	98.54	0.64	0.19	0.03	0.02	0.01	0.01	0.01	0.01	0.01	0.00
6125	06/19/2009	0.5992	1054.42	0.33	0.94	94.20	3.05	0.91	0.17	0.19	0.07	0.05	0.05	0.03	0.01	0.00
6125	06/18/2009	0.6150	1074.38	0.42	1.08	91.98	4.42	1.33	0.24	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6125	06/17/2009	0.6154	1075.75	0.41	1.05	91.91	4.47	1.36	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6125	06/16/2009	0.6162	1076.78	0.39	1.07	91.79	4.58	1.38	0.25	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6125	06/15/2009	0.6159	1076.81	0.42	1.03	91.84	4.54	1.38	0.25	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6125	06/14/2009	0.6163	1077.12	0.40	1.06	91.77	4.60	1.37	0.25	0.28	0.10	0.07	0.05	0.03	0.01	0.00
6125	06/13/2009	0.6147	1073.71	0.39	1.10	92.03	4.39	1.32	0.24	0.27	0.09	0.07	0.05	0.03	0.01	0.00
6125	06/12/2009	0.6162	1075.22	0.39	1.13	91.86	4.47	1.35	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6125	06/11/2009	0.6169	1074.22	0.38	1.22	91.77	4.50	1.34	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6125	06/10/2009	0.6179	1074.52	0.39	1.27	91.62	4.58	1.35	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6125	06/09/2009	0.6188	1073.84	0.43	1.32	91.52	4.56	1.36	0.25	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6125	06/08/2009	0.6174	1073.48	0.45	1.24	91.68	4.49	1.35	0.25	0.28	0.10	0.07	0.05	0.03	0.01	0.00
6125	06/07/2009	0.6166	1072.68	0.43	1.23	91.78	4.46	1.32	0.24	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6125	06/06/2009	0.6170	1073.51	0.41	1.23	91.74	4.48	1.34	0.24	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6125	06/05/2009	0.6165	1074.40	0.39	1.18	91.79	4.52	1.34	0.24	0.28	0.09	0.07	0.06	0.03	0.01	0.00
6125	06/04/2009	0.6163	1074.64	0.44	1.13	91.79	4.52	1.34	0.24	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6125	06/03/2009	0.6171	1075.20	0.42	1.17	91.69	4.58	1.35	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6125	06/02/2009	0.6153	1076.25	0.43	1.01	91.90	4.52	1.35	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6125	06/01/2009	0.6159	1077.95	0.43	0.97	91.84	4.55	1.38	0.26	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/31/2009	0.6149	1076.05	0.41	1.01	91.93	4.54	1.33	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/30/2009	0.6155	1075.86	0.42	1.04	91.87	4.55	1.33	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/29/2009	0.6156	1076.70	0.41	1.02	91.85	4.57	1.35	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/28/2009	0.6143	1073.64	0.43	1.05	92.05	4.39	1.30	0.24	0.28	0.09	0.07	0.06	0.03	0.01	0.00
6125	05/27/2009	0.6150	1074.78	0.44	1.04	91.96	4.43	1.35	0.25	0.28	0.09	0.07	0.06	0.03	0.01	0.00
6125	05/26/2009	0.6142	1073.56	0.44	1.04	92.09	4.32	1.33	0.25	0.28	0.09	0.07	0.05	0.03	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Hildale 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6125	05/25/2009	0.6133	1072.45	0.41	1.05	92.15	4.33	1.31	0.24	0.27	0.09	0.06	0.05	0.03	0.01	0.00
6125	05/24/2009	0.6092	1063.67	0.41	1.14	92.85	3.74	1.17	0.21	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6125	05/23/2009	0.6086	1061.45	0.40	1.20	92.91	3.71	1.11	0.21	0.24	0.08	0.06	0.05	0.03	0.01	0.00
6125	05/22/2009	0.6092	1063.88	0.38	1.15	92.84	3.79	1.15	0.21	0.24	0.08	0.06	0.05	0.03	0.01	0.00
6125	05/21/2009	0.6099	1066.10	0.37	1.12	92.71	3.93	1.18	0.22	0.25	0.09	0.06	0.05	0.03	0.01	0.00
6125	05/20/2009	0.6091	1065.12	0.36	1.11	92.81	3.86	1.16	0.22	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6125	05/19/2009	0.6075	1062.15	0.33	1.15	93.11	3.63	1.11	0.21	0.24	0.08	0.06	0.05	0.02	0.01	0.00
6125	05/18/2009	0.6070	1061.09	0.31	1.17	93.18	3.59	1.09	0.21	0.23	0.08	0.06	0.04	0.03	0.01	0.00
6125	05/17/2009	0.6097	1065.62	0.33	1.15	92.82	3.81	1.18	0.22	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6125	05/16/2009	0.6106	1067.10	0.35	1.13	92.68	3.93	1.19	0.22	0.25	0.09	0.06	0.05	0.03	0.01	0.00
6125	05/15/2009	0.6155	1076.67	0.37	1.05	91.94	4.48	1.36	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/14/2009	0.6168	1078.27	0.39	1.05	91.68	4.70	1.37	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/13/2009	0.6175	1079.35	0.41	1.04	91.64	4.65	1.43	0.26	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/12/2009	0.6183	1081.90	0.40	0.99	91.51	4.79	1.47	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/11/2009	0.6172	1079.52	0.38	1.03	91.66	4.69	1.42	0.26	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/10/2009	0.6179	1080.46	0.40	1.02	91.60	4.70	1.44	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/09/2009	0.6184	1081.30	0.39	1.03	91.50	4.80	1.44	0.26	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/08/2009	0.6189	1082.24	0.40	1.02	91.44	4.80	1.48	0.27	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/07/2009	0.6190	1082.03	0.41	1.02	91.41	4.84	1.48	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/06/2009	0.6191	1081.95	0.42	1.03	91.39	4.84	1.47	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/05/2009	0.6192	1082.15	0.40	1.03	91.40	4.83	1.48	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/04/2009	0.6195	1082.90	0.39	1.03	91.38	4.84	1.51	0.27	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/03/2009	0.6195	1083.10	0.39	1.02	91.34	4.89	1.50	0.27	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/02/2009	0.6197	1083.14	0.40	1.03	91.30	4.92	1.49	0.27	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6125	05/01/2009	0.6199	1083.47	0.40	1.03	91.28	4.92	1.52	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6125	04/30/2009	0.6210	1086.11	0.41	0.99	91.10	5.07	1.57	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6125	04/29/2009	0.6203	1083.64	0.42	1.03	91.23	4.93	1.52	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6125	04/28/2009	0.6217	1085.54	0.42	1.04	91.05	5.05	1.56	0.28	0.32	0.10	0.07	0.06	0.04	0.01	0.00
6125	04/27/2009	0.6217	1086.17	0.40	1.03	91.06	5.05	1.57	0.29	0.32	0.10	0.07	0.06	0.04	0.01	0.00
6125	04/26/2009	0.6215	1085.66	0.41	1.03	91.09	5.02	1.56	0.29	0.32	0.10	0.07	0.06	0.04	0.01	0.00
6125	04/25/2009	0.6213	1084.65	0.42	1.05	91.11	5.00	1.55	0.28	0.32	0.10	0.07	0.06	0.03	0.01	0.00
6125	04/24/2009	0.6212	1083.97	0.42	1.07	91.15	4.94	1.53	0.28	0.32	0.10	0.07	0.06	0.03	0.01	0.00
6125	04/23/2009	0.6213	1083.81	0.42	1.09	91.12	4.97	1.54	0.28	0.32	0.10	0.07	0.06	0.03	0.01	0.00
6125	04/22/2009	0.5917	1045.00	0.37	0.82	94.84	2.90	0.69	0.12	0.13	0.04	0.03	0.03	0.02	0.01	0.00
6125	04/21/2009	0.5836	1034.78	0.35	0.74	95.83	2.37	0.47	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6125	04/20/2009	0.6073	1065.10	0.39	0.98	92.91	3.95	1.13	0.21	0.23	0.07	0.05	0.04	0.03	0.01	0.00
6125	04/19/2009	0.5998	1055.33	0.38	0.91	93.84	3.43	0.92	0.17	0.18	0.06	0.04	0.04	0.02	0.01	0.00
6125	04/18/2009	0.5846	1036.31	0.35	0.74	95.74	2.41	0.50	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6125	04/17/2009	0.5844	1036.15	0.35	0.74	95.76	2.41	0.49	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6125	04/16/2009	0.5848	1036.21	0.36	0.76	95.70	2.43	0.50	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6125	04/15/2009	0.5968	1051.16	0.38	0.89	94.19	3.25	0.83	0.15	0.16	0.05	0.04	0.03	0.02	0.01	0.00
6125	04/14/2009	0.6188	1078.78	0.41	1.14	91.41	4.78	1.45	0.26	0.29	0.09	0.06	0.05	0.03	0.01	0.00
6125	04/13/2009	0.6072	1064.96	0.39	0.98	92.87	4.01	1.13	0.21	0.22	0.07	0.05	0.04	0.02	0.01	0.00
6125	04/12/2009	0.6104	1069.28	0.38	1.02	92.47	4.22	1.22	0.22	0.24	0.08	0.06	0.05	0.03	0.01	0.00
6125	04/11/2009	0.6115	1069.87	0.39	1.05	92.35	4.26	1.25	0.23	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6125	04/10/2009	0.6002	1055.68	0.38	0.92	93.77	3.49	0.93	0.17	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6125	04/09/2009	0.6128	1071.79	0.39	1.06	92.24	4.29	1.29	0.24	0.26	0.09	0.06	0.05	0.03	0.01	0.00
6125	04/08/2009	0.6024	1058.45	0.38	0.95	93.51	3.62	0.99	0.18	0.20	0.06	0.04	0.04	0.02	0.01	0.00
6125	04/07/2009	0.5861	1037.46	0.36	0.79	95.43	2.67	0.50	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6125	04/06/2009	0.5861	1037.23	0.36	0.80	95.40	2.71	0.49	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6125	04/05/2009	0.5849	1036.22	0.36	0.76	95.72	2.39	0.51	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6125	04/04/2009	0.5846	1035.69	0.36	0.76	95.71	2.43	0.49	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00

Meter Name = Kennecott Orifice

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
7099	07/02/2009	0.5880	1044.03	0.36	0.65	95.16	2.95	0.57	0.10	0.11	0.04	0.02	0.02	0.01	0.01	0.00
7099	07/01/2009	0.5867	1042.05	0.38	0.63	95.30	2.87	0.53	0.09	0.10	0.03	0.02	0.02	0.01	0.01	0.00
7099	06/30/2009	0.5946	1051.06	0.40	0.75	94.37	3.29	0.77	0.14	0.15	0.05	0.03	0.03	0.02	0.01	0.00
7099	06/29/2009	0.5947	1051.08	0.41	0.75	94.30	3.37	0.77	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
7099	06/28/2009	0.5923	1048.48	0.39	0.72	94.67	3.13	0.71	0.13	0.13	0.04	0.03	0.03	0.02	0.01	0.00
7099	06/27/2009	0.5887	1044.84	0.39	0.63	95.06	3.01	0.58	0.11	0.11	0.04	0.03	0.02	0.02	0.01	0.00
7099	06/26/2009	0.5923	1048.20	0.38	0.73	94.62	3.21	0.68	0.13	0.13	0.04	0.03	0.03	0.02	0.01	0.00
7099	06/25/2009	0.5927	1048.91	0.38	0.73	94.56	3.26	0.70	0.13	0.13	0.04	0.03	0.03	0.02	0.01	0.00
7099	06/24/2009	0.5845	1038.86	0.37	0.63	95.65	2.62	0.47	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
7099	06/23/2009	0.5858	1040.05	0.36	0.67	95.50	2.67	0.52	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
7099	06/22/2009	0.5828	1036.26	0.35	0.64	95.86	2.51	0.42	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
7099	06/21/2009	0.5846	1038.57	0.40	0.62	95.61	2.63	0.48	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
7099	06/20/2009	0.5773	1030.44	0.41	0.48	96.58	2.04	0.31	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
7099	06/19/2009	0.5757	1030.03	0.32	0.46	96.81	1.97	0.29	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Kennecott Orifice

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
7099	06/18/2009	0.5769	1031.18	0.31	0.50	96.62	2.11	0.30	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
7099	06/17/2009	0.5832	1035.53	0.37	0.68	95.77	2.56	0.41	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
7099	06/16/2009	0.5871	1039.20	0.42	0.74	95.21	2.90	0.48	0.08	0.09	0.03	0.02	0.02	0.01	0.01	0.00
7099	06/15/2009	0.5819	1032.84	0.40	0.68	95.84	2.57	0.33	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
7099	06/14/2009	0.5851	1036.11	0.44	0.72	95.41	2.82	0.40	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
7099	06/13/2009	0.5851	1036.74	0.45	0.70	95.38	2.85	0.40	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
7099	06/12/2009	0.5876	1039.89	0.43	0.74	95.06	3.07	0.45	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
7099	06/11/2009	0.5925	1047.00	0.43	0.76	94.38	3.50	0.60	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
7099	06/10/2009	0.5947	1047.36	0.48	0.85	94.13	3.55	0.64	0.13	0.12	0.04	0.03	0.02	0.02	0.01	0.00
7099	06/09/2009	0.5955	1048.64	0.47	0.85	94.04	3.59	0.67	0.13	0.12	0.04	0.03	0.02	0.02	0.01	0.00
7099	06/08/2009	0.5981	1050.16	0.52	0.92	93.74	3.68	0.73	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
7099	06/07/2009	0.5996	1057.02	0.40	0.82	93.67	3.75	0.87	0.17	0.16	0.06	0.04	0.03	0.02	0.01	0.00
7099	06/06/2009	0.5905	1044.39	0.39	0.77	94.68	3.35	0.53	0.10	0.09	0.03	0.02	0.02	0.02	0.01	0.00
7099	06/05/2009	0.5938	1049.57	0.39	0.76	94.21	3.66	0.64	0.11	0.11	0.04	0.02	0.02	0.02	0.01	0.00
7099	06/04/2009	0.5868	1038.70	0.43	0.74	95.11	3.09	0.41	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
7099	06/03/2009	0.5869	1036.49	0.48	0.79	95.02	3.15	0.36	0.06	0.06	0.02	0.01	0.01	0.01	0.01	0.00
7099	06/02/2009	0.5870	1036.48	0.65	0.69	94.91	3.17	0.38	0.07	0.07	0.02	0.01	0.02	0.01	0.01	0.00
7099	06/01/2009	0.5787	1027.95	0.83	0.40	96.14	2.15	0.30	0.05	0.05	0.02	0.01	0.01	0.01	0.01	0.00
7099	05/31/2009	0.5778	1026.32	0.85	0.39	96.25	2.08	0.28	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
7099	05/30/2009	0.5807	1031.35	0.74	0.44	96.01	2.20	0.37	0.07	0.07	0.03	0.02	0.02	0.02	0.01	0.00
7099	05/29/2009	0.5829	1034.37	0.78	0.43	95.75	2.31	0.45	0.09	0.08	0.03	0.02	0.02	0.02	0.01	0.00
7099	05/28/2009	0.5812	1031.38	0.79	0.44	95.95	2.18	0.40	0.08	0.07	0.03	0.02	0.02	0.02	0.01	0.00
7099	05/27/2009	0.5807	1030.66	0.73	0.48	96.07	2.12	0.38	0.08	0.07	0.03	0.02	0.02	0.02	0.01	0.00
7099	05/26/2009	0.5832	1036.03	0.67	0.46	95.77	2.34	0.48	0.10	0.09	0.03	0.02	0.02	0.02	0.01	0.00
7099	05/25/2009	0.5800	1032.44	0.53	0.49	96.21	2.18	0.37	0.07	0.06	0.02	0.02	0.02	0.02	0.01	0.00
7099	05/24/2009	0.5805	1033.52	0.49	0.50	96.13	2.27	0.38	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
7099	05/23/2009	0.5811	1034.42	0.47	0.52	96.06	2.33	0.39	0.08	0.07	0.03	0.02	0.02	0.02	0.01	0.00
7099	05/22/2009	0.5815	1035.81	0.34	0.58	96.01	2.47	0.38	0.07	0.06	0.02	0.02	0.02	0.02	0.01	0.00
7099	05/21/2009	0.5857	1041.54	0.36	0.60	95.37	2.95	0.46	0.09	0.08	0.03	0.02	0.02	0.02	0.01	0.00
7099	05/20/2009	0.5870	1043.35	0.37	0.60	95.16	3.08	0.52	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
7099	05/19/2009	0.5861	1040.91	0.53	0.53	95.27	2.86	0.51	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
7099	05/18/2009	0.5806	1034.41	0.43	0.52	96.14	2.33	0.36	0.07	0.07	0.03	0.02	0.02	0.02	0.01	0.00
7099	05/17/2009	0.5830	1034.09	0.69	0.51	95.73	2.42	0.40	0.08	0.08	0.03	0.02	0.02	0.02	0.01	0.00
7099	05/16/2009	0.5858	1035.28	0.75	0.60	95.25	2.71	0.43	0.08	0.08	0.03	0.02	0.02	0.02	0.01	0.00
7099	05/15/2009	0.5825	1034.98	0.47	0.59	95.80	2.54	0.38	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
7099	05/14/2009	0.5832	1037.40	0.41	0.57	95.80	2.54	0.41	0.08	0.08	0.03	0.02	0.02	0.02	0.01	0.00
7099	05/13/2009	0.5899	1044.44	0.42	0.70	94.96	2.95	0.61	0.11	0.11	0.04	0.03	0.03	0.02	0.01	0.00
7099	05/12/2009	0.6079	1064.76	0.56	0.92	92.69	4.05	1.13	0.21	0.22	0.08	0.05	0.04	0.03	0.01	0.00
7099	05/11/2009	0.6044	1053.51	0.77	1.01	93.03	3.71	0.93	0.18	0.18	0.06	0.04	0.04	0.02	0.01	0.00
7099	05/10/2009	0.5995	1049.21	0.85	0.83	93.57	3.47	0.81	0.16	0.16	0.06	0.04	0.03	0.02	0.01	0.00
7099	05/09/2009	0.5973	1051.19	0.69	0.72	93.84	3.51	0.79	0.15	0.15	0.05	0.04	0.03	0.02	0.01	0.00
7099	05/08/2009	0.5976	1051.14	0.73	0.71	93.89	3.36	0.82	0.16	0.16	0.06	0.04	0.04	0.02	0.01	0.00
7099	05/07/2009	0.6026	1059.39	0.54	0.82	93.31	3.81	0.97	0.18	0.19	0.06	0.04	0.04	0.02	0.01	0.00
7099	05/06/2009	0.6042	1061.09	0.54	0.85	93.13	3.88	1.02	0.19	0.20	0.07	0.05	0.04	0.02	0.01	0.00
7099	05/05/2009	0.5998	1053.79	0.67	0.78	93.61	3.55	0.88	0.16	0.17	0.06	0.04	0.04	0.02	0.01	0.00
7099	05/04/2009	0.6076	1063.37	0.50	1.00	92.77	4.01	1.11	0.20	0.21	0.07	0.05	0.04	0.03	0.01	0.00
7099	05/03/2009	0.6081	1064.29	0.49	1.00	92.72	4.03	1.13	0.20	0.22	0.08	0.05	0.04	0.03	0.01	0.00
7099	05/02/2009	0.6048	1060.94	0.61	0.85	93.05	3.85	1.06	0.19	0.20	0.07	0.05	0.04	0.02	0.01	0.00
7099	05/01/2009	0.6067	1064.76	0.56	0.85	92.83	4.01	1.13	0.20	0.22	0.07	0.05	0.04	0.03	0.01	0.00
7099	04/30/2009	0.5996	1054.62	0.66	0.74	93.64	3.54	0.90	0.17	0.17	0.06	0.04	0.04	0.02	0.01	0.00
7099	04/29/2009	0.6011	1055.94	0.62	0.81	93.49	3.63	0.93	0.17	0.18	0.06	0.04	0.04	0.02	0.01	0.00
7099	04/28/2009	0.6062	1060.12	0.62	0.95	92.88	3.88	1.06	0.20	0.20	0.07	0.05	0.04	0.02	0.01	0.00
7099	04/27/2009	0.5933	1044.89	0.77	0.67	94.40	3.07	0.69	0.13	0.13	0.05	0.03	0.03	0.02	0.01	0.00
7099	04/26/2009	0.5921	1043.32	0.73	0.68	94.54	3.02	0.65	0.12	0.12	0.04	0.03	0.03	0.02	0.01	0.00
7099	04/25/2009	0.6068	1065.39	0.50	0.86	92.76	4.15	1.11	0.20	0.21	0.07	0.05	0.04	0.02	0.01	0.00
7099	04/24/2009	0.6174	1080.10	0.41	1.00	91.51	4.83	1.46	0.26	0.28	0.09	0.06	0.05	0.03	0.01	0.00
7099	04/23/2009	0.6148	1077.18	0.39	0.97	91.88	4.62	1.38	0.25	0.27	0.09	0.06	0.05	0.03	0.01	0.00
7099	04/22/2009	0.6160	1077.90	0.40	1.01	91.77	4.64	1.41	0.25	0.27	0.09	0.06	0.05	0.03	0.01	0.00
7099	04/21/2009	0.6132	1074.01	0.41	0.98	92.07	4.49	1.33	0.24	0.26	0.08	0.06	0.05	0.03	0.01	0.00
7099	04/20/2009	0.6124	1073.75	0.42	0.94	92.19	4.43	1.31	0.24	0.25	0.08	0.06	0.05	0.03	0.01	0.00
7099	04/19/2009	0.6124	1072.51	0.47	0.95	92.16	4.39	1.31	0.24	0.25	0.08	0.06	0.05	0.03	0.01	0.00
7099	04/18/2009	0.6064	1064.16	0.52	0.88	92.89	3.95	1.14	0.21	0.22	0.07	0.05	0.04	0.02	0.01	0.00
7099	04/17/2009	0.5937	1045.91	0.71	0.69	94.45	2.96	0.76	0.15	0.15	0.05	0.03	0.03	0.02	0.01	0.00
7099	04/16/2009	0.5878	1040.51	0.65	0.58	95.22	2.60	0.60	0.12	0.12	0.04	0.03	0.03	0.02	0.01	0.00
7099	04/15/2009	0.5927	1046.99	0.57	0.68	94.60	3.01	0.73	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
7099	04/14/2009	0.6150	1075.37	0.43	1.03	91.86	4.54	1.39	0.26	0.27	0.09	0.06	0.04	0.02	0.01	0.00
7099	04/13/2009	0.6089	1067.56	0.45	0.94	92.65	4.08	1.21	0.23	0.24	0.08	0.05	0.04	0.02	0.01	0.00
7099	04/12/2009	0.6051	1060.70	0.49	0.95	93.03	3.91	1.04	0.20	0.20	0.07	0.04	0.03	0.02	0.01	0.00
7099	04/11/2009	0.6032	1058.60	0.52	0.90	93.16	3.93	0.95	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Kennecott Orifice

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
7099	04/10/2009	0.6028	1058.02	0.58	0.86	93.38	3.57	1.03	0.20	0.21	0.07	0.05	0.03	0.02	0.01	0.00
7099	04/09/2009	0.6002	1053.71	0.59	0.86	93.73	3.34	0.93	0.19	0.19	0.06	0.04	0.03	0.02	0.01	0.00
7099	04/08/2009	0.6014	1055.91	0.59	0.85	93.55	3.48	0.97	0.19	0.20	0.07	0.04	0.03	0.02	0.01	0.00
7099	04/07/2009	0.5924	1045.06	0.62	0.70	94.66	2.88	0.73	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
7099	04/06/2009	0.5862	1039.30	0.53	0.61	95.43	2.57	0.56	0.10	0.10	0.04	0.02	0.02	0.01	0.01	0.00
7099	04/05/2009	0.5896	1043.58	0.53	0.65	94.95	2.89	0.63	0.12	0.12	0.04	0.03	0.02	0.02	0.01	0.00
7099	04/04/2009	0.5883	1041.64	0.56	0.62	95.10	2.79	0.60	0.11	0.11	0.04	0.03	0.02	0.01	0.01	0.00

Meter Name = Lakeside M&R 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
994	07/02/2009	0.5771	1029.23	0.37	0.55	96.48	2.23	0.25	0.04	0.04	0.01	0.01	0.01	0.01	0.00	0.00
994	07/01/2009	0.5786	1031.51	0.39	0.54	96.30	2.31	0.31	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/30/2009	0.5797	1033.08	0.39	0.54	96.20	2.34	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.01	0.00
994	06/29/2009	0.5798	1033.34	0.39	0.54	96.22	2.31	0.35	0.06	0.06	0.02	0.01	0.02	0.01	0.01	0.00
994	06/28/2009	0.5798	1033.70	0.37	0.54	96.14	2.46	0.32	0.06	0.05	0.02	0.01	0.01	0.01	0.01	0.00
994	06/27/2009	0.5791	1032.58	0.37	0.54	96.29	2.30	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/26/2009	0.5794	1032.64	0.38	0.55	96.28	2.28	0.34	0.06	0.05	0.02	0.01	0.01	0.01	0.01	0.00
994	06/25/2009	0.5797	1032.81	0.39	0.56	96.24	2.27	0.36	0.06	0.06	0.02	0.01	0.01	0.01	0.01	0.00
994	06/24/2009	0.5809	1034.54	0.39	0.56	96.04	2.43	0.39	0.07	0.06	0.02	0.01	0.01	0.01	0.01	0.00
994	06/23/2009	0.5797	1032.92	0.38	0.55	96.29	2.21	0.37	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
994	06/22/2009	0.5767	1029.06	0.38	0.52	96.67	1.98	0.31	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/21/2009	0.5762	1028.87	0.37	0.50	96.76	1.91	0.31	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/20/2009	0.5785	1031.92	0.38	0.52	96.41	2.16	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/19/2009	0.5780	1030.81	0.37	0.54	96.49	2.11	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/18/2009	0.5769	1029.73	0.37	0.52	96.63	2.02	0.31	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/17/2009	0.5782	1031.26	0.36	0.54	96.44	2.17	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/16/2009	0.5775	1030.19	0.37	0.53	96.59	2.02	0.32	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/15/2009	0.5768	1029.25	0.36	0.53	96.66	2.00	0.30	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/14/2009	0.5765	1028.91	0.39	0.51	96.68	1.97	0.30	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/13/2009	0.5772	1030.28	0.37	0.51	96.61	2.03	0.32	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/12/2009	0.5773	1029.66	0.40	0.52	96.59	2.01	0.31	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/11/2009	0.5781	1031.49	0.36	0.53	96.47	2.14	0.34	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/10/2009	0.5834	1038.61	0.39	0.55	95.57	2.88	0.41	0.07	0.06	0.02	0.02	0.01	0.01	0.00	0.00
994	06/09/2009	0.5836	1038.49	0.39	0.57	95.51	2.92	0.41	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	06/08/2009	0.5838	1038.89	0.39	0.57	95.50	2.92	0.42	0.07	0.06	0.02	0.02	0.01	0.01	0.00	0.00
994	06/07/2009	0.5838	1038.77	0.40	0.57	95.50	2.92	0.42	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	06/06/2009	0.5831	1037.74	0.41	0.56	95.58	2.87	0.40	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	06/05/2009	0.5828	1037.63	0.39	0.56	95.61	2.87	0.40	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	06/04/2009	0.5847	1040.42	0.38	0.57	95.37	3.00	0.48	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	06/03/2009	0.5795	1032.84	0.39	0.54	96.26	2.26	0.36	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	06/02/2009	0.5787	1031.88	0.39	0.53	96.37	2.19	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	06/01/2009	0.5791	1032.38	0.39	0.53	96.31	2.23	0.36	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	05/31/2009	0.5795	1033.05	0.40	0.53	96.26	2.26	0.37	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	05/30/2009	0.5797	1033.51	0.39	0.53	96.22	2.30	0.38	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	05/29/2009	0.5784	1031.08	0.40	0.54	96.40	2.16	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	05/28/2009	0.5847	1040.63	0.38	0.56	95.58	2.67	0.53	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
994	05/27/2009	0.5807	1034.59	0.38	0.55	96.06	2.40	0.41	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	05/26/2009	0.5759	1027.45	0.39	0.53	96.72	1.97	0.27	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
994	05/25/2009	0.5796	1033.12	0.36	0.55	96.29	2.23	0.37	0.07	0.06	0.02	0.02	0.02	0.01	0.00	0.00
994	05/24/2009	0.5796	1033.12	0.36	0.55	96.29	2.23	0.37	0.07	0.06	0.02	0.02	0.02	0.01	0.00	0.00
994	05/23/2009	0.5796	1033.21	0.36	0.55	96.29	2.22	0.37	0.07	0.06	0.02	0.02	0.02	0.01	0.00	0.00
994	05/22/2009	0.5797	1033.01	0.36	0.57	96.17	2.38	0.36	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	05/21/2009	0.5847	1039.87	0.36	0.60	95.45	2.89	0.47	0.08	0.07	0.02	0.02	0.01	0.01	0.00	0.00
994	05/20/2009	0.5859	1041.63	0.35	0.62	95.25	3.04	0.51	0.09	0.08	0.03	0.02	0.01	0.00	0.00	0.00
994	05/19/2009	0.5825	1036.44	0.41	0.57	95.73	2.68	0.42	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	05/18/2009	0.5773	1029.96	0.38	0.53	96.48	2.17	0.31	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
994	05/17/2009	0.5775	1030.13	0.38	0.53	96.47	2.17	0.32	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
994	05/16/2009	0.5777	1030.54	0.38	0.53	96.47	2.15	0.32	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	05/15/2009	0.5789	1031.83	0.39	0.54	96.27	2.30	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	05/14/2009	0.5812	1035.02	0.39	0.56	95.99	2.46	0.39	0.07	0.06	0.02	0.02	0.02	0.01	0.00	0.00
994	05/13/2009	0.5816	1035.07	0.41	0.56	95.93	2.50	0.39	0.07	0.06	0.02	0.02	0.02	0.01	0.00	0.00
994	05/12/2009	0.5801	1032.96	0.42	0.55	96.16	2.31	0.37	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	05/11/2009	0.5780	1030.47	0.40	0.54	96.39	2.22	0.31	0.05	0.04	0.02	0.01	0.01	0.01	0.00	0.00
994	05/10/2009	0.5779	1030.07	0.42	0.54	96.40	2.19	0.31	0.05	0.04	0.02	0.01	0.01	0.01	0.00	0.00
994	05/09/2009	0.5809	1034.98	0.37	0.56	96.07	2.40	0.39	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
994	05/08/2009	0.5782	1030.32	0.43	0.53	96.44	2.09	0.34	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	05/07/2009	0.5779	1030.43	0.40	0.53	96.51	2.06	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	05/06/2009	0.5798	1033.43	0.39	0.53	96.20	2.32	0.38	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	05/05/2009	0.5792	1032.55	0.40	0.52	96.33	2.19	0.37	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Lakeside M&R 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
994	05/04/2009	0.5787	1031.74	0.40	0.53	96.38	2.16	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	05/03/2009	0.5787	1031.42	0.38	0.55	96.30	2.27	0.34	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
994	05/02/2009	0.5815	1034.27	0.47	0.55	95.91	2.48	0.40	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	05/01/2009	0.5777	1030.55	0.37	0.53	96.53	2.08	0.32	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/30/2009	0.5772	1029.75	0.37	0.53	96.54	2.12	0.30	0.05	0.04	0.02	0.01	0.01	0.01	0.00	0.00
994	04/29/2009	0.5793	1032.48	0.38	0.55	96.29	2.25	0.35	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	04/28/2009	0.5774	1030.04	0.37	0.53	96.58	2.05	0.31	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/27/2009	0.5779	1031.03	0.35	0.54	96.52	2.09	0.34	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/26/2009	0.5779	1030.91	0.36	0.54	96.50	2.12	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/25/2009	0.5779	1030.19	0.37	0.55	96.44	2.18	0.30	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/24/2009	0.5785	1031.25	0.37	0.56	96.27	2.35	0.33	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
994	04/23/2009	0.5856	1041.71	0.35	0.59	95.39	2.90	0.51	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
994	04/22/2009	0.5850	1040.95	0.35	0.59	95.47	2.84	0.51	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
994	04/21/2009	0.5830	1037.49	0.40	0.56	95.74	2.62	0.45	0.08	0.07	0.02	0.02	0.02	0.01	0.00	0.00
994	04/20/2009	0.5769	1029.20	0.40	0.52	96.59	2.05	0.31	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/19/2009	0.5769	1029.26	0.39	0.52	96.59	2.05	0.31	0.05	0.04	0.02	0.01	0.01	0.01	0.00	0.00
994	04/18/2009	0.5768	1029.25	0.39	0.52	96.60	2.05	0.31	0.05	0.04	0.02	0.01	0.01	0.01	0.00	0.00
994	04/17/2009	0.5775	1030.55	0.38	0.52	96.55	2.06	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/16/2009	0.5781	1031.64	0.36	0.52	96.48	2.13	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/15/2009	0.5786	1032.32	0.36	0.52	96.41	2.17	0.36	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/14/2009	0.5791	1032.65	0.39	0.52	96.34	2.18	0.38	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	04/13/2009	0.5785	1031.88	0.37	0.53	96.41	2.17	0.36	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/12/2009	0.5792	1032.95	0.37	0.53	96.31	2.23	0.37	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	04/11/2009	0.5797	1033.64	0.37	0.53	96.26	2.26	0.38	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	04/10/2009	0.5787	1031.75	0.39	0.54	96.35	2.20	0.36	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/09/2009	0.5790	1032.41	0.38	0.53	96.35	2.18	0.37	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	04/08/2009	0.5792	1032.25	0.40	0.54	96.28	2.24	0.36	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
994	04/07/2009	0.5784	1031.57	0.40	0.52	96.40	2.16	0.36	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/06/2009	0.5786	1031.67	0.40	0.52	96.37	2.19	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/05/2009	0.5840	1038.26	0.38	0.61	95.36	3.10	0.39	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
994	04/04/2009	0.5814	1035.00	0.38	0.58	95.85	2.66	0.37	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00

Meter Name = Lark Compressor Control

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6263	07/02/2009	0.5786	1031.03	0.37	0.57	96.30	2.32	0.30	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6263	07/01/2009	0.5825	1036.37	0.38	0.59	95.82	2.57	0.42	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6263	06/30/2009	0.5817	1035.54	0.39	0.57	95.94	2.49	0.40	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6263	06/29/2009	0.6001	1056.42	0.39	0.88	93.72	3.58	0.92	0.17	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6263	06/28/2009	0.5810	1035.39	0.36	0.55	96.05	2.44	0.39	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6263	06/27/2009	0.5807	1034.91	0.38	0.54	96.07	2.43	0.37	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6263	06/26/2009	0.5977	1053.77	0.37	0.85	94.08	3.34	0.87	0.16	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6263	06/25/2009	0.6016	1058.10	0.37	0.92	93.63	3.54	0.98	0.18	0.19	0.07	0.05	0.04	0.02	0.01	0.00
6263	06/24/2009	0.6012	1057.53	0.37	0.92	93.70	3.49	0.97	0.17	0.19	0.07	0.05	0.04	0.02	0.01	0.00
6263	06/23/2009	0.6012	1057.61	0.37	0.92	93.69	3.50	0.97	0.18	0.19	0.07	0.05	0.04	0.02	0.01	0.00
6263	06/22/2009	0.5822	1035.79	0.35	0.61	96.00	2.34	0.46	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6263	06/21/2009	0.5855	1039.68	0.37	0.65	95.60	2.52	0.56	0.10	0.10	0.03	0.02	0.02	0.01	0.01	0.00
6263	06/20/2009	0.5799	1032.49	0.36	0.60	96.30	2.15	0.39	0.07	0.06	0.02	0.02	0.01	0.01	0.01	0.00
6263	06/19/2009	0.5780	1031.53	0.37	0.51	96.50	2.11	0.34	0.06	0.05	0.02	0.01	0.01	0.01	0.01	0.00
6263	06/18/2009	0.5741	1028.87	0.30	0.42	97.22	1.52	0.36	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6263	06/17/2009	0.5865	1039.66	0.35	0.73	95.57	2.46	0.58	0.10	0.11	0.04	0.03	0.02	0.01	0.01	0.00
6263	06/16/2009	0.6017	1057.65	0.41	0.92	93.53	3.67	0.93	0.17	0.19	0.06	0.05	0.04	0.02	0.01	0.00
6263	06/15/2009	0.5830	1036.55	0.38	0.62	95.87	2.42	0.46	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6263	06/14/2009	0.5803	1032.98	0.40	0.57	96.20	2.23	0.39	0.07	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6263	06/13/2009	0.5825	1036.72	0.37	0.59	95.93	2.40	0.47	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6263	06/12/2009	0.5817	1034.84	0.40	0.59	96.02	2.34	0.42	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6263	06/11/2009	0.5826	1036.69	0.37	0.60	95.88	2.47	0.45	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6263	06/10/2009	0.5830	1037.81	0.38	0.57	95.68	2.75	0.42	0.07	0.07	0.02	0.02	0.01	0.01	0.01	0.00
6263	06/09/2009	0.5867	1041.56	0.39	0.64	95.15	3.08	0.48	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6263	06/08/2009	0.5852	1040.16	0.39	0.60	95.34	2.99	0.45	0.08	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6263	06/07/2009	0.6014	1057.38	0.41	0.91	93.47	3.80	0.89	0.17	0.17	0.06	0.04	0.04	0.02	0.01	0.00
6263	06/06/2009	0.5973	1051.67	0.40	0.89	93.91	3.64	0.74	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
6263	06/05/2009	0.5843	1039.05	0.39	0.59	95.45	2.93	0.43	0.07	0.07	0.02	0.02	0.01	0.01	0.01	0.00
6263	06/04/2009	0.5845	1039.99	0.39	0.57	95.40	2.97	0.46	0.07	0.06	0.02	0.01	0.01	0.01	0.01	0.00
6263	06/03/2009	0.5811	1035.30	0.39	0.54	96.01	2.45	0.40	0.07	0.06	0.02	0.02	0.01	0.01	0.01	0.00
6263	06/02/2009	0.5787	1031.82	0.38	0.54	96.36	2.20	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.01	0.00
6263	06/01/2009	0.5792	1032.56	0.39	0.54	96.29	2.25	0.36	0.06	0.06	0.02	0.01	0.01	0.01	0.01	0.00
6263	05/31/2009	0.5802	1033.85	0.39	0.54	96.17	2.30	0.39	0.07	0.06	0.02	0.01	0.01	0.01	0.01	0.00
6263	05/30/2009	0.5804	1034.34	0.39	0.54	96.14	2.35	0.40	0.07	0.06	0.02	0.01	0.01	0.01	0.01	0.00
6263	05/29/2009	0.5799	1033.38	0.39	0.54	96.22	2.28	0.38	0.07	0.06	0.02	0.01	0.01	0.01	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Lark Compressor Control

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6263	05/28/2009	0.5840	1039.52	0.38	0.56	95.67	2.63	0.50	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6263	05/27/2009	0.5835	1038.93	0.38	0.56	95.77	2.53	0.50	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6263	05/26/2009	0.5783	1030.49	0.43	0.54	96.43	2.09	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6263	05/25/2009	0.5897	1043.85	0.58	0.61	94.99	2.79	0.66	0.13	0.13	0.04	0.03	0.03	0.02	0.01	0.00
6263	05/24/2009	0.5902	1044.77	0.64	0.57	94.89	2.83	0.68	0.13	0.13	0.05	0.03	0.03	0.02	0.01	0.00
6263	05/23/2009	0.5898	1044.35	0.59	0.59	94.97	2.81	0.67	0.13	0.13	0.04	0.03	0.03	0.02	0.01	0.00
6263	05/22/2009	0.5891	1044.06	0.56	0.58	95.05	2.81	0.65	0.12	0.12	0.04	0.03	0.03	0.02	0.01	0.00
6263	05/21/2009	0.5866	1040.92	0.65	0.49	95.28	2.68	0.58	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
6263	05/20/2009	0.5885	1042.53	0.67	0.52	95.00	2.84	0.62	0.12	0.11	0.04	0.03	0.02	0.01	0.01	0.00
6263	05/19/2009	0.5942	1047.66	0.66	0.69	94.39	3.06	0.76	0.15	0.15	0.05	0.04	0.03	0.02	0.01	0.00
6263	05/18/2009	0.5909	1044.75	0.78	0.51	94.66	2.98	0.67	0.13	0.13	0.05	0.03	0.03	0.02	0.01	0.00
6263	05/17/2009	0.5901	1042.64	0.76	0.57	94.79	2.89	0.63	0.12	0.12	0.04	0.03	0.03	0.02	0.01	0.00
6263	05/16/2009	0.5953	1046.62	0.79	0.71	94.03	3.35	0.71	0.13	0.13	0.05	0.03	0.03	0.02	0.01	0.00
6263	05/15/2009	0.5950	1044.21	0.78	0.79	94.09	3.27	0.67	0.13	0.13	0.05	0.03	0.03	0.02	0.01	0.00
6263	05/14/2009	0.6040	1056.02	0.63	0.98	93.17	3.70	0.96	0.18	0.19	0.07	0.05	0.04	0.02	0.01	0.00
6263	05/13/2009	0.6104	1066.54	0.35	1.14	92.67	3.93	1.20	0.22	0.25	0.09	0.06	0.05	0.03	0.01	0.00
6263	05/12/2009	0.5989	1055.13	0.39	0.86	93.95	3.39	0.90	0.16	0.18	0.06	0.04	0.04	0.02	0.01	0.00
6263	05/11/2009	0.5941	1050.63	0.40	0.73	94.44	3.25	0.76	0.14	0.15	0.05	0.03	0.03	0.02	0.01	0.00
6263	05/10/2009	0.5922	1047.35	0.41	0.74	94.69	3.06	0.71	0.13	0.13	0.04	0.03	0.03	0.02	0.01	0.00
6263	05/09/2009	0.5950	1052.76	0.37	0.72	94.35	3.33	0.79	0.14	0.15	0.05	0.04	0.03	0.02	0.01	0.00
6263	05/08/2009	0.5979	1055.16	0.40	0.78	94.02	3.42	0.88	0.16	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6263	05/07/2009	0.5951	1051.88	0.39	0.75	94.39	3.21	0.81	0.15	0.15	0.05	0.04	0.03	0.02	0.01	0.00
6263	05/06/2009	0.6009	1059.61	0.39	0.80	93.62	3.69	0.96	0.17	0.19	0.06	0.04	0.04	0.02	0.01	0.00
6263	05/05/2009	0.5994	1057.91	0.40	0.77	93.84	3.54	0.93	0.17	0.18	0.06	0.04	0.04	0.02	0.01	0.00
6263	05/04/2009	0.6033	1061.65	0.39	0.87	93.37	3.74	1.04	0.19	0.20	0.07	0.05	0.04	0.02	0.01	0.00
6263	05/03/2009	0.6011	1058.25	0.40	0.86	93.58	3.67	0.96	0.17	0.19	0.06	0.04	0.03	0.02	0.01	0.00
6263	05/02/2009	0.6013	1059.45	0.43	0.81	93.56	3.69	0.97	0.18	0.19	0.06	0.04	0.04	0.02	0.01	0.00
6263	05/01/2009	0.5989	1056.90	0.38	0.79	93.90	3.50	0.92	0.17	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6263	04/30/2009	0.5984	1056.79	0.37	0.77	93.94	3.50	0.91	0.16	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6263	04/29/2009	0.6056	1065.00	0.39	0.88	93.03	3.98	1.10	0.20	0.21	0.07	0.05	0.04	0.03	0.01	0.00
6263	04/28/2009	0.6030	1061.76	0.38	0.85	93.39	3.76	1.03	0.19	0.20	0.07	0.05	0.04	0.02	0.01	0.00
6263	04/27/2009	0.6056	1064.39	0.37	0.92	93.06	3.94	1.11	0.20	0.21	0.07	0.05	0.04	0.02	0.01	0.00
6263	04/26/2009	0.6056	1063.52	0.37	0.95	93.05	3.92	1.10	0.20	0.21	0.07	0.05	0.04	0.02	0.01	0.00
6263	04/25/2009	0.6021	1058.95	0.39	0.90	93.49	3.68	0.99	0.18	0.19	0.06	0.04	0.04	0.02	0.01	0.00
6263	04/24/2009	0.6016	1060.35	0.40	0.81	93.52	3.74	0.98	0.18	0.19	0.06	0.04	0.04	0.02	0.01	0.00
6263	04/23/2009	0.5974	1056.22	0.37	0.73	93.97	3.61	0.85	0.16	0.16	0.05	0.04	0.03	0.02	0.01	0.00
6263	04/22/2009	0.6000	1059.35	0.37	0.77	93.65	3.75	0.94	0.17	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6263	04/21/2009	0.6008	1059.47	0.41	0.79	93.59	3.72	0.96	0.17	0.18	0.06	0.04	0.04	0.02	0.01	0.00
6263	04/20/2009	0.5997	1057.99	0.38	0.80	93.77	3.57	0.95	0.17	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6263	04/19/2009	0.6037	1062.77	0.39	0.85	93.30	3.81	1.06	0.19	0.21	0.07	0.05	0.04	0.02	0.01	0.00
6263	04/18/2009	0.5888	1044.38	0.38	0.66	95.14	2.82	0.64	0.12	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6263	04/17/2009	0.5860	1040.26	0.41	0.63	95.50	2.60	0.56	0.10	0.10	0.03	0.02	0.02	0.01	0.01	0.00
6263	04/16/2009	0.5808	1034.73	0.36	0.56	96.15	2.29	0.42	0.08	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6263	04/15/2009	0.5798	1033.77	0.36	0.54	96.27	2.24	0.40	0.07	0.06	0.02	0.01	0.01	0.01	0.01	0.00
6263	04/14/2009	0.5824	1036.77	0.38	0.57	95.95	2.39	0.47	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6263	04/13/2009	0.6110	1071.31	0.40	0.95	92.39	4.29	1.26	0.23	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6263	04/12/2009	0.6105	1070.99	0.40	0.94	92.44	4.28	1.25	0.23	0.25	0.08	0.06	0.04	0.03	0.01	0.00
6263	04/11/2009	0.6118	1072.07	0.41	0.98	92.27	4.36	1.27	0.23	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6263	04/10/2009	0.6126	1072.43	0.41	1.01	92.16	4.41	1.29	0.24	0.26	0.08	0.06	0.05	0.03	0.01	0.00
6263	04/09/2009	0.6114	1071.19	0.41	0.98	92.33	4.32	1.25	0.23	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6263	04/08/2009	0.6250	1086.61	0.40	1.22	90.67	5.17	1.62	0.30	0.33	0.11	0.08	0.06	0.03	0.01	0.00
6263	04/07/2009	0.6140	1075.18	0.39	1.00	92.01	4.51	1.34	0.25	0.27	0.09	0.06	0.05	0.03	0.01	0.00
6263	04/06/2009	0.5782	1031.17	0.40	0.52	96.43	2.14	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6263	04/05/2009	0.5798	1033.52	0.37	0.55	96.13	2.42	0.36	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6263	04/04/2009	0.5803	1033.65	0.38	0.57	96.05	2.48	0.36	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00

Meter Name = Logan Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6229	07/02/2009	0.5850	1040.96	0.39	0.56	95.44	2.85	0.50	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6229	07/01/2009	0.5950	1051.36	0.43	0.74	94.24	3.38	0.80	0.15	0.15	0.05	0.03	0.02	0.01	0.01	0.00
6229	06/30/2009	0.5940	1049.91	0.45	0.72	94.33	3.34	0.76	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
6229	06/29/2009	0.5933	1048.77	0.47	0.71	94.42	3.27	0.75	0.13	0.14	0.04	0.03	0.02	0.01	0.01	0.00
6229	06/28/2009	0.5912	1046.35	0.37	0.74	94.69	3.20	0.66	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
6229	06/27/2009	0.5902	1045.29	0.38	0.71	94.81	3.14	0.63	0.12	0.11	0.04	0.02	0.02	0.01	0.00	0.00
6229	06/26/2009	0.5914	1046.60	0.40	0.73	94.65	3.25	0.65	0.12	0.11	0.04	0.02	0.02	0.01	0.01	0.00
6229	06/25/2009	0.5817	1035.30	0.36	0.60	95.95	2.48	0.41	0.07	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6229	06/24/2009	0.5777	1031.36	0.32	0.53	96.52	2.14	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6229	06/23/2009	0.5739	1026.60	0.24	0.54	97.14	1.72	0.24	0.04	0.04	0.01	0.01	0.01	0.01	0.00	0.00
6229	06/22/2009	0.5792	1033.88	0.26	0.56	96.40	2.21	0.37	0.06	0.06	0.02	0.02	0.02	0.01	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Logan Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6229	06/21/2009	0.5784	1032.88	0.26	0.55	96.50	2.15	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.01	0.00
6229	06/20/2009	0.5818	1036.67	0.31	0.58	95.99	2.49	0.42	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6229	06/19/2009	0.5832	1037.92	0.33	0.61	95.79	2.59	0.45	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6229	06/18/2009	0.5829	1035.07	0.38	0.67	95.73	2.64	0.39	0.07	0.06	0.02	0.01	0.01	0.01	0.01	0.00
6229	06/17/2009	0.5824	1033.33	0.43	0.67	95.74	2.63	0.36	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6229	06/16/2009	0.5812	1032.06	0.39	0.68	95.93	2.51	0.33	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6229	06/15/2009	0.5850	1036.26	0.44	0.71	95.39	2.84	0.41	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6229	06/14/2009	0.5859	1037.24	0.46	0.72	95.24	2.95	0.43	0.07	0.07	0.02	0.02	0.02	0.01	0.00	0.00
6229	06/13/2009	0.5868	1038.80	0.44	0.73	95.15	2.99	0.46	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6229	06/12/2009	0.5904	1044.98	0.42	0.72	94.72	3.25	0.58	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
6229	06/11/2009	0.5941	1047.02	0.48	0.83	94.20	3.50	0.64	0.13	0.11	0.04	0.03	0.02	0.01	0.01	0.00
6229	06/10/2009	0.5954	1048.11	0.48	0.86	94.03	3.58	0.68	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6229	06/09/2009	0.5971	1049.43	0.51	0.90	93.82	3.67	0.71	0.14	0.13	0.05	0.03	0.03	0.01	0.01	0.00
6229	06/08/2009	0.5963	1050.80	0.46	0.83	93.98	3.60	0.73	0.14	0.13	0.05	0.03	0.03	0.02	0.01	0.00
6229	06/07/2009	0.5895	1041.75	0.44	0.78	94.73	3.31	0.50	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6229	06/06/2009	0.5941	1049.31	0.43	0.77	94.14	3.69	0.65	0.12	0.11	0.04	0.02	0.02	0.01	0.01	0.00
6229	06/05/2009	0.5884	1040.65	0.44	0.75	94.82	3.29	0.48	0.08	0.08	0.03	0.02	0.01	0.01	0.00	0.00
6229	06/04/2009	0.5848	1033.68	0.50	0.76	95.21	3.06	0.33	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6229	06/03/2009	0.5877	1035.89	0.63	0.77	94.75	3.29	0.39	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6229	06/02/2009	0.5773	1025.07	0.90	0.38	96.26	2.03	0.30	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6229	06/01/2009	0.5775	1025.93	0.86	0.38	96.23	2.09	0.30	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6229	05/31/2009	0.5784	1027.25	0.83	0.40	96.21	2.04	0.34	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6229	05/30/2009	0.5833	1034.48	0.80	0.44	95.66	2.33	0.49	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6229	05/29/2009	0.5811	1030.44	0.95	0.36	95.87	2.13	0.44	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6229	05/28/2009	0.5797	1028.59	0.74	0.49	96.14	2.06	0.38	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6229	05/27/2009	0.5832	1035.90	0.69	0.45	95.74	2.33	0.51	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6229	05/26/2009	0.5845	1037.42	0.73	0.45	95.56	2.42	0.54	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
6229	05/25/2009	0.5860	1039.47	0.78	0.42	95.35	2.53	0.59	0.12	0.11	0.04	0.03	0.03	0.01	0.01	0.00
6229	05/24/2009	0.5862	1039.04	0.88	0.39	95.28	2.52	0.59	0.12	0.11	0.04	0.03	0.03	0.01	0.01	0.00
6229	05/23/2009	0.5853	1040.34	0.64	0.44	95.46	2.57	0.58	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
6229	05/22/2009	0.5861	1039.58	0.78	0.42	95.32	2.55	0.59	0.12	0.11	0.04	0.03	0.03	0.01	0.01	0.00
6229	05/21/2009	0.5870	1040.92	0.75	0.45	95.14	2.74	0.59	0.12	0.11	0.04	0.02	0.02	0.01	0.01	0.00
6229	05/20/2009	0.5896	1044.01	0.76	0.48	94.81	2.94	0.64	0.13	0.12	0.04	0.03	0.03	0.02	0.01	0.00
6229	05/19/2009	0.5888	1041.16	0.85	0.48	94.84	2.90	0.59	0.12	0.11	0.04	0.03	0.02	0.01	0.01	0.00
6229	05/18/2009	0.5845	1039.67	0.41	0.57	95.62	2.64	0.49	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6229	05/17/2009	0.5829	1039.34	0.25	0.59	95.90	2.55	0.46	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6229	05/16/2009	0.5834	1039.93	0.25	0.59	95.84	2.58	0.47	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6229	05/15/2009	0.5828	1039.44	0.25	0.58	95.94	2.51	0.48	0.09	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6229	05/14/2009	0.5881	1041.11	0.46	0.70	95.16	2.83	0.55	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
6229	05/13/2009	0.5900	1042.03	0.55	0.72	94.89	2.91	0.59	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6229	05/12/2009	0.5968	1044.21	0.87	0.85	93.82	3.37	0.69	0.14	0.13	0.05	0.03	0.03	0.02	0.01	0.00
6229	05/11/2009	0.5878	1039.33	0.59	0.66	95.10	2.82	0.53	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6229	05/10/2009	0.5806	1036.55	0.24	0.56	96.25	2.29	0.43	0.08	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6229	05/09/2009	0.5842	1036.55	0.51	0.61	95.55	2.65	0.44	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6229	05/08/2009	0.5855	1035.20	0.66	0.64	95.27	2.76	0.43	0.08	0.07	0.03	0.02	0.02	0.01	0.00	0.00
6229	05/07/2009	0.5819	1036.53	0.34	0.58	95.99	2.42	0.45	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6229	05/06/2009	0.5806	1033.62	0.39	0.58	96.07	2.39	0.39	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6229	05/05/2009	0.5817	1037.01	0.30	0.57	96.06	2.39	0.45	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6229	05/04/2009	0.5808	1035.31	0.32	0.57	96.15	2.33	0.41	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6229	05/03/2009	0.5815	1034.00	0.45	0.58	95.97	2.39	0.40	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6229	05/02/2009	0.5820	1036.45	0.35	0.57	96.01	2.40	0.44	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6229	05/01/2009	0.5809	1036.41	0.25	0.58	96.21	2.31	0.43	0.08	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6229	04/30/2009	0.5813	1036.87	0.25	0.58	96.15	2.35	0.44	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6229	04/29/2009	0.5836	1039.31	0.29	0.60	95.87	2.49	0.48	0.09	0.08	0.03	0.02	0.02	0.02	0.01	0.00
6229	04/28/2009	0.5864	1040.52	0.41	0.65	95.41	2.70	0.54	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6229	04/27/2009	0.5809	1035.01	0.34	0.57	96.11	2.37	0.41	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6229	04/26/2009	0.5950	1047.85	0.54	0.80	94.05	3.59	0.66	0.12	0.12	0.04	0.03	0.03	0.02	0.01	0.00
6229	04/25/2009	0.5927	1046.49	0.45	0.78	94.33	3.54	0.59	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
6229	04/24/2009	0.6005	1056.51	0.49	0.84	93.32	4.12	0.79	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
6229	04/23/2009	0.5937	1052.11	0.36	0.68	94.18	3.78	0.66	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6229	04/22/2009	0.5805	1035.92	0.28	0.56	96.23	2.29	0.43	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6229	04/21/2009	0.5797	1034.77	0.27	0.55	96.35	2.21	0.40	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6229	04/20/2009	0.5851	1038.88	0.57	0.53	95.53	2.54	0.54	0.10	0.09	0.04	0.02	0.02	0.01	0.01	0.00
6229	04/19/2009	0.5842	1038.32	0.43	0.59	95.69	2.51	0.52	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6229	04/18/2009	0.5806	1036.21	0.26	0.56	96.25	2.28	0.43	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6229	04/17/2009	0.5807	1036.50	0.25	0.56	96.25	2.29	0.44	0.08	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6229	04/16/2009	0.5806	1036.43	0.25	0.56	96.25	2.29	0.44	0.08	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6229	04/15/2009	0.5799	1035.17	0.25	0.56	96.33	2.24	0.41	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6229	04/14/2009	0.5843	1038.71	0.28	0.68	95.77	2.51	0.50	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Logan Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6229	04/13/2009	0.5812	1036.18	0.28	0.58	96.16	2.31	0.44	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6229	04/12/2009	0.5805	1035.47	0.29	0.57	96.23	2.28	0.42	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6229	04/11/2009	0.5818	1036.19	0.33	0.59	96.01	2.40	0.44	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6229	04/10/2009	0.5803	1035.17	0.28	0.56	96.26	2.27	0.42	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6229	04/09/2009	0.5810	1036.06	0.27	0.59	96.17	2.32	0.44	0.08	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6229	04/08/2009	0.5823	1037.77	0.26	0.60	95.86	2.65	0.42	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6229	04/07/2009	0.5815	1036.56	0.26	0.60	96.01	2.52	0.41	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6229	04/06/2009	0.5848	1036.67	0.69	0.52	95.50	2.47	0.54	0.10	0.10	0.03	0.02	0.02	0.01	0.01	0.00
6229	04/05/2009	0.5804	1035.71	0.28	0.55	96.27	2.24	0.43	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6229	04/04/2009	0.5792	1033.93	0.26	0.56	96.42	2.17	0.39	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00

Meter Name = Magna Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6233	07/02/2009	0.5882	1043.38	0.35	0.65	95.15	2.94	0.59	0.11	0.11	0.04	0.02	0.02	0.01	0.01	0.00
6233	07/01/2009	0.5864	1038.75	0.38	0.63	95.34	2.84	0.53	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6233	06/30/2009	0.5948	1049.14	0.39	0.76	94.35	3.29	0.79	0.14	0.15	0.05	0.03	0.03	0.02	0.01	0.00
6233	06/29/2009	0.5943	1049.25	0.41	0.75	94.36	3.31	0.76	0.14	0.14	0.05	0.03	0.02	0.02	0.01	0.00
6233	06/28/2009	0.5916	1045.16	0.39	0.71	94.76	3.06	0.70	0.12	0.13	0.04	0.03	0.02	0.02	0.01	0.00
6233	06/27/2009	0.5878	1043.89	0.40	0.61	95.15	2.96	0.58	0.10	0.10	0.04	0.02	0.02	0.01	0.01	0.00
6233	06/26/2009	0.5921	1047.36	0.38	0.73	94.66	3.17	0.68	0.12	0.13	0.04	0.03	0.03	0.02	0.01	0.00
6233	06/25/2009	0.5923	1047.79	0.38	0.73	94.62	3.21	0.69	0.12	0.12	0.04	0.03	0.03	0.02	0.01	0.00
6233	06/24/2009	0.5850	1038.31	0.36	0.65	95.56	2.66	0.50	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6233	06/23/2009	0.5853	1038.62	0.36	0.65	95.56	2.63	0.52	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6233	06/22/2009	0.5832	1034.43	0.35	0.64	95.82	2.51	0.45	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6233	06/21/2009	0.5839	1036.63	0.39	0.62	95.70	2.56	0.48	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6233	06/20/2009	0.5779	1029.74	0.43	0.49	96.47	2.08	0.35	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6233	06/19/2009	0.5765	1029.00	0.32	0.49	96.70	2.02	0.32	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6233	06/18/2009	0.5772	1030.20	0.30	0.51	96.60	2.10	0.32	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6233	06/17/2009	0.5838	1034.43	0.36	0.70	95.71	2.58	0.43	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6233	06/16/2009	0.5865	1038.15	0.42	0.73	95.29	2.83	0.48	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6233	06/15/2009	0.5815	1031.03	0.40	0.69	95.90	2.52	0.34	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6233	06/14/2009	0.5847	1034.29	0.42	0.72	95.48	2.75	0.42	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6233	06/13/2009	0.5853	1035.21	0.45	0.71	95.35	2.86	0.41	0.07	0.07	0.02	0.02	0.02	0.01	0.00	0.00
6233	06/12/2009	0.5864	1035.97	0.44	0.74	95.20	2.97	0.44	0.08	0.07	0.02	0.02	0.02	0.01	0.00	0.00
6233	06/11/2009	0.5911	1044.81	0.42	0.74	94.62	3.32	0.59	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
6233	06/10/2009	0.5936	1046.13	0.47	0.81	94.30	3.45	0.63	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6233	06/09/2009	0.5955	1048.10	0.47	0.86	94.04	3.58	0.68	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6233	06/08/2009	0.5975	1048.55	0.53	0.94	93.77	3.67	0.70	0.14	0.13	0.05	0.03	0.02	0.01	0.00	0.00
6233	06/07/2009	0.5983	1052.86	0.44	0.83	93.81	3.65	0.81	0.16	0.15	0.05	0.03	0.03	0.02	0.01	0.00
6233	06/06/2009	0.5908	1042.50	0.39	0.80	94.62	3.36	0.54	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6233	06/05/2009	0.5932	1048.24	0.40	0.77	94.29	3.58	0.64	0.11	0.11	0.04	0.02	0.02	0.01	0.01	0.00
6233	06/04/2009	0.5890	1041.35	0.41	0.75	94.80	3.29	0.51	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6233	06/03/2009	0.5859	1035.61	0.45	0.78	95.14	3.08	0.38	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6233	06/02/2009	0.5870	1035.16	0.59	0.74	94.92	3.17	0.40	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6233	06/01/2009	0.5780	1025.92	0.85	0.40	96.19	2.09	0.32	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6233	05/31/2009	0.5777	1025.23	0.81	0.40	96.23	2.11	0.31	0.05	0.05	0.01	0.01	0.01	0.01	0.00	0.00
6233	05/30/2009	0.5789	1026.79	0.77	0.43	96.17	2.10	0.35	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6233	05/29/2009	0.5829	1033.98	0.72	0.47	95.75	2.33	0.48	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6233	05/28/2009	0.5812	1030.16	0.85	0.41	95.89	2.18	0.44	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6233	05/27/2009	0.5796	1027.10	0.72	0.50	96.15	2.07	0.37	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6233	05/26/2009	0.5825	1033.76	0.66	0.46	95.85	2.28	0.48	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6233	05/25/2009	0.5802	1032.18	0.55	0.49	96.15	2.19	0.41	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6233	05/24/2009	0.5802	1031.73	0.52	0.50	96.14	2.22	0.40	0.07	0.06	0.02	0.02	0.01	0.01	0.01	0.00
6233	05/23/2009	0.5818	1034.39	0.54	0.50	95.94	2.34	0.44	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6233	05/22/2009	0.5794	1031.97	0.34	0.58	96.27	2.29	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6233	05/21/2009	0.5849	1038.33	0.35	0.60	95.44	2.89	0.48	0.09	0.07	0.03	0.02	0.01	0.01	0.01	0.00
6233	05/20/2009	0.5861	1040.58	0.37	0.61	95.24	3.02	0.51	0.09	0.08	0.03	0.02	0.01	0.01	0.00	0.00
6233	05/19/2009	0.5867	1040.26	0.51	0.55	95.19	2.91	0.56	0.11	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6233	05/18/2009	0.5799	1032.33	0.48	0.51	96.13	2.32	0.38	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6233	05/17/2009	0.5799	1031.33	0.50	0.50	96.11	2.32	0.38	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6233	05/16/2009	0.5846	1034.07	0.76	0.55	95.38	2.62	0.44	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6233	05/15/2009	0.5833	1033.17	0.56	0.61	95.59	2.63	0.41	0.07	0.07	0.02	0.01	0.01	0.01	0.00	0.00
6233	05/14/2009	0.5818	1034.79	0.41	0.58	95.93	2.48	0.40	0.07	0.06	0.02	0.02	0.02	0.01	0.01	0.00
6233	05/13/2009	0.5849	1037.34	0.41	0.63	95.56	2.66	0.48	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6233	05/12/2009	0.6104	1068.13	0.50	0.97	92.47	4.16	1.21	0.22	0.24	0.08	0.06	0.05	0.03	0.01	0.00
6233	05/11/2009	0.6045	1051.85	0.78	1.00	93.01	3.72	0.95	0.19	0.19	0.06	0.04	0.03	0.02	0.01	0.00
6233	05/10/2009	0.6020	1049.66	0.78	0.93	93.31	3.57	0.89	0.18	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6233	05/09/2009	0.5972	1048.99	0.71	0.73	93.83	3.51	0.78	0.14	0.15	0.05	0.03	0.03	0.02	0.01	0.00
6233	05/08/2009	0.5949	1045.51	0.83	0.66	94.17	3.16	0.76	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Magna Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6233	05/07/2009	0.6035	1057.80	0.56	0.83	93.19	3.85	1.01	0.18	0.20	0.07	0.05	0.04	0.02	0.01	0.00
6233	05/06/2009	0.6029	1058.43	0.54	0.85	93.28	3.81	0.97	0.18	0.19	0.07	0.05	0.04	0.02	0.01	0.00
6233	05/05/2009	0.6005	1054.78	0.67	0.77	93.53	3.60	0.91	0.17	0.18	0.06	0.04	0.04	0.02	0.01	0.00
6233	05/04/2009	0.6038	1057.11	0.54	0.96	93.22	3.74	0.99	0.18	0.19	0.07	0.04	0.04	0.02	0.01	0.00
6233	05/03/2009	0.6097	1065.86	0.46	1.04	92.57	4.10	1.17	0.21	0.23	0.08	0.05	0.05	0.03	0.01	0.00
6233	05/02/2009	0.6054	1061.12	0.66	0.83	92.95	3.88	1.07	0.20	0.21	0.07	0.05	0.04	0.03	0.01	0.00
6233	05/01/2009	0.6060	1062.58	0.56	0.87	92.95	3.89	1.10	0.20	0.21	0.07	0.05	0.04	0.03	0.01	0.00
6233	04/30/2009	0.6020	1057.42	0.66	0.76	93.36	3.68	0.99	0.18	0.19	0.07	0.04	0.04	0.02	0.01	0.00
6233	04/29/2009	0.5997	1053.06	0.62	0.79	93.67	3.54	0.88	0.17	0.17	0.06	0.04	0.04	0.02	0.01	0.00
6233	04/28/2009	0.6016	1052.61	0.68	0.89	93.43	3.54	0.93	0.18	0.18	0.06	0.04	0.04	0.02	0.01	0.00
6233	04/27/2009	0.5985	1049.88	0.72	0.79	93.76	3.42	0.84	0.16	0.16	0.06	0.04	0.03	0.02	0.01	0.00
6233	04/26/2009	0.5925	1042.08	0.74	0.69	94.49	3.02	0.68	0.13	0.12	0.04	0.03	0.03	0.02	0.01	0.00
6233	04/25/2009	0.6013	1056.53	0.55	0.82	93.41	3.78	0.94	0.17	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6233	04/24/2009	0.6174	1079.38	0.42	1.00	91.56	4.78	1.43	0.26	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6233	04/23/2009	0.6146	1076.84	0.40	0.95	91.91	4.61	1.37	0.25	0.27	0.09	0.06	0.05	0.03	0.01	0.00
6233	04/22/2009	0.6153	1076.06	0.40	1.01	91.86	4.58	1.38	0.25	0.27	0.09	0.06	0.05	0.03	0.01	0.00
6233	04/21/2009	0.6144	1074.98	0.41	1.00	91.96	4.53	1.35	0.24	0.26	0.09	0.06	0.05	0.03	0.01	0.00
6233	04/20/2009	0.6133	1073.28	0.41	0.96	92.11	4.45	1.33	0.24	0.26	0.09	0.06	0.05	0.03	0.01	0.00
6233	04/19/2009	0.6121	1070.75	0.49	0.93	92.24	4.31	1.29	0.24	0.26	0.09	0.06	0.05	0.03	0.01	0.00
6233	04/18/2009	0.6085	1066.92	0.50	0.91	92.67	4.07	1.19	0.22	0.23	0.08	0.05	0.04	0.02	0.01	0.00
6233	04/17/2009	0.5981	1051.18	0.67	0.76	93.91	3.27	0.90	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6233	04/16/2009	0.5890	1038.83	0.67	0.62	95.05	2.66	0.64	0.12	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6233	04/15/2009	0.5887	1041.80	0.57	0.62	95.10	2.73	0.64	0.12	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6233	04/14/2009	0.6212	1081.74	0.43	1.12	91.16	4.89	1.53	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6233	04/13/2009	0.6102	1068.75	0.46	0.96	92.52	4.12	1.24	0.24	0.25	0.08	0.05	0.04	0.03	0.01	0.00
6233	04/12/2009	0.6069	1062.53	0.48	0.95	92.87	3.96	1.11	0.21	0.22	0.07	0.05	0.04	0.02	0.01	0.00
6233	04/11/2009	0.6009	1052.93	0.53	0.88	93.42	3.81	0.87	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6233	04/10/2009	0.6043	1058.41	0.58	0.89	93.21	3.64	1.06	0.20	0.21	0.07	0.05	0.04	0.02	0.01	0.00
6233	04/09/2009	0.5997	1053.04	0.58	0.81	93.78	3.34	0.94	0.19	0.19	0.06	0.04	0.03	0.02	0.01	0.00
6233	04/08/2009	0.5983	1048.76	0.60	0.87	93.96	3.18	0.87	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6233	04/07/2009	0.5986	1050.18	0.67	0.79	93.86	3.26	0.91	0.17	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6233	04/06/2009	0.5841	1036.24	0.54	0.58	95.67	2.42	0.52	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6233	04/05/2009	0.5878	1039.75	0.53	0.63	95.16	2.76	0.60	0.11	0.11	0.04	0.02	0.02	0.01	0.00	0.00
6233	04/04/2009	0.5885	1040.43	0.61	0.62	95.02	2.80	0.62	0.11	0.11	0.04	0.02	0.02	0.01	0.00	0.00

Meter Name = North Temple 20"

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
206	07/02/2009	0.5873	1042.52	0.40	0.64	95.20	2.91	0.56	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
206	07/01/2009	0.5862	1041.92	0.40	0.59	95.28	2.93	0.53	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
206	06/30/2009	0.5927	1048.71	0.42	0.71	94.52	3.26	0.71	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
206	06/29/2009	0.5910	1046.79	0.42	0.68	94.72	3.16	0.67	0.13	0.12	0.04	0.03	0.02	0.01	0.00	0.00
206	06/28/2009	0.5924	1047.61	0.49	0.69	94.54	3.18	0.73	0.13	0.13	0.04	0.03	0.02	0.01	0.01	0.00
206	06/27/2009	0.5833	1038.53	0.40	0.55	95.62	2.79	0.43	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
206	06/26/2009	0.5888	1043.64	0.39	0.69	95.04	2.98	0.58	0.11	0.11	0.04	0.02	0.02	0.01	0.01	0.00
206	06/25/2009	0.5911	1046.45	0.39	0.72	94.69	3.24	0.63	0.12	0.11	0.04	0.02	0.02	0.01	0.01	0.00
206	06/24/2009	0.5807	1034.14	0.35	0.59	96.08	2.43	0.38	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
206	06/23/2009	0.5785	1031.91	0.33	0.55	96.38	2.26	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
206	06/22/2009	0.5786	1031.36	0.33	0.58	96.37	2.25	0.32	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
206	06/21/2009	0.5811	1034.58	0.34	0.60	95.99	2.50	0.38	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
206	06/20/2009	0.5813	1034.60	0.34	0.62	95.95	2.53	0.38	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
206	06/19/2009	0.5811	1034.29	0.34	0.61	95.98	2.51	0.37	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
206	06/18/2009	0.5809	1035.43	0.33	0.56	96.02	2.52	0.38	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
206	06/17/2009	0.5842	1037.13	0.38	0.67	95.56	2.75	0.43	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
206	06/16/2009	0.5821	1033.21	0.42	0.67	95.78	2.61	0.35	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
206	06/15/2009	0.5849	1036.23	0.45	0.70	95.38	2.86	0.40	0.07	0.06	0.02	0.02	0.02	0.01	0.00	0.00
206	06/14/2009	0.5874	1040.28	0.42	0.72	95.08	3.05	0.48	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
206	06/13/2009	0.5907	1044.99	0.42	0.73	94.66	3.31	0.57	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
206	06/12/2009	0.5937	1047.09	0.46	0.81	94.25	3.50	0.63	0.12	0.11	0.04	0.03	0.02	0.01	0.01	0.00
206	06/11/2009	0.5948	1047.71	0.47	0.84	94.11	3.55	0.65	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00
206	06/10/2009	0.5975	1049.89	0.51	0.90	93.79	3.67	0.72	0.15	0.14	0.05	0.03	0.03	0.01	0.01	0.00
206	06/09/2009	0.5970	1052.35	0.43	0.82	93.94	3.62	0.76	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
206	06/08/2009	0.5919	1045.60	0.40	0.80	94.44	3.50	0.56	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
206	06/07/2009	0.5856	1035.11	0.45	0.79	95.12	3.15	0.34	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
206	06/06/2009	0.5857	1035.11	0.45	0.80	95.10	3.16	0.34	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
206	06/05/2009	0.5863	1035.22	0.55	0.76	94.99	3.17	0.36	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
206	06/04/2009	0.5801	1029.18	0.82	0.44	95.88	2.34	0.36	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
206	06/03/2009	0.5773	1025.17	0.89	0.38	96.27	2.04	0.29	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
206	06/02/2009	0.5784	1027.00	0.85	0.40	96.21	2.04	0.33	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
206	06/01/2009	0.5827	1034.07	0.77	0.44	95.72	2.33	0.47	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = North Temple 20"

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
206	05/31/2009	0.5822	1032.72	0.86	0.41	95.76	2.26	0.47	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
206	05/30/2009	0.5806	1029.48	0.91	0.40	95.92	2.14	0.41	0.08	0.07	0.03	0.02	0.01	0.01	0.00	0.00
206	05/29/2009	0.5775	1025.43	0.77	0.46	96.37	1.94	0.31	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
206	05/28/2009	0.5785	1026.54	0.76	0.49	96.26	2.00	0.33	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
206	05/27/2009	0.5834	1036.06	0.68	0.46	95.72	2.35	0.50	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
206	05/26/2009	0.5841	1037.05	0.70	0.45	95.65	2.38	0.52	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
206	05/25/2009	0.5858	1039.02	0.81	0.40	95.35	2.53	0.57	0.11	0.11	0.04	0.02	0.02	0.02	0.01	0.00
206	05/24/2009	0.5850	1038.03	0.82	0.39	95.46	2.45	0.56	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
206	05/23/2009	0.5852	1040.35	0.64	0.43	95.49	2.55	0.57	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
206	05/22/2009	0.5862	1039.56	0.83	0.40	95.31	2.52	0.59	0.12	0.11	0.04	0.03	0.03	0.01	0.01	0.00
206	05/21/2009	0.5848	1037.01	0.84	0.41	95.45	2.47	0.53	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
206	05/20/2009	0.5853	1038.73	0.75	0.43	95.34	2.65	0.53	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
206	05/19/2009	0.5867	1040.62	0.75	0.44	95.14	2.83	0.53	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
206	05/18/2009	0.5875	1040.15	0.89	0.41	94.98	2.83	0.54	0.11	0.10	0.04	0.03	0.03	0.02	0.01	0.00
206	05/17/2009	0.5951	1045.88	0.89	0.66	93.93	3.47	0.68	0.12	0.12	0.04	0.03	0.03	0.02	0.01	0.00
206	05/16/2009	0.5924	1039.39	0.85	0.78	94.29	3.24	0.53	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
206	05/15/2009	0.5955	1043.83	0.89	0.77	93.92	3.36	0.68	0.13	0.13	0.04	0.03	0.02	0.01	0.01	0.00
206	05/14/2009	0.6003	1048.62	0.73	0.97	93.53	3.48	0.82	0.17	0.16	0.06	0.04	0.03	0.02	0.01	0.00
206	05/13/2009	0.5921	1040.20	0.92	0.68	94.36	3.09	0.60	0.12	0.12	0.04	0.03	0.02	0.01	0.01	0.00
206	05/12/2009	0.6050	1053.76	0.92	0.94	92.88	3.72	0.96	0.20	0.20	0.07	0.04	0.03	0.02	0.01	0.00
206	05/11/2009	0.6059	1051.55	0.88	1.11	92.79	3.75	0.91	0.19	0.19	0.07	0.04	0.03	0.02	0.01	0.00
206	05/10/2009	0.5897	1036.09	1.02	0.63	94.55	3.01	0.50	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
206	05/09/2009	0.5927	1042.95	0.90	0.62	94.29	3.18	0.64	0.12	0.12	0.04	0.03	0.03	0.02	0.01	0.00
206	05/08/2009	0.5894	1038.93	0.89	0.59	94.74	2.89	0.57	0.11	0.11	0.04	0.02	0.02	0.01	0.01	0.00
206	05/07/2009	0.5891	1041.71	0.57	0.67	94.84	3.07	0.55	0.11	0.10	0.03	0.02	0.02	0.01	0.01	0.00
206	05/06/2009	0.5872	1036.17	0.75	0.65	95.02	2.85	0.47	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
206	05/05/2009	0.5891	1037.83	0.91	0.59	94.76	2.88	0.54	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
206	05/04/2009	0.5892	1037.50	0.83	0.66	94.71	3.00	0.52	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
206	05/03/2009	0.5874	1036.66	0.79	0.61	95.02	2.79	0.50	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
206	05/02/2009	0.5889	1036.02	1.06	0.56	94.77	2.75	0.55	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
206	05/01/2009	0.5916	1041.36	0.93	0.60	94.45	3.03	0.63	0.12	0.12	0.04	0.03	0.03	0.02	0.01	0.00
206	04/30/2009	0.5875	1036.60	0.88	0.56	95.04	2.68	0.53	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
206	04/29/2009	0.5876	1036.94	0.81	0.61	95.03	2.74	0.52	0.11	0.10	0.04	0.02	0.02	0.01	0.01	0.00
206	04/28/2009	0.6000	1048.55	0.82	0.90	93.57	3.40	0.81	0.17	0.16	0.06	0.04	0.03	0.02	0.01	0.00
206	04/27/2009	0.5907	1042.32	0.83	0.57	94.62	3.00	0.62	0.12	0.11	0.04	0.03	0.03	0.02	0.01	0.00
206	04/26/2009	0.5864	1034.81	0.86	0.58	95.11	2.72	0.47	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
206	04/25/2009	0.5948	1049.27	0.49	0.78	94.04	3.69	0.66	0.12	0.11	0.04	0.03	0.03	0.02	0.01	0.00
206	04/24/2009	0.6019	1062.73	0.47	0.69	93.31	4.00	0.99	0.18	0.18	0.06	0.04	0.04	0.02	0.01	0.00
206	04/23/2009	0.6014	1062.09	0.48	0.67	93.36	3.97	0.98	0.18	0.18	0.06	0.04	0.04	0.02	0.01	0.00
206	04/22/2009	0.6001	1060.51	0.50	0.65	93.48	3.91	0.95	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
206	04/21/2009	0.5997	1059.93	0.51	0.64	93.56	3.85	0.94	0.18	0.17	0.06	0.04	0.03	0.02	0.01	0.00
206	04/20/2009	0.5919	1048.87	0.59	0.54	94.59	3.15	0.71	0.14	0.13	0.05	0.03	0.03	0.02	0.01	0.00
206	04/19/2009	0.5867	1038.40	0.82	0.48	95.23	2.56	0.57	0.12	0.11	0.04	0.03	0.02	0.01	0.01	0.00
206	04/18/2009	0.5942	1047.52	0.76	0.63	94.28	3.11	0.80	0.16	0.15	0.05	0.03	0.02	0.01	0.01	0.00
206	04/17/2009	0.5845	1032.87	0.94	0.48	95.48	2.30	0.51	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
206	04/16/2009	0.5814	1031.50	0.75	0.48	95.94	2.17	0.43	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
206	04/15/2009	0.5836	1036.04	0.60	0.53	95.69	2.42	0.49	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
206	04/14/2009	0.5986	1052.95	0.57	0.81	93.89	3.34	0.88	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
206	04/13/2009	0.5990	1055.42	0.44	0.82	93.89	3.41	0.92	0.19	0.18	0.06	0.04	0.03	0.02	0.01	0.00
206	04/12/2009	0.5983	1050.85	0.60	0.85	93.88	3.34	0.85	0.17	0.17	0.06	0.04	0.03	0.01	0.01	0.00
206	04/11/2009	0.5885	1038.99	0.79	0.59	95.12	2.47	0.65	0.13	0.14	0.05	0.03	0.02	0.01	0.00	0.00
206	04/10/2009	0.5888	1039.55	0.77	0.59	95.09	2.50	0.65	0.13	0.14	0.05	0.03	0.02	0.01	0.00	0.00
206	04/09/2009	0.5981	1050.09	0.65	0.83	93.95	3.18	0.88	0.18	0.18	0.06	0.04	0.03	0.01	0.00	0.00
206	04/08/2009	0.5864	1033.57	0.90	0.60	95.29	2.32	0.58	0.12	0.11	0.04	0.02	0.01	0.01	0.00	0.00
206	04/07/2009	0.5861	1033.28	0.90	0.60	95.33	2.30	0.57	0.11	0.11	0.03	0.02	0.01	0.01	0.00	0.00
206	04/06/2009	0.5861	1036.04	0.86	0.51	95.28	2.45	0.59	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
206	04/05/2009	0.5857	1035.62	0.82	0.53	95.34	2.45	0.56	0.11	0.10	0.03	0.02	0.02	0.01	0.00	0.00
206	04/04/2009	0.5887	1039.94	0.77	0.58	94.99	2.67	0.65	0.12	0.12	0.04	0.03	0.02	0.01	0.00	0.00

Meter Name = Sandy Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6264	07/02/2009	0.6157	1079.72	0.37	0.94	91.83	4.65	1.42	0.25	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6264	07/01/2009	0.6170	1079.52	0.35	1.04	91.73	4.66	1.40	0.25	0.28	0.10	0.07	0.06	0.04	0.01	0.00
6264	06/30/2009	0.6154	1076.36	0.33	1.08	91.92	4.55	1.35	0.24	0.27	0.09	0.07	0.06	0.03	0.01	0.00
6264	06/29/2009	0.6132	1073.26	0.34	1.05	92.21	4.33	1.32	0.23	0.26	0.09	0.07	0.05	0.03	0.01	0.00
6264	06/28/2009	0.6118	1068.47	0.32	1.18	92.42	4.15	1.24	0.22	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6264	06/27/2009	0.6152	1077.22	0.33	1.03	91.88	4.64	1.36	0.24	0.27	0.09	0.07	0.05	0.03	0.01	0.00
6264	06/26/2009	0.6164	1079.02	0.34	1.03	91.72	4.73	1.40	0.25	0.27	0.09	0.07	0.06	0.03	0.01	0.00
6264	06/25/2009	0.6160	1078.06	0.37	1.02	91.79	4.65	1.38	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Sandy Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6264	06/24/2009	0.6137	1074.94	0.37	1.00	92.12	4.42	1.33	0.24	0.27	0.09	0.07	0.05	0.03	0.01	0.00
6264	06/23/2009	0.6143	1072.04	0.36	1.16	92.12	4.32	1.29	0.24	0.26	0.09	0.07	0.05	0.03	0.01	0.00
6264	06/22/2009	0.6141	1072.12	0.39	1.13	92.08	4.35	1.31	0.24	0.26	0.09	0.06	0.05	0.03	0.01	0.00
6264	06/21/2009	0.6140	1071.74	0.39	1.13	92.12	4.32	1.29	0.23	0.26	0.09	0.06	0.05	0.03	0.01	0.00
6264	06/20/2009	0.5964	1050.26	0.31	0.94	94.55	2.81	0.88	0.16	0.18	0.06	0.05	0.04	0.02	0.01	0.00
6264	06/19/2009	0.5610	1018.71	0.23	0.06	99.02	0.50	0.14	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6264	06/18/2009	0.5603	1017.14	0.22	0.08	99.12	0.43	0.11	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6264	06/17/2009	0.5688	1021.56	0.25	0.42	98.07	0.88	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
6264	06/16/2009	0.6127	1067.82	0.40	1.20	92.32	4.13	1.23	0.23	0.25	0.09	0.06	0.05	0.03	0.01	0.00
6264	06/15/2009	0.6149	1073.65	0.41	1.10	92.02	4.37	1.33	0.24	0.27	0.10	0.07	0.05	0.03	0.01	0.00
6264	06/14/2009	0.6159	1073.96	0.39	1.16	91.91	4.41	1.35	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6264	06/13/2009	0.6159	1073.96	0.39	1.16	91.91	4.41	1.35	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6264	06/12/2009	0.6159	1073.96	0.39	1.16	91.91	4.41	1.35	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6264	06/11/2009	0.6159	1073.96	0.39	1.16	91.91	4.41	1.35	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6264	06/10/2009	0.6159	1073.96	0.39	1.16	91.91	4.41	1.35	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6264	06/09/2009	0.6165	1074.99	0.38	1.16	91.84	4.46	1.37	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6264	06/08/2009	0.6161	1071.28	0.37	1.30	91.88	4.40	1.31	0.24	0.26	0.09	0.07	0.05	0.03	0.01	0.00
6264	06/07/2009	0.6169	1072.43	0.38	1.29	91.77	4.45	1.33	0.24	0.27	0.09	0.07	0.05	0.03	0.01	0.00
6264	06/06/2009	0.6185	1073.64	0.43	1.31	91.59	4.50	1.37	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6264	06/05/2009	0.6173	1073.30	0.44	1.25	91.70	4.48	1.35	0.25	0.28	0.10	0.07	0.05	0.03	0.01	0.00
6264	06/04/2009	0.6164	1072.80	0.42	1.22	91.81	4.44	1.33	0.24	0.27	0.10	0.07	0.05	0.03	0.01	0.00
6264	06/03/2009	0.6162	1071.67	0.38	1.28	91.84	4.43	1.31	0.24	0.26	0.09	0.07	0.05	0.03	0.01	0.00
6264	06/02/2009	0.6157	1073.60	0.43	1.14	91.87	4.46	1.33	0.24	0.27	0.09	0.07	0.06	0.03	0.01	0.00
6264	06/01/2009	0.6169	1075.20	0.41	1.16	91.71	4.58	1.36	0.25	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6264	05/31/2009	0.6150	1076.28	0.42	1.00	91.93	4.51	1.36	0.25	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6264	05/30/2009	0.6156	1077.52	0.44	0.97	91.87	4.53	1.38	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6264	05/29/2009	0.6148	1075.77	0.41	1.01	91.95	4.52	1.33	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6264	05/28/2009	0.6157	1076.93	0.41	1.02	91.83	4.59	1.36	0.25	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6264	05/27/2009	0.6150	1075.96	0.41	1.02	91.94	4.51	1.34	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6264	05/26/2009	0.6142	1074.13	0.42	1.03	92.07	4.39	1.32	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6264	05/25/2009	0.6146	1074.68	0.41	1.04	91.99	4.47	1.32	0.24	0.27	0.09	0.07	0.06	0.03	0.01	0.00
6264	05/24/2009	0.6143	1073.39	0.45	1.05	92.05	4.35	1.33	0.24	0.27	0.09	0.06	0.05	0.03	0.01	0.00
6264	05/23/2009	0.6154	1076.00	0.43	1.03	91.92	4.46	1.37	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6264	05/22/2009	0.6146	1074.61	0.43	1.03	92.05	4.35	1.35	0.25	0.28	0.09	0.07	0.06	0.03	0.01	0.00
6264	05/21/2009	0.6107	1067.12	0.41	1.10	92.60	3.95	1.24	0.23	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6264	05/20/2009	0.5939	1047.82	0.62	0.68	94.46	3.02	0.77	0.15	0.15	0.05	0.04	0.03	0.02	0.01	0.00
6264	05/19/2009	0.6081	1060.55	0.41	1.20	92.98	3.66	1.10	0.20	0.23	0.08	0.06	0.05	0.03	0.01	0.00
6264	05/18/2009	0.6090	1064.01	0.38	1.14	92.84	3.81	1.16	0.21	0.24	0.08	0.06	0.05	0.03	0.01	0.00
6264	05/17/2009	0.6096	1065.96	0.37	1.10	92.75	3.90	1.18	0.22	0.24	0.09	0.06	0.05	0.03	0.01	0.00
6264	05/16/2009	0.6070	1061.52	0.32	1.15	93.15	3.61	1.11	0.21	0.23	0.08	0.06	0.05	0.02	0.01	0.00
6264	05/15/2009	0.6084	1063.46	0.32	1.16	92.95	3.73	1.16	0.22	0.24	0.08	0.06	0.04	0.02	0.01	0.00
6264	05/14/2009	0.6096	1065.55	0.35	1.13	92.76	3.89	1.18	0.22	0.24	0.08	0.06	0.05	0.03	0.01	0.00
6264	05/13/2009	0.6103	1066.38	0.34	1.14	92.69	3.91	1.20	0.22	0.24	0.09	0.06	0.05	0.03	0.01	0.00
6264	05/12/2009	0.6142	1074.24	0.36	1.07	92.11	4.36	1.33	0.24	0.27	0.09	0.07	0.06	0.03	0.01	0.00
6264	05/11/2009	0.6139	1071.26	0.54	1.04	91.97	4.43	1.27	0.24	0.25	0.09	0.06	0.05	0.03	0.01	0.00
6264	05/10/2009	0.6164	1078.24	0.41	1.01	91.77	4.59	1.42	0.26	0.28	0.10	0.07	0.05	0.03	0.01	0.00
6264	05/09/2009	0.6182	1081.34	0.40	1.01	91.50	4.80	1.46	0.26	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6264	05/08/2009	0.6165	1077.84	0.38	1.05	91.77	4.58	1.41	0.26	0.28	0.10	0.07	0.05	0.03	0.01	0.00
6264	05/07/2009	0.6177	1080.18	0.40	1.02	91.60	4.72	1.44	0.26	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6264	05/06/2009	0.6181	1080.97	0.39	1.03	91.52	4.80	1.45	0.26	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6264	05/05/2009	0.6187	1082.01	0.39	1.02	91.46	4.80	1.48	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6264	05/04/2009	0.6170	1076.34	0.39	1.14	91.71	4.57	1.40	0.25	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6264	05/03/2009	0.6167	1074.92	0.39	1.17	91.77	4.51	1.38	0.25	0.27	0.09	0.06	0.05	0.03	0.01	0.00
6264	05/02/2009	0.6189	1081.63	0.41	1.03	91.43	4.81	1.48	0.27	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6264	05/01/2009	0.6185	1080.66	0.38	1.06	91.51	4.73	1.48	0.27	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6264	04/30/2009	0.6182	1081.50	0.40	1.00	91.51	4.78	1.48	0.27	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6264	04/29/2009	0.6178	1079.88	0.41	1.03	91.56	4.75	1.44	0.26	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6264	04/28/2009	0.6188	1080.67	0.39	1.08	91.44	4.79	1.48	0.27	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6264	04/27/2009	0.6128	1071.93	0.48	0.99	92.11	4.41	1.30	0.23	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6264	04/26/2009	0.6141	1071.00	0.43	1.15	92.04	4.36	1.31	0.24	0.25	0.09	0.06	0.05	0.03	0.01	0.00
6264	04/25/2009	0.6191	1080.18	0.42	1.09	91.41	4.77	1.48	0.27	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6264	04/24/2009	0.6211	1084.85	0.43	1.03	91.12	5.00	1.56	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6264	04/23/2009	0.6218	1086.21	0.41	1.03	91.05	5.05	1.58	0.29	0.31	0.11	0.07	0.06	0.03	0.01	0.00
6264	04/22/2009	0.6205	1083.19	0.40	1.08	91.23	4.91	1.53	0.28	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6264	04/21/2009	0.6204	1082.65	0.40	1.09	91.28	4.85	1.52	0.28	0.30	0.10	0.07	0.06	0.04	0.01	0.00
6264	04/20/2009	0.6213	1084.26	0.41	1.08	91.14	4.95	1.55	0.28	0.31	0.10	0.07	0.06	0.04	0.01	0.00
6264	04/19/2009	0.6213	1084.43	0.41	1.07	91.15	4.94	1.55	0.28	0.31	0.11	0.07	0.06	0.04	0.01	0.00
6264	04/18/2009	0.6210	1083.20	0.42	1.10	91.17	4.92	1.53	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6264	04/17/2009	0.6135	1072.43	0.50	1.00	92.05	4.37	1.33	0.24	0.26	0.09	0.06	0.05	0.03	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = Sandy Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6264	04/16/2009	0.6133	1070.37	0.45	1.10	92.17	4.24	1.30	0.24	0.26	0.09	0.06	0.05	0.03	0.01	0.00
6264	04/15/2009	0.6127	1072.41	0.46	0.98	92.20	4.32	1.30	0.24	0.26	0.09	0.06	0.05	0.03	0.01	0.00
6264	04/14/2009	0.6231	1085.05	0.42	1.15	90.92	5.04	1.58	0.29	0.31	0.11	0.07	0.06	0.04	0.01	0.00
6264	04/13/2009	0.6197	1081.42	0.43	1.07	91.33	4.82	1.50	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6264	04/12/2009	0.6190	1080.55	0.44	1.06	91.39	4.80	1.48	0.27	0.30	0.10	0.07	0.05	0.03	0.01	0.00
6264	04/11/2009	0.6226	1084.64	0.42	1.13	90.94	5.04	1.58	0.29	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6264	04/10/2009	0.6215	1082.82	0.44	1.13	91.08	4.94	1.54	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6264	04/09/2009	0.6163	1076.39	0.47	1.05	91.71	4.59	1.40	0.26	0.28	0.09	0.06	0.05	0.03	0.01	0.00
6264	04/08/2009	0.6247	1086.09	0.40	1.22	90.73	5.13	1.61	0.30	0.32	0.11	0.07	0.06	0.03	0.01	0.00
6264	04/07/2009	0.6164	1077.01	0.46	1.03	91.72	4.59	1.41	0.26	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6264	04/06/2009	0.6142	1073.85	0.46	1.01	92.06	4.33	1.35	0.25	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6264	04/05/2009	0.6144	1073.97	0.46	1.02	92.01	4.38	1.35	0.25	0.28	0.09	0.06	0.05	0.03	0.01	0.00
6264	04/04/2009	0.6122	1070.79	0.49	0.99	92.21	4.29	1.30	0.24	0.25	0.08	0.06	0.05	0.03	0.01	0.00

Meter Name = So. Jordan Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6232	07/02/2009	0.5831	1037.13	0.36	0.61	95.75	2.62	0.43	0.07	0.07	0.03	0.02	0.01	0.01	0.00	0.00
6232	07/01/2009	0.5789	1031.99	0.38	0.54	96.25	2.36	0.31	0.05	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6232	06/30/2009	0.5830	1037.17	0.38	0.59	95.78	2.58	0.44	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6232	06/29/2009	0.5955	1051.62	0.41	0.77	94.21	3.39	0.79	0.14	0.15	0.05	0.03	0.02	0.02	0.01	0.00
6232	06/28/2009	0.5861	1041.23	0.36	0.64	95.44	2.74	0.54	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6232	06/27/2009	0.5859	1041.32	0.37	0.62	95.49	2.69	0.53	0.10	0.10	0.04	0.02	0.02	0.02	0.01	0.00
6232	06/26/2009	0.5890	1044.88	0.37	0.67	95.07	2.94	0.62	0.11	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6232	06/25/2009	0.5819	1035.84	0.38	0.58	95.93	2.49	0.41	0.07	0.07	0.02	0.02	0.02	0.01	0.01	0.00
6232	06/24/2009	0.5833	1037.10	0.37	0.62	95.76	2.59	0.44	0.08	0.07	0.03	0.02	0.01	0.01	0.00	0.00
6232	06/23/2009	0.5886	1043.59	0.37	0.69	95.16	2.84	0.61	0.11	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6232	06/22/2009	0.5842	1038.32	0.36	0.63	95.76	2.47	0.51	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6232	06/21/2009	0.5618	1018.17	0.24	0.12	98.88	0.59	0.12	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6232	06/20/2009	0.5618	1018.17	0.24	0.12	98.88	0.59	0.12	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6232	06/19/2009	0.5626	1018.94	0.25	0.14	98.75	0.68	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
6232	06/18/2009	0.5729	1026.85	0.31	0.42	97.22	1.67	0.26	0.04	0.04	0.01	0.01	0.01	0.01	0.00	0.00
6232	06/17/2009	0.5792	1032.53	0.32	0.58	96.42	2.08	0.40	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6232	06/16/2009	0.5913	1044.60	0.41	0.79	94.72	3.12	0.62	0.11	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6232	06/15/2009	0.5787	1030.79	0.38	0.58	96.36	2.20	0.32	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6232	06/14/2009	0.5802	1031.94	0.43	0.59	96.14	2.30	0.36	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6232	06/13/2009	0.5814	1034.60	0.38	0.59	96.00	2.41	0.41	0.07	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6232	06/12/2009	0.5817	1034.43	0.41	0.60	95.96	2.43	0.40	0.07	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6232	06/11/2009	0.5846	1039.20	0.37	0.62	95.58	2.70	0.48	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6232	06/10/2009	0.5862	1040.81	0.40	0.63	95.21	3.05	0.47	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6232	06/09/2009	0.5902	1044.45	0.42	0.72	94.72	3.28	0.56	0.10	0.10	0.04	0.02	0.02	0.01	0.01	0.00
6232	06/08/2009	0.6012	1055.52	0.48	0.93	93.46	3.78	0.86	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6232	06/07/2009	0.5997	1055.98	0.42	0.85	93.67	3.71	0.86	0.17	0.16	0.06	0.04	0.03	0.02	0.01	0.00
6232	06/06/2009	0.5927	1045.94	0.40	0.84	94.39	3.47	0.59	0.11	0.11	0.04	0.03	0.02	0.01	0.00	0.00
6232	06/05/2009	0.5845	1039.45	0.39	0.59	95.41	2.96	0.44	0.07	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6232	06/04/2009	0.5857	1041.06	0.39	0.60	95.28	3.02	0.49	0.08	0.07	0.03	0.02	0.01	0.01	0.00	0.00
6232	06/03/2009	0.5808	1034.79	0.39	0.54	96.05	2.44	0.38	0.07	0.06	0.02	0.02	0.01	0.01	0.00	0.00
6232	06/02/2009	0.5820	1036.01	0.39	0.57	95.94	2.45	0.43	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6232	06/01/2009	0.5829	1037.17	0.40	0.57	95.84	2.48	0.46	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6232	05/31/2009	0.5839	1038.51	0.39	0.59	95.71	2.58	0.49	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6232	05/30/2009	0.5833	1037.47	0.39	0.59	95.79	2.51	0.47	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6232	05/29/2009	0.5838	1039.20	0.38	0.56	95.68	2.63	0.49	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6232	05/28/2009	0.5843	1040.11	0.38	0.56	95.65	2.61	0.52	0.10	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6232	05/27/2009	0.5822	1035.21	0.44	0.58	95.94	2.37	0.44	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6232	05/26/2009	0.5957	1050.97	0.60	0.68	94.24	3.17	0.83	0.16	0.16	0.06	0.04	0.03	0.02	0.01	0.00
6232	05/25/2009	0.5961	1051.73	0.65	0.65	94.17	3.19	0.85	0.16	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6232	05/24/2009	0.5963	1051.78	0.69	0.63	94.14	3.18	0.86	0.16	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6232	05/23/2009	0.5916	1047.11	0.62	0.57	94.74	2.92	0.74	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
6232	05/22/2009	0.5880	1041.69	0.76	0.47	95.11	2.66	0.63	0.13	0.12	0.04	0.03	0.02	0.02	0.01	0.00
6232	05/21/2009	0.5951	1048.79	0.64	0.71	94.28	3.14	0.78	0.15	0.15	0.06	0.04	0.03	0.02	0.01	0.00
6232	05/20/2009	0.6005	1058.02	0.64	0.68	93.46	3.75	0.96	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6232	05/19/2009	0.5981	1054.71	0.71	0.62	93.77	3.51	0.90	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6232	05/18/2009	0.5909	1044.53	0.85	0.47	94.63	2.98	0.68	0.13	0.13	0.05	0.03	0.03	0.02	0.01	0.00
6232	05/17/2009	0.5893	1042.56	0.82	0.48	94.82	2.91	0.61	0.12	0.12	0.04	0.03	0.03	0.02	0.01	0.00
6232	05/16/2009	0.5945	1045.76	0.84	0.66	94.10	3.30	0.70	0.13	0.13	0.05	0.03	0.03	0.02	0.01	0.00
6232	05/15/2009	0.5941	1042.61	0.80	0.78	94.16	3.26	0.63	0.12	0.12	0.04	0.03	0.02	0.02	0.01	0.00
6232	05/14/2009	0.6011	1051.50	0.74	0.91	93.39	3.61	0.86	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6232	05/13/2009	0.6104	1066.65	0.34	1.14	92.66	3.94	1.21	0.22	0.25	0.09	0.06	0.05	0.03	0.01	0.00
6232	05/12/2009	0.6130	1072.51	0.37	1.06	92.26	4.28	1.29	0.24	0.26	0.09	0.06	0.05	0.03	0.01	0.00
6232	05/11/2009	0.6125	1073.41	0.39	0.97	92.19	4.44	1.28	0.23	0.26	0.09	0.06	0.05	0.03	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = So. Jordan Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6232	05/10/2009	0.6068	1066.14	0.40	0.90	92.92	3.99	1.15	0.21	0.23	0.08	0.05	0.04	0.02	0.01	0.00
6232	05/09/2009	0.6089	1069.85	0.39	0.89	92.63	4.21	1.20	0.22	0.23	0.08	0.06	0.04	0.03	0.01	0.00
6232	05/08/2009	0.6107	1070.89	0.39	0.96	92.45	4.24	1.25	0.23	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6232	05/07/2009	0.6153	1077.24	0.40	0.98	91.89	4.55	1.38	0.25	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6232	05/06/2009	0.6162	1078.50	0.39	1.00	91.74	4.67	1.40	0.25	0.28	0.10	0.07	0.05	0.03	0.01	0.00
6232	05/05/2009	0.6184	1081.51	0.40	1.02	91.50	4.77	1.47	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6232	05/04/2009	0.6159	1075.60	0.39	1.10	91.84	4.51	1.39	0.25	0.28	0.09	0.06	0.05	0.03	0.01	0.00
6232	05/03/2009	0.6160	1074.20	0.40	1.16	91.84	4.48	1.36	0.25	0.27	0.09	0.06	0.05	0.03	0.01	0.00
6232	05/02/2009	0.6163	1078.05	0.41	1.01	91.75	4.63	1.41	0.25	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6232	05/01/2009	0.6160	1077.65	0.39	1.03	91.81	4.58	1.41	0.25	0.28	0.09	0.07	0.05	0.03	0.01	0.00
6232	04/30/2009	0.6192	1083.05	0.38	1.01	91.39	4.85	1.52	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6232	04/29/2009	0.6193	1082.29	0.39	1.04	91.37	4.86	1.49	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6232	04/28/2009	0.6189	1080.74	0.39	1.08	91.44	4.78	1.49	0.27	0.30	0.10	0.07	0.05	0.03	0.01	0.00
6232	04/27/2009	0.6190	1080.65	0.39	1.09	91.40	4.80	1.50	0.27	0.29	0.10	0.07	0.05	0.03	0.01	0.00
6232	04/26/2009	0.6163	1074.05	0.38	1.19	91.78	4.51	1.38	0.25	0.27	0.09	0.06	0.05	0.03	0.01	0.00
6232	04/25/2009	0.6188	1079.71	0.42	1.10	91.44	4.75	1.47	0.27	0.29	0.10	0.07	0.05	0.03	0.01	0.00
6232	04/24/2009	0.6212	1085.02	0.43	1.03	91.11	5.00	1.57	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6232	04/23/2009	0.6190	1082.77	0.41	1.00	91.38	4.88	1.50	0.27	0.30	0.10	0.07	0.05	0.03	0.01	0.00
6232	04/22/2009	0.6199	1082.45	0.40	1.07	91.30	4.86	1.52	0.27	0.30	0.10	0.07	0.05	0.03	0.01	0.00
6232	04/21/2009	0.6204	1082.45	0.40	1.10	91.29	4.84	1.52	0.28	0.31	0.10	0.07	0.06	0.04	0.01	0.00
6232	04/20/2009	0.6172	1079.10	0.41	1.03	91.64	4.68	1.44	0.26	0.29	0.10	0.07	0.05	0.03	0.01	0.00
6232	04/19/2009	0.6196	1082.31	0.41	1.05	91.35	4.83	1.51	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6232	04/18/2009	0.6211	1083.34	0.42	1.10	91.15	4.93	1.54	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6232	04/17/2009	0.6129	1071.77	0.50	0.99	92.11	4.34	1.32	0.24	0.26	0.09	0.06	0.04	0.03	0.01	0.00
6232	04/16/2009	0.6103	1066.95	0.45	1.05	92.53	4.07	1.22	0.23	0.24	0.08	0.05	0.04	0.02	0.01	0.00
6232	04/15/2009	0.6048	1062.98	0.42	0.89	93.20	3.80	1.08	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
6232	04/14/2009	0.6233	1085.42	0.41	1.15	90.88	5.06	1.60	0.29	0.32	0.11	0.07	0.06	0.04	0.01	0.00
6232	04/13/2009	0.6205	1082.66	0.42	1.08	91.22	4.90	1.52	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6232	04/12/2009	0.6227	1085.74	0.41	1.10	90.94	5.06	1.60	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00
6232	04/11/2009	0.6232	1085.41	0.42	1.14	90.87	5.09	1.60	0.29	0.32	0.10	0.07	0.06	0.03	0.01	0.00
6232	04/10/2009	0.6240	1085.98	0.42	1.17	90.77	5.13	1.62	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00
6232	04/09/2009	0.6170	1077.17	0.46	1.06	91.63	4.64	1.42	0.26	0.29	0.09	0.06	0.05	0.03	0.01	0.00
6232	04/08/2009	0.6251	1086.80	0.40	1.22	90.67	5.16	1.64	0.30	0.33	0.11	0.08	0.06	0.03	0.01	0.00
6232	04/07/2009	0.6144	1075.29	0.41	1.00	91.97	4.50	1.36	0.25	0.27	0.09	0.06	0.05	0.03	0.01	0.00
6232	04/06/2009	0.5890	1044.24	0.39	0.67	95.11	2.83	0.64	0.12	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6232	04/05/2009	0.5914	1047.29	0.37	0.71	94.74	3.13	0.68	0.12	0.13	0.04	0.03	0.02	0.01	0.01	0.00
6232	04/04/2009	0.5875	1042.28	0.38	0.67	95.19	2.91	0.57	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00

Meter Name = St. George Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6231	07/02/2009	0.5999	1055.82	0.36	0.91	93.78	3.53	0.91	0.16	0.17	0.06	0.04	0.04	0.02	0.01	0.00
6231	07/01/2009	0.5961	1051.66	0.34	0.85	94.25	3.31	0.80	0.14	0.15	0.05	0.04	0.03	0.02	0.01	0.00
6231	06/30/2009	0.6000	1057.32	0.34	0.87	93.76	3.59	0.92	0.16	0.18	0.06	0.04	0.04	0.02	0.01	0.00
6231	06/29/2009	0.6059	1065.57	0.35	0.91	93.02	4.00	1.10	0.19	0.21	0.07	0.05	0.04	0.03	0.01	0.00
6231	06/28/2009	0.6159	1077.91	0.36	1.02	91.81	4.63	1.38	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6231	06/27/2009	0.6119	1071.16	0.38	1.03	92.36	4.24	1.26	0.23	0.25	0.09	0.06	0.05	0.03	0.01	0.00
6231	06/26/2009	0.6027	1057.31	0.37	1.02	93.51	3.58	0.96	0.18	0.19	0.07	0.05	0.04	0.02	0.01	0.00
6231	06/25/2009	0.6005	1054.65	0.37	0.99	93.71	3.52	0.91	0.16	0.17	0.06	0.04	0.04	0.02	0.01	0.00
6231	06/24/2009	0.6000	1054.18	0.36	0.98	93.84	3.38	0.95	0.16	0.18	0.06	0.04	0.03	0.02	0.00	0.00
6231	06/23/2009	0.5675	1022.63	0.24	0.30	98.21	0.86	0.26	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
6231	06/22/2009	0.5603	1017.54	0.23	0.06	99.11	0.45	0.11	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
6231	06/21/2009	0.5637	1018.36	0.24	0.23	98.76	0.54	0.15	0.03	0.02	0.01	0.00	0.00	0.01	0.01	0.00
6231	06/20/2009	0.5772	1032.25	0.25	0.51	97.10	1.43	0.43	0.08	0.08	0.03	0.02	0.03	0.03	0.01	0.00
6231	06/19/2009	0.6151	1074.43	0.42	1.08	91.92	4.48	1.33	0.24	0.27	0.09	0.07	0.06	0.03	0.01	0.00
6231	06/18/2009	0.6150	1074.82	0.42	1.06	91.99	4.38	1.36	0.24	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6231	06/17/2009	0.6154	1075.53	0.40	1.06	91.89	4.53	1.35	0.24	0.27	0.09	0.07	0.05	0.03	0.01	0.00
6231	06/16/2009	0.6162	1077.35	0.41	1.03	91.79	4.57	1.40	0.25	0.28	0.10	0.07	0.05	0.03	0.01	0.00
6231	06/15/2009	0.6162	1078.43	0.40	1.00	91.77	4.62	1.40	0.25	0.29	0.10	0.07	0.06	0.03	0.01	0.00
6231	06/14/2009	0.6156	1075.44	0.40	1.08	91.88	4.49	1.36	0.24	0.28	0.10	0.07	0.05	0.03	0.01	0.00
6231	06/13/2009	0.6149	1073.64	0.38	1.12	92.01	4.39	1.32	0.24	0.27	0.09	0.07	0.06	0.03	0.01	0.00
6231	06/12/2009	0.6166	1075.38	0.39	1.15	91.81	4.48	1.37	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6231	06/11/2009	0.6171	1073.45	0.38	1.27	91.73	4.51	1.35	0.24	0.27	0.09	0.07	0.06	0.03	0.01	0.00
6231	06/10/2009	0.6177	1073.68	0.42	1.27	91.67	4.48	1.37	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6231	06/09/2009	0.6184	1073.74	0.42	1.31	91.57	4.54	1.37	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6231	06/08/2009	0.6161	1072.26	0.45	1.20	91.83	4.43	1.32	0.24	0.27	0.09	0.07	0.05	0.03	0.01	0.00
6231	06/07/2009	0.6166	1073.38	0.43	1.20	91.78	4.44	1.35	0.25	0.28	0.10	0.07	0.05	0.03	0.01	0.00
6231	06/06/2009	0.6171	1074.07	0.39	1.23	91.71	4.54	1.35	0.24	0.27	0.09	0.07	0.06	0.03	0.01	0.00
6231	06/05/2009	0.6161	1073.90	0.43	1.16	91.82	4.49	1.34	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6231	06/04/2009	0.6166	1074.92	0.43	1.14	91.76	4.52	1.37	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = St. George Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6231	06/03/2009	0.6167	1075.65	0.41	1.13	91.72	4.59	1.36	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6231	06/02/2009	0.5998	1056.03	0.40	0.87	93.80	3.48	0.92	0.17	0.18	0.06	0.04	0.04	0.02	0.01	0.00
6231	06/01/2009	0.6036	1061.07	0.41	0.90	93.33	3.75	1.02	0.18	0.20	0.07	0.05	0.04	0.02	0.01	0.00
6231	05/31/2009	0.6151	1075.87	0.41	1.03	91.92	4.53	1.34	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
6231	05/30/2009	0.6158	1076.83	0.42	1.02	91.82	4.57	1.36	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
6231	05/29/2009	0.6066	1065.26	0.39	0.94	92.97	3.95	1.12	0.21	0.22	0.08	0.05	0.04	0.02	0.01	0.00
6231	05/28/2009	0.5972	1051.81	0.39	0.88	94.15	3.27	0.84	0.15	0.16	0.06	0.04	0.03	0.02	0.01	0.00
6231	05/27/2009	0.5855	1036.19	0.37	0.79	95.59	2.49	0.50	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6231	05/26/2009	0.5831	1033.00	0.37	0.77	95.91	2.29	0.44	0.07	0.07	0.02	0.02	0.02	0.01	0.00	0.00
6231	05/25/2009	0.5838	1034.07	0.37	0.77	95.82	2.35	0.46	0.08	0.07	0.03	0.02	0.02	0.01	0.01	0.00
6231	05/24/2009	0.5847	1035.59	0.35	0.78	95.72	2.43	0.48	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6231	05/23/2009	0.5875	1039.73	0.34	0.79	95.32	2.71	0.55	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6231	05/22/2009	0.5912	1044.86	0.35	0.82	94.74	3.15	0.63	0.11	0.11	0.04	0.02	0.02	0.01	0.01	0.00
6231	05/21/2009	0.5916	1045.67	0.34	0.82	94.65	3.23	0.64	0.12	0.11	0.04	0.02	0.02	0.01	0.01	0.00
6231	05/20/2009	0.5938	1047.71	0.34	0.87	94.50	3.19	0.72	0.13	0.13	0.05	0.03	0.02	0.01	0.01	0.00
6231	05/19/2009	0.5837	1034.68	0.35	0.75	95.75	2.48	0.45	0.07	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6231	05/18/2009	0.5895	1041.87	0.35	0.82	95.11	2.76	0.63	0.11	0.11	0.04	0.03	0.02	0.01	0.01	0.00
6231	05/17/2009	0.5976	1052.10	0.35	0.92	94.18	3.21	0.85	0.15	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6231	05/16/2009	0.5931	1046.95	0.37	0.84	94.63	3.06	0.71	0.13	0.13	0.05	0.03	0.03	0.02	0.01	0.00
6231	05/15/2009	0.5866	1038.46	0.39	0.76	95.38	2.69	0.52	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6231	05/14/2009	0.5866	1038.17	0.40	0.76	95.38	2.70	0.50	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6231	05/13/2009	0.5862	1037.45	0.40	0.77	95.44	2.63	0.50	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6231	05/12/2009	0.5881	1040.09	0.39	0.79	95.23	2.73	0.57	0.10	0.10	0.03	0.02	0.02	0.01	0.01	0.00
6231	05/11/2009	0.5926	1045.81	0.40	0.83	94.69	3.01	0.70	0.12	0.13	0.04	0.03	0.03	0.02	0.01	0.00
6231	05/10/2009	0.5958	1050.67	0.38	0.85	94.30	3.23	0.80	0.14	0.15	0.05	0.04	0.03	0.02	0.01	0.00
6231	05/09/2009	0.6186	1081.71	0.40	1.02	91.48	4.79	1.47	0.26	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6231	05/08/2009	0.6189	1082.19	0.41	1.01	91.42	4.83	1.49	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6231	05/07/2009	0.6191	1082.06	0.42	1.02	91.39	4.84	1.49	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6231	05/06/2009	0.6190	1081.79	0.41	1.03	91.41	4.81	1.49	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6231	05/05/2009	0.6194	1082.95	0.38	1.03	91.39	4.82	1.52	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6231	05/04/2009	0.6193	1082.75	0.39	1.02	91.37	4.86	1.50	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6231	05/03/2009	0.6195	1083.09	0.40	1.02	91.32	4.91	1.50	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6231	05/02/2009	0.6198	1083.25	0.40	1.03	91.30	4.89	1.52	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6231	05/01/2009	0.6192	1083.16	0.41	0.99	91.34	4.91	1.52	0.27	0.30	0.10	0.07	0.05	0.03	0.01	0.00
6231	04/30/2009	0.6077	1067.30	0.39	0.91	92.80	4.08	1.17	0.21	0.23	0.08	0.05	0.04	0.03	0.01	0.00
6231	04/29/2009	0.5922	1045.71	0.37	0.83	94.77	2.95	0.71	0.12	0.13	0.04	0.03	0.03	0.02	0.01	0.00
6231	04/28/2009	0.5904	1043.49	0.37	0.81	94.98	2.83	0.66	0.11	0.12	0.04	0.03	0.02	0.02	0.01	0.00
6231	04/27/2009	0.5843	1035.53	0.34	0.76	95.76	2.41	0.48	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6231	04/26/2009	0.5842	1034.83	0.37	0.77	95.73	2.45	0.46	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6231	04/25/2009	0.5983	1054.16	0.37	0.88	93.92	3.51	0.87	0.15	0.16	0.05	0.04	0.03	0.02	0.01	0.00
6231	04/24/2009	0.6213	1084.00	0.42	1.08	91.12	4.95	1.55	0.28	0.31	0.11	0.07	0.06	0.03	0.01	0.00
6231	04/23/2009	0.6029	1059.80	0.39	0.92	93.42	3.69	1.02	0.18	0.20	0.07	0.05	0.04	0.02	0.01	0.00
6231	04/22/2009	0.5842	1035.70	0.35	0.74	95.77	2.40	0.49	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6231	04/21/2009	0.5842	1035.73	0.35	0.74	95.77	2.40	0.49	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6231	04/20/2009	0.5840	1035.14	0.36	0.74	95.81	2.37	0.48	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6231	04/19/2009	0.5835	1034.83	0.36	0.73	95.85	2.36	0.47	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6231	04/18/2009	0.5835	1034.88	0.36	0.72	95.87	2.33	0.47	0.08	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6231	04/17/2009	0.5841	1035.82	0.35	0.73	95.79	2.39	0.49	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6231	04/16/2009	0.5848	1036.43	0.35	0.75	95.71	2.42	0.50	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6231	04/15/2009	0.5849	1036.25	0.36	0.76	95.69	2.43	0.50	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6231	04/14/2009	0.5848	1035.95	0.36	0.76	95.69	2.44	0.49	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6231	04/13/2009	0.5850	1036.44	0.35	0.76	95.66	2.48	0.50	0.09	0.08	0.03	0.02	0.02	0.01	0.01	0.00
6231	04/12/2009	0.5861	1037.47	0.38	0.77	95.51	2.54	0.53	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6231	04/11/2009	0.5854	1035.83	0.37	0.80	95.62	2.45	0.50	0.09	0.09	0.03	0.02	0.02	0.01	0.00	0.00
6231	04/10/2009	0.5846	1035.19	0.37	0.77	95.73	2.39	0.49	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6231	04/09/2009	0.5881	1039.61	0.37	0.82	95.29	2.64	0.58	0.10	0.10	0.03	0.02	0.02	0.01	0.01	0.00
6231	04/08/2009	0.5961	1050.34	0.38	0.88	94.26	3.24	0.81	0.14	0.15	0.05	0.04	0.03	0.02	0.01	0.00
6231	04/07/2009	0.5855	1036.76	0.36	0.77	95.55	2.56	0.50	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6231	04/06/2009	0.5859	1037.56	0.36	0.77	95.45	2.66	0.51	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6231	04/05/2009	0.5870	1038.29	0.36	0.81	95.25	2.84	0.50	0.08	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6231	04/04/2009	0.5848	1036.23	0.36	0.75	95.72	2.39	0.51	0.09	0.09	0.03	0.02	0.02	0.01	0.01	0.00

Meter Name = West Valley Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6262	07/02/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	07/01/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/30/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/29/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/28/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = West Valley Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6262	06/27/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/26/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/25/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/24/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/23/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/22/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/21/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/20/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/19/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/18/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/17/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/16/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/15/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/14/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/13/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/12/2009	0.5926	1046.20	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/11/2009	0.5925	1046.17	0.45	0.78	94.43	3.39	0.61	0.12	0.11	0.04	0.03	0.02	0.01	0.01	0.00
6262	06/10/2009	0.5937	1047.00	0.46	0.81	94.28	3.46	0.64	0.12	0.11	0.04	0.03	0.02	0.01	0.01	0.00
6262	06/09/2009	0.5944	1047.65	0.47	0.82	94.19	3.50	0.66	0.13	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6262	06/08/2009	0.5959	1050.54	0.47	0.80	94.07	3.52	0.72	0.15	0.13	0.05	0.03	0.03	0.02	0.01	0.00
6262	06/07/2009	0.5921	1047.25	0.41	0.74	94.52	3.36	0.62	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	06/06/2009	0.5884	1041.10	0.42	0.74	94.91	3.20	0.48	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6262	06/05/2009	0.5871	1039.08	0.45	0.73	95.03	3.12	0.45	0.08	0.07	0.03	0.02	0.01	0.01	0.00	0.00
6262	06/04/2009	0.5843	1034.65	0.52	0.68	95.39	2.83	0.38	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6262	06/03/2009	0.5845	1034.14	0.65	0.63	95.29	2.85	0.39	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6262	06/02/2009	0.5796	1028.26	0.82	0.44	95.96	2.29	0.33	0.06	0.05	0.02	0.01	0.01	0.01	0.00	0.00
6262	06/01/2009	0.5790	1027.93	0.86	0.40	96.06	2.18	0.34	0.06	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6262	05/31/2009	0.5771	1025.42	0.85	0.38	96.31	2.03	0.29	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
6262	05/30/2009	0.5794	1028.78	0.80	0.42	96.12	2.10	0.36	0.07	0.06	0.02	0.01	0.01	0.01	0.00	0.00
6262	05/29/2009	0.5825	1033.05	0.84	0.42	95.76	2.24	0.47	0.09	0.08	0.03	0.02	0.02	0.01	0.00	0.00
6262	05/28/2009	0.5794	1028.43	0.84	0.41	96.12	2.05	0.38	0.07	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6262	05/27/2009	0.5799	1029.55	0.74	0.46	96.11	2.09	0.38	0.07	0.07	0.02	0.02	0.01	0.01	0.00	0.00
6262	05/26/2009	0.5840	1036.91	0.69	0.46	95.66	2.37	0.52	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6262	05/25/2009	0.5832	1035.72	0.70	0.45	95.74	2.34	0.49	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
6262	05/24/2009	0.5853	1038.31	0.76	0.43	95.45	2.49	0.55	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
6262	05/23/2009	0.5825	1034.87	0.70	0.44	95.82	2.31	0.46	0.09	0.08	0.03	0.02	0.02	0.02	0.01	0.00
6262	05/22/2009	0.5847	1038.52	0.70	0.43	95.53	2.49	0.54	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
6262	05/21/2009	0.5862	1040.14	0.76	0.42	95.34	2.56	0.59	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	05/20/2009	0.5876	1040.94	0.79	0.45	95.06	2.76	0.59	0.12	0.11	0.04	0.03	0.02	0.01	0.01	0.00
6262	05/19/2009	0.5874	1040.48	0.80	0.46	95.12	2.70	0.58	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	05/18/2009	0.5878	1041.22	0.91	0.38	94.96	2.81	0.60	0.12	0.11	0.04	0.03	0.02	0.02	0.01	0.00
6262	05/17/2009	0.5862	1038.49	0.89	0.40	95.15	2.72	0.53	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
6262	05/16/2009	0.5926	1043.18	0.91	0.60	94.26	3.24	0.64	0.12	0.12	0.04	0.03	0.02	0.02	0.01	0.00
6262	05/15/2009	0.5919	1039.95	0.84	0.73	94.39	3.16	0.56	0.11	0.10	0.04	0.02	0.02	0.02	0.01	0.00
6262	05/14/2009	0.5991	1048.05	0.80	0.88	93.61	3.47	0.79	0.16	0.15	0.05	0.03	0.03	0.02	0.01	0.00
6262	05/13/2009	0.6061	1059.84	0.48	1.06	93.09	3.69	1.05	0.20	0.22	0.08	0.05	0.04	0.03	0.01	0.00
6262	05/12/2009	0.6103	1068.49	0.51	0.96	92.46	4.16	1.21	0.22	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6262	05/11/2009	0.6044	1053.50	0.78	1.00	93.02	3.71	0.94	0.19	0.19	0.06	0.04	0.03	0.02	0.01	0.00
6262	05/10/2009	0.6018	1051.95	0.78	0.90	93.34	3.57	0.89	0.18	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6262	05/09/2009	0.5967	1049.91	0.70	0.72	93.90	3.48	0.76	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
6262	05/08/2009	0.5941	1045.51	0.84	0.65	94.26	3.12	0.72	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
6262	05/07/2009	0.6025	1059.08	0.57	0.81	93.30	3.80	0.97	0.18	0.19	0.06	0.04	0.04	0.02	0.01	0.00
6262	05/06/2009	0.6038	1060.65	0.54	0.84	93.16	3.88	1.00	0.18	0.20	0.07	0.05	0.04	0.02	0.01	0.00
6262	05/05/2009	0.6053	1062.43	0.59	0.83	92.99	3.92	1.06	0.20	0.21	0.07	0.05	0.04	0.02	0.01	0.00
6262	05/04/2009	0.6039	1057.80	0.53	0.97	93.21	3.73	0.99	0.18	0.19	0.07	0.04	0.04	0.02	0.01	0.00
6262	05/03/2009	0.6125	1069.38	0.45	1.10	92.24	4.25	1.25	0.23	0.25	0.08	0.06	0.05	0.03	0.01	0.00
6262	05/02/2009	0.6063	1063.29	0.62	0.84	92.86	3.95	1.10	0.20	0.22	0.07	0.05	0.04	0.03	0.01	0.00
6262	05/01/2009	0.6090	1067.17	0.51	0.93	92.62	4.08	1.19	0.22	0.24	0.08	0.05	0.05	0.03	0.01	0.00
6262	04/30/2009	0.6053	1062.70	0.63	0.80	92.97	3.91	1.08	0.20	0.21	0.07	0.05	0.04	0.03	0.01	0.00
6262	04/29/2009	0.6008	1056.16	0.59	0.80	93.55	3.61	0.92	0.17	0.18	0.06	0.04	0.04	0.02	0.01	0.00
6262	04/28/2009	0.6006	1053.26	0.68	0.85	93.55	3.51	0.90	0.17	0.18	0.06	0.04	0.03	0.02	0.01	0.00
6262	04/27/2009	0.6008	1053.37	0.70	0.84	93.50	3.55	0.89	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6262	04/26/2009	0.5919	1042.90	0.77	0.66	94.56	2.98	0.66	0.12	0.12	0.04	0.03	0.03	0.02	0.01	0.00
6262	04/25/2009	0.5995	1054.71	0.56	0.80	93.62	3.67	0.88	0.16	0.16	0.05	0.04	0.03	0.02	0.01	0.00
6262	04/24/2009	0.6200	1083.47	0.43	1.02	91.24	4.95	1.52	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6262	04/23/2009	0.6197	1083.83	0.41	1.00	91.31	4.91	1.52	0.27	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6262	04/22/2009	0.6201	1082.46	0.40	1.08	91.30	4.84	1.52	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
6262	04/21/2009	0.6191	1081.18	0.40	1.07	91.43	4.77	1.49	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6262	04/20/2009	0.6162	1078.43	0.41	0.99	91.75	4.63	1.41	0.26	0.28	0.09	0.06	0.05	0.03	0.01	0.00

Questar Gas Company
Average Daily Gas Quality Information

Meter Name = West Valley Qgc Chromatograph

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
6262	04/19/2009	0.6138	1074.98	0.47	0.94	92.05	4.43	1.35	0.25	0.27	0.09	0.06	0.05	0.03	0.01	0.00
6262	04/18/2009	0.6153	1075.62	0.49	1.00	91.84	4.52	1.38	0.25	0.28	0.09	0.06	0.05	0.03	0.01	0.00
6262	04/17/2009	0.6034	1058.95	0.62	0.83	93.27	3.65	1.05	0.19	0.21	0.07	0.05	0.04	0.02	0.01	0.00
6262	04/16/2009	0.5890	1040.64	0.70	0.61	95.04	2.65	0.64	0.12	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6262	04/15/2009	0.5893	1043.72	0.53	0.62	95.02	2.81	0.66	0.12	0.12	0.04	0.03	0.02	0.01	0.01	0.00
6262	04/14/2009	0.6194	1080.33	0.44	1.10	91.38	4.76	1.48	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
6262	04/13/2009	0.6145	1074.87	0.45	1.00	91.99	4.42	1.37	0.26	0.28	0.09	0.06	0.05	0.03	0.01	0.00
6262	04/12/2009	0.6067	1064.08	0.47	0.93	92.90	3.96	1.11	0.21	0.22	0.07	0.05	0.04	0.02	0.01	0.00
6262	04/11/2009	0.6008	1055.24	0.53	0.88	93.44	3.80	0.86	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6262	04/10/2009	0.6056	1061.23	0.57	0.91	93.05	3.75	1.09	0.21	0.22	0.07	0.05	0.04	0.02	0.01	0.00
6262	04/09/2009	0.5994	1054.49	0.58	0.79	93.81	3.34	0.94	0.18	0.19	0.06	0.04	0.03	0.02	0.01	0.00
6262	04/08/2009	0.5969	1048.24	0.62	0.86	94.14	3.07	0.83	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
6262	04/07/2009	0.6015	1055.47	0.68	0.81	93.50	3.46	0.99	0.19	0.20	0.07	0.04	0.03	0.02	0.01	0.00
6262	04/06/2009	0.5879	1041.55	0.51	0.63	95.22	2.68	0.62	0.11	0.11	0.04	0.03	0.02	0.01	0.01	0.00
6262	04/05/2009	0.5912	1045.54	0.52	0.67	94.75	2.98	0.70	0.13	0.13	0.04	0.03	0.02	0.01	0.01	0.00
6262	04/04/2009	0.5894	1042.19	0.62	0.63	94.91	2.87	0.64	0.12	0.12	0.04	0.03	0.02	0.01	0.00	0.00