

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = Coalville MI 14 - 20

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
43	07/03/2008	0.6142	1073.35	0.36	1.10	92.09	4.41	1.25	0.27	0.26	0.09	0.06	0.05	0.03	0.01	0.00
43	07/02/2008	0.6118	1067.42	0.33	1.21	92.57	3.97	1.16	0.25	0.25	0.09	0.06	0.05	0.04	0.02	0.00
43	07/01/2008	0.6154	1069.32	0.39	1.32	92.23	3.96	1.27	0.28	0.28	0.10	0.07	0.06	0.04	0.01	0.00
43	06/30/2008	0.6020	1052.31	0.56	1.05	93.50	3.48	0.87	0.18	0.19	0.07	0.04	0.03	0.02	0.01	0.00
43	06/29/2008	0.5996	1049.60	0.57	1.00	93.73	3.43	0.79	0.16	0.17	0.06	0.04	0.03	0.02	0.01	0.00
43	06/28/2008	0.6073	1056.37	0.55	1.22	93.03	3.54	1.01	0.22	0.23	0.08	0.05	0.04	0.03	0.01	0.00
43	06/27/2008	0.6069	1054.82	0.70	1.16	93.03	3.51	0.95	0.21	0.22	0.08	0.05	0.05	0.03	0.02	0.00
43	06/26/2008	0.6090	1058.65	0.69	1.14	92.64	3.89	0.98	0.20	0.22	0.08	0.05	0.05	0.04	0.02	0.00
43	06/25/2008	0.6118	1062.65	0.70	1.15	92.19	4.21	1.07	0.21	0.23	0.08	0.05	0.05	0.04	0.02	0.00
43	06/24/2008	0.6071	1058.51	0.59	1.10	92.89	3.82	0.97	0.20	0.21	0.08	0.05	0.05	0.03	0.01	0.00
43	06/23/2008	0.5893	1046.81	0.45	0.55	94.69	3.46	0.55	0.11	0.10	0.03	0.02	0.02	0.01	0.00	0.00
43	06/22/2008	0.5939	1051.51	0.43	0.66	94.24	3.56	0.71	0.14	0.13	0.04	0.03	0.02	0.01	0.00	0.00
43	06/21/2008	0.5932	1047.48	0.50	0.73	94.46	3.21	0.69	0.14	0.14	0.05	0.03	0.02	0.01	0.00	0.00
43	06/20/2008	0.5989	1052.52	0.46	0.91	93.86	3.44	0.84	0.17	0.17	0.06	0.04	0.03	0.02	0.01	0.00
43	06/19/2008	0.6097	1067.15	0.43	1.02	92.35	4.45	1.13	0.21	0.21	0.07	0.05	0.04	0.02	0.01	0.00
43	06/18/2008	0.6049	1059.44	0.51	0.98	93.00	3.99	0.96	0.19	0.20	0.07	0.04	0.04	0.02	0.01	0.00
43	06/17/2008	0.6031	1051.79	0.63	1.09	93.34	3.51	0.88	0.19	0.19	0.07	0.04	0.03	0.02	0.01	0.00
43	06/16/2008	0.6063	1055.45	0.60	1.16	92.95	3.76	0.94	0.20	0.20	0.07	0.05	0.04	0.02	0.01	0.00
43	06/15/2008	0.6049	1052.73	0.62	1.17	93.13	3.58	0.92	0.20	0.20	0.07	0.04	0.03	0.02	0.01	0.00
43	06/14/2008	0.6052	1054.19	0.60	1.15	93.11	3.63	0.93	0.20	0.20	0.07	0.04	0.04	0.02	0.01	0.00
43	06/13/2008	0.6020	1060.01	0.42	0.84	93.40	3.87	0.91	0.19	0.19	0.07	0.04	0.04	0.02	0.01	0.00
43	06/12/2008	0.6012	1060.85	0.37	0.78	93.60	3.72	0.96	0.19	0.19	0.07	0.04	0.04	0.02	0.01	0.00
43	06/11/2008	0.6050	1060.03	0.45	1.00	93.17	3.78	0.98	0.21	0.20	0.07	0.05	0.04	0.03	0.01	0.00
43	06/10/2008	0.6014	1063.30	0.41	0.68	93.52	3.80	1.01	0.20	0.19	0.07	0.04	0.04	0.02	0.01	0.00
43	06/09/2008	0.6038	1065.22	0.40	0.75	93.29	3.88	1.06	0.22	0.21	0.07	0.05	0.04	0.03	0.01	0.00
43	06/08/2008	0.6034	1063.20	0.39	0.81	93.31	3.88	0.99	0.21	0.19	0.07	0.05	0.04	0.03	0.01	0.00
43	06/07/2008	0.6064	1064.72	0.41	0.93	93.03	3.93	1.04	0.23	0.21	0.08	0.05	0.05	0.03	0.01	0.00
43	06/06/2008	0.6059	1066.55	0.33	0.88	93.08	3.99	1.07	0.22	0.21	0.08	0.05	0.05	0.03	0.01	0.00
43	06/05/2008	0.6067	1062.05	0.41	1.06	92.96	3.92	1.03	0.22	0.20	0.07	0.05	0.04	0.03	0.01	0.00
43	06/04/2008	0.6105	1066.78	0.43	1.08	92.53	4.11	1.13	0.24	0.23	0.08	0.05	0.05	0.03	0.01	0.00
43	06/03/2008	0.6071	1066.70	0.36	0.93	92.95	4.01	1.08	0.23	0.21	0.08	0.05	0.05	0.03	0.01	0.00
43	06/02/2008	0.6068	1064.55	0.35	1.00	92.98	4.00	1.02	0.22	0.20	0.08	0.05	0.05	0.03	0.01	0.00
43	06/01/2008	0.5947	1057.09	0.32	0.57	94.32	3.54	0.78	0.16	0.15	0.05	0.03	0.03	0.02	0.01	0.00
43	05/31/2008	0.6023	1060.92	0.42	0.82	93.42	3.85	0.92	0.19	0.18	0.07	0.04	0.04	0.03	0.01	0.00
43	05/30/2008	0.6139	1069.75	0.47	1.15	92.07	4.39	1.16	0.25	0.24	0.09	0.06	0.06	0.04	0.02	0.00
43	05/29/2008	0.6107	1069.67	0.39	1.02	92.40	4.38	1.11	0.24	0.22	0.08	0.05	0.05	0.03	0.01	0.00
43	05/28/2008	0.6047	1062.97	0.40	0.90	93.19	3.90	1.00	0.21	0.20	0.07	0.05	0.05	0.03	0.01	0.00
43	05/27/2008	0.6064	1062.95	0.43	0.99	93.00	3.91	1.03	0.22	0.20	0.08	0.05	0.05	0.03	0.01	0.00
43	05/26/2008	0.5989	1059.13	0.40	0.69	93.86	3.62	0.88	0.19	0.17	0.06	0.04	0.04	0.03	0.01	0.00
43	05/25/2008	0.6002	1059.74	0.37	0.77	93.76	3.62	0.91	0.19	0.18	0.07	0.04	0.04	0.03	0.01	0.00
43	05/24/2008	0.6065	1067.85	0.36	0.84	92.98	4.04	1.13	0.23	0.22	0.08	0.05	0.04	0.03	0.01	0.00
43	05/23/2008	0.6093	1069.61	0.37	0.94	92.67	4.12	1.21	0.23	0.24	0.08	0.05	0.05	0.03	0.01	0.00
43	05/22/2008	0.6075	1064.50	0.31	1.07	92.99	3.90	1.06	0.23	0.21	0.08	0.05	0.05	0.03	0.01	0.00
43	05/21/2008	0.6100	1066.44	0.34	1.13	92.71	3.99	1.11	0.24	0.23	0.09	0.06	0.05	0.03	0.02	0.00
43	05/20/2008	0.6022	1061.33	0.29	0.88	93.51	3.82	0.93	0.19	0.18	0.07	0.04	0.04	0.03	0.01	0.00
43	05/19/2008	0.6060	1064.07	0.32	0.99	93.07	3.99	1.00	0.21	0.20	0.08	0.05	0.05	0.03	0.01	0.00
43	05/18/2008	0.6061	1063.59	0.33	1.00	93.07	3.95	1.01	0.22	0.20	0.08	0.05	0.05	0.03	0.01	0.00
43	05/17/2008	0.6064	1063.64	0.34	1.02	93.04	3.93	1.03	0.22	0.21	0.08	0.05	0.04	0.03	0.01	0.00
43	05/16/2008	0.6027	1063.56	0.33	0.80	93.42	3.88	0.99	0.20	0.19	0.07	0.04	0.04	0.03	0.01	0.00
43	05/15/2008	0.6071	1062.06	0.40	1.08	93.02	3.81	1.03	0.22	0.21	0.08	0.05	0.05	0.03	0.01	0.00
43	05/14/2008	0.6000	1055.07	0.49	0.87	93.79	3.42	0.88	0.19	0.18	0.07	0.04	0.04	0.02	0.01	0.00
43	05/13/2008	0.6030	1058.90	0.52	0.87	93.28	3.84	0.91	0.19	0.19	0.07	0.05	0.04	0.03	0.01	0.00
43	05/12/2008	0.6059	1062.45	0.46	0.95	93.02	3.92	1.03	0.20	0.20	0.07	0.05	0.04	0.03	0.01	0.00
43	05/11/2008	0.6142	1075.22	0.40	1.00	91.98	4.57	1.30	0.24	0.25	0.09	0.06	0.05	0.04	0.02	0.00
43	05/10/2008	0.6035	1061.63	0.43	0.86	93.39	3.69	1.01	0.20	0.20	0.07	0.05	0.04	0.03	0.01	0.00
43	05/09/2008	0.6087	1065.80	0.36	1.06	92.85	3.91	1.12	0.23	0.23	0.08	0.05	0.05	0.03	0.01	0.00
43	05/08/2008	0.6041	1060.39	0.44	0.94	93.34	3.66	1.00	0.20	0.20	0.07	0.05	0.05	0.03	0.01	0.00
43	05/07/2008	0.6030	1055.92	0.53	0.99	93.49	3.50	0.90	0.19	0.19	0.07	0.05	0.05	0.03	0.01	0.00
43	05/06/2008	0.6080	1064.74	0.43	1.01	92.66	4.23	1.05	0.21	0.20	0.07	0.05	0.04	0.03	0.01	0.00
43	05/04/2008	0.6037	1062.01	0.44	0.85	93.15	4.03	0.98	0.19	0.18	0.07	0.04	0.04	0.02	0.01	0.00
43	05/03/2008	0.6047	1062.32	0.58	0.81	92.95	4.04	1.06	0.20	0.19	0.06	0.04	0.04	0.02	0.01	0.00
43	05/02/2008	0.6040	1059.58	0.63	0.84	93.01	3.94	1.05	0.19	0.18	0.06	0.04	0.03	0.02	0.01	0.00
43	05/01/2008	0.6002	1053.37	0.68	0.82	93.60	3.49	0.90	0.18	0.17	0.06	0.04	0.04	0.02	0.01	0.00
43	04/30/2008	0.5892	1047.54	0.47	0.51	94.91	3.11	0.65	0.13	0.11	0.04	0.03	0.02	0.01	0.01	0.00
43	04/29/2008	0.6013	1058.62	0.34	0.90	93.68	3.58	0.94	0.20	0.18	0.07	0.04	0.04	0.03	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = Coalville MI 14 - 20

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
43	04/28/2008	0.6128	1068.39	0.37	1.20	92.34	4.14	1.20	0.26	0.25	0.09	0.06	0.05	0.03	0.01	0.00
43	04/27/2008	0.6090	1062.91	0.40	1.17	92.77	3.88	1.11	0.23	0.22	0.08	0.05	0.05	0.03	0.01	0.00
43	04/26/2008	0.6062	1059.50	0.44	1.10	93.09	3.72	1.03	0.21	0.20	0.08	0.05	0.04	0.03	0.01	0.00
43	04/25/2008	0.6072	1062.00	0.45	1.06	92.90	3.88	1.08	0.22	0.21	0.08	0.05	0.04	0.02	0.01	0.00
43	04/24/2008	0.6124	1067.69	0.39	1.19	92.42	4.04	1.20	0.26	0.25	0.09	0.06	0.05	0.03	0.01	0.00
43	04/23/2008	0.6121	1068.15	0.36	1.18	92.47	4.04	1.21	0.26	0.24	0.09	0.06	0.05	0.03	0.01	0.00
43	04/22/2008	0.6001	1054.11	0.59	0.84	93.72	3.40	0.91	0.19	0.18	0.06	0.04	0.04	0.02	0.01	0.00
43	04/21/2008	0.5946	1046.94	0.68	0.72	94.34	3.04	0.77	0.16	0.15	0.05	0.03	0.03	0.02	0.01	0.00
43	04/20/2008	0.5964	1050.05	0.67	0.72	94.11	3.20	0.83	0.17	0.16	0.06	0.04	0.03	0.02	0.01	0.00
43	04/19/2008	0.6082	1065.47	0.45	0.98	92.83	3.92	1.13	0.24	0.23	0.08	0.05	0.05	0.03	0.01	0.00
43	04/18/2008	0.6157	1073.59	0.38	1.17	91.98	4.29	1.39	0.27	0.28	0.09	0.06	0.05	0.03	0.01	0.00
43	04/17/2008	0.6119	1069.21	0.37	1.11	92.38	4.15	1.27	0.25	0.25	0.08	0.05	0.04	0.03	0.01	0.00
43	04/16/2008	0.6026	1056.98	0.57	0.89	93.40	3.62	0.95	0.20	0.19	0.07	0.04	0.04	0.02	0.01	0.00
43	04/15/2008	0.6003	1053.16	0.68	0.83	93.67	3.36	0.91	0.19	0.18	0.07	0.04	0.04	0.02	0.01	0.00
43	04/14/2008	0.6054	1058.78	0.65	0.94	93.06	3.67	1.05	0.22	0.21	0.07	0.05	0.04	0.02	0.01	0.00
43	04/13/2008	0.5990	1051.16	0.71	0.81	93.78	3.30	0.88	0.18	0.17	0.06	0.04	0.03	0.02	0.01	0.00
43	04/12/2008	0.5941	1044.44	0.85	0.68	94.30	2.97	0.76	0.16	0.14	0.05	0.03	0.03	0.01	0.00	0.00
43	04/11/2008	0.5935	1043.85	0.90	0.64	94.32	3.01	0.72	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00
43	04/10/2008	0.5997	1050.65	0.86	0.78	93.65	3.30	0.89	0.18	0.17	0.06	0.04	0.04	0.02	0.01	0.00
43	04/09/2008	0.6022	1055.69	0.64	0.88	93.43	3.53	0.96	0.20	0.19	0.07	0.04	0.04	0.02	0.01	0.00
43	04/08/2008	0.6033	1054.10	0.75	0.94	93.25	3.54	0.95	0.20	0.19	0.07	0.04	0.04	0.02	0.01	0.00
43	04/07/2008	0.5996	1046.46	0.96	0.87	93.70	3.09	0.87	0.18	0.17	0.06	0.04	0.03	0.02	0.01	0.00
43	04/06/2008	0.5994	1047.40	0.89	0.86	93.74	3.13	0.86	0.18	0.17	0.06	0.04	0.03	0.02	0.01	0.00
43	04/05/2008	0.5966	1044.53	0.91	0.79	94.09	2.93	0.79	0.17	0.16	0.06	0.04	0.03	0.02	0.01	0.00

Meter Name = Coleman To Overthrust #1- 10 Inch

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
3016	07/03/2008	0.6250	1084.88	0.31	1.35	90.86	4.90	1.63	0.33	0.34	0.12	0.07	0.05	0.03	0.01	0.00
3016	07/02/2008	0.6213	1079.35	0.33	1.32	91.31	4.64	1.52	0.31	0.31	0.11	0.07	0.05	0.03	0.01	0.00
3016	07/01/2008	0.6196	1076.94	0.33	1.31	91.54	4.49	1.48	0.30	0.30	0.10	0.07	0.05	0.03	0.01	0.00
3016	06/30/2008	0.6221	1086.84	0.29	1.10	91.22	4.78	1.66	0.32	0.34	0.11	0.07	0.05	0.03	0.01	0.00
3016	06/29/2008	0.6141	1083.26	0.22	0.80	92.02	4.73	1.43	0.28	0.27	0.09	0.06	0.05	0.03	0.01	0.00
3016	06/28/2008	0.6133	1079.85	0.24	0.87	92.16	4.59	1.36	0.27	0.26	0.09	0.06	0.05	0.03	0.01	0.00
3016	06/27/2008	0.6257	1097.68	0.24	0.93	90.54	5.45	1.87	0.34	0.37	0.11	0.07	0.05	0.02	0.01	0.00
3016	06/26/2008	0.6258	1091.69	0.32	1.12	90.68	5.16	1.74	0.33	0.35	0.11	0.08	0.06	0.04	0.01	0.00
3016	06/25/2008	0.6159	1067.02	0.50	1.36	91.99	4.12	1.23	0.28	0.26	0.10	0.07	0.05	0.03	0.01	0.00
3016	06/24/2008	0.6114	1063.01	0.56	1.21	92.48	3.92	1.10	0.25	0.23	0.10	0.06	0.05	0.03	0.01	0.00
3016	06/23/2008	0.6145	1062.30	0.56	1.42	92.17	3.95	1.14	0.26	0.24	0.10	0.06	0.06	0.03	0.01	0.00
3016	06/22/2008	0.6106	1069.98	0.24	1.08	92.61	4.18	1.15	0.26	0.23	0.10	0.06	0.05	0.03	0.01	0.00
3016	06/21/2008	0.6102	1072.82	0.18	1.00	92.64	4.27	1.17	0.26	0.23	0.10	0.06	0.05	0.03	0.01	0.00
3016	06/20/2008	0.6105	1074.56	0.21	0.92	92.56	4.36	1.20	0.27	0.23	0.10	0.06	0.05	0.03	0.01	0.00
3016	06/19/2008	0.6301	1098.27	0.21	1.18	89.90	5.85	1.88	0.35	0.36	0.11	0.07	0.05	0.02	0.01	0.00
3016	06/18/2008	0.6262	1095.85	0.20	1.06	90.40	5.66	1.75	0.34	0.34	0.11	0.07	0.05	0.02	0.01	0.00
3016	06/17/2008	0.6160	1085.25	0.20	0.85	91.88	4.77	1.44	0.29	0.29	0.11	0.07	0.06	0.03	0.01	0.00
3016	06/16/2008	0.6160	1074.45	0.36	1.17	91.88	4.44	1.34	0.28	0.27	0.10	0.06	0.05	0.03	0.01	0.00
3016	06/15/2008	0.6156	1067.33	0.47	1.35	91.98	4.19	1.22	0.27	0.25	0.10	0.06	0.05	0.03	0.01	0.00
3016	06/14/2008	0.6169	1083.35	0.26	0.94	91.72	4.77	1.47	0.29	0.29	0.10	0.07	0.05	0.03	0.01	0.00
3016	06/13/2008	0.6248	1093.36	0.28	1.02	90.73	5.24	1.76	0.34	0.36	0.11	0.08	0.05	0.03	0.01	0.00
3016	06/12/2008	0.6238	1071.45	0.62	1.60	90.95	4.50	1.45	0.30	0.31	0.11	0.07	0.05	0.03	0.01	0.00
3016	06/11/2008	0.6252	1078.21	0.57	1.45	90.72	4.77	1.58	0.32	0.34	0.11	0.07	0.05	0.02	0.01	0.00
3016	06/10/2008	0.6232	1068.05	0.65	1.67	91.05	4.37	1.39	0.30	0.31	0.11	0.07	0.05	0.03	0.01	0.00
3016	06/09/2008	0.6199	1053.75	0.76	1.96	91.50	3.88	1.14	0.26	0.26	0.10	0.06	0.05	0.02	0.01	0.00
3016	06/08/2008	0.6194	1054.35	0.75	1.92	91.58	3.85	1.14	0.26	0.26	0.10	0.06	0.05	0.02	0.01	0.00
3016	06/07/2008	0.6184	1061.83	0.61	1.65	91.66	4.06	1.24	0.27	0.27	0.10	0.06	0.05	0.02	0.01	0.00
3016	06/06/2008	0.6213	1062.77	0.61	1.80	91.35	4.16	1.27	0.28	0.28	0.10	0.07	0.05	0.03	0.01	0.00
3016	06/05/2008	0.6254	1078.49	0.44	1.54	90.80	4.72	1.58	0.32	0.34	0.11	0.07	0.05	0.02	0.01	0.00
3016	06/04/2008	0.6260	1079.83	0.42	1.53	90.67	4.85	1.60	0.32	0.34	0.11	0.07	0.05	0.02	0.01	0.00
3016	06/03/2008	0.6251	1073.40	0.58	1.63	90.79	4.61	1.50	0.31	0.32	0.11	0.07	0.05	0.02	0.01	0.00
3016	06/02/2008	0.6243	1070.52	0.58	1.69	90.95	4.44	1.45	0.31	0.32	0.11	0.07	0.05	0.02	0.01	0.00
3016	06/01/2008	0.6193	1059.66	0.62	1.79	91.61	3.96	1.23	0.27	0.27	0.10	0.06	0.05	0.02	0.01	0.00
3016	05/31/2008	0.6228	1065.36	0.58	1.80	91.28	4.07	1.38	0.31	0.31	0.11	0.07	0.05	0.02	0.01	0.00
3016	05/30/2008	0.6246	1070.12	0.56	1.74	91.00	4.31	1.48	0.32	0.33	0.11	0.07	0.05	0.02	0.01	0.00
3016	05/29/2008	0.6249	1075.84	0.60	1.51	90.83	4.58	1.57	0.32	0.34	0.11	0.07	0.05	0.02	0.01	0.00
3016	05/28/2008	0.6213	1061.70	0.73	1.76	91.31	4.09	1.30	0.28	0.29	0.10	0.07	0.05	0.02	0.01	0.00
3016	05/27/2008	0.6198	1058.45	0.71	1.80	91.52	3.97	1.21	0.27	0.27	0.10	0.06	0.05	0.02	0.01	0.00
3016	05/26/2008	0.6193	1058.12	0.60	1.86	91.64	3.92	1.19	0.27	0.27	0.10	0.06	0.05	0.02	0.01	0.00
3016	05/25/2008	0.6186	1057.34	0.61	1.85	91.72	3.88	1.18	0.27	0.27	0.10	0.06	0.04	0.02	0.01	0.00
3016	05/24/2008	0.6189	1058.97	0.52	1.86	91.71	3.93	1.20	0.27	0.27	0.10	0.06	0.04	0.02	0.01	0.00
3016	05/23/2008	0.6220	1072.75	0.38	1.60	91.27	4.44	1.45	0.30	0.31	0.10	0.07	0.05	0.02	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = Coleman To Overthrust #1- 10 Inch

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
3016	05/22/2008	0.6240	1080.44	0.37	1.42	91.03	4.66	1.60	0.31	0.34	0.11	0.07	0.05	0.03	0.01	0.00
3016	05/21/2008	0.6243	1077.82	0.37	1.55	90.94	4.69	1.56	0.32	0.33	0.11	0.07	0.05	0.02	0.01	0.00
3016	05/20/2008	0.6242	1078.54	0.37	1.51	91.00	4.63	1.58	0.32	0.34	0.11	0.07	0.05	0.02	0.01	0.00
3016	05/19/2008	0.6210	1068.25	0.38	1.71	91.49	4.21	1.36	0.29	0.30	0.10	0.07	0.05	0.02	0.01	0.00
3016	05/18/2008	0.6202	1065.71	0.39	1.75	91.61	4.12	1.30	0.28	0.29	0.10	0.07	0.05	0.02	0.01	0.00
3016	05/17/2008	0.6202	1062.19	0.39	1.89	91.68	3.98	1.23	0.28	0.28	0.11	0.07	0.05	0.03	0.01	0.00
3016	05/16/2008	0.6204	1062.92	0.38	1.88	91.66	3.99	1.25	0.29	0.29	0.11	0.07	0.05	0.03	0.01	0.00
3016	05/15/2008	0.6229	1073.34	0.36	1.64	91.21	4.46	1.45	0.30	0.32	0.11	0.07	0.05	0.03	0.01	0.00
3016	05/14/2008	0.6243	1080.87	0.35	1.43	91.01	4.66	1.60	0.32	0.35	0.11	0.07	0.05	0.03	0.01	0.00
3016	05/13/2008	0.6238	1073.15	0.37	1.70	91.14	4.42	1.47	0.31	0.32	0.11	0.07	0.05	0.03	0.01	0.00
3016	05/12/2008	0.6243	1079.19	0.37	1.49	91.02	4.61	1.58	0.32	0.34	0.11	0.07	0.05	0.03	0.01	0.00
3016	05/11/2008	0.6247	1080.99	0.38	1.44	90.94	4.67	1.63	0.32	0.35	0.11	0.07	0.05	0.02	0.01	0.00
3016	05/10/2008	0.6233	1077.17	0.40	1.49	91.14	4.51	1.55	0.31	0.34	0.11	0.07	0.05	0.03	0.01	0.00
3016	05/09/2008	0.6231	1079.89	0.39	1.37	91.17	4.53	1.60	0.32	0.35	0.11	0.07	0.05	0.03	0.01	0.00
3016	05/08/2008	0.6234	1078.71	0.39	1.44	91.15	4.51	1.59	0.31	0.35	0.11	0.07	0.05	0.03	0.01	0.00
3016	05/07/2008	0.6206	1078.06	0.43	1.27	91.49	4.36	1.54	0.30	0.34	0.11	0.07	0.06	0.03	0.01	0.00
3016	05/06/2008	0.6143	1066.29	0.46	1.32	92.19	4.03	1.24	0.25	0.27	0.09	0.06	0.05	0.03	0.01	0.00
3016	05/04/2008	0.6251	1070.17	0.38	1.88	91.00	4.46	1.37	0.30	0.31	0.12	0.07	0.06	0.03	0.01	0.00
3016	05/03/2008	0.6269	1079.22	0.36	1.65	90.77	4.70	1.55	0.32	0.34	0.12	0.08	0.06	0.04	0.01	0.00
3016	05/02/2008	0.6248	1079.55	0.36	1.51	90.88	4.79	1.56	0.31	0.32	0.11	0.07	0.05	0.03	0.01	0.00
3016	05/01/2008	0.6245	1080.16	0.36	1.47	90.89	4.79	1.61	0.31	0.32	0.10	0.06	0.05	0.03	0.01	0.00
3016	04/30/2008	0.6288	1074.41	0.40	1.93	90.70	4.44	1.51	0.34	0.34	0.13	0.08	0.06	0.04	0.01	0.00
3016	04/29/2008	0.6284	1073.75	0.40	1.93	90.71	4.46	1.52	0.33	0.33	0.12	0.07	0.06	0.04	0.01	0.00
3016	04/28/2008	0.6283	1080.24	0.39	1.68	90.73	4.56	1.60	0.34	0.36	0.13	0.08	0.07	0.04	0.01	0.00
3016	04/27/2008	0.6262	1096.22	0.33	0.96	90.63	5.13	1.92	0.35	0.40	0.12	0.08	0.05	0.02	0.00	0.00
3016	04/26/2008	0.6253	1093.43	0.34	1.01	90.71	5.10	1.85	0.34	0.39	0.11	0.08	0.05	0.02	0.01	0.00
3016	04/25/2008	0.6227	1088.99	0.33	1.02	90.95	5.06	1.73	0.31	0.35	0.10	0.07	0.04	0.02	0.01	0.00
3016	04/24/2008	0.6236	1088.15	0.32	1.13	90.85	5.08	1.71	0.31	0.35	0.10	0.07	0.04	0.02	0.01	0.00
3016	04/23/2008	0.6261	1094.67	0.34	1.01	90.69	5.02	1.90	0.35	0.41	0.12	0.08	0.05	0.02	0.01	0.00
3016	04/22/2008	0.6271	1092.38	0.37	1.14	90.64	4.93	1.88	0.36	0.41	0.12	0.08	0.05	0.02	0.01	0.00
3016	04/21/2008	0.6274	1093.48	0.37	1.12	90.59	4.97	1.90	0.36	0.41	0.12	0.08	0.05	0.02	0.01	0.00
3016	04/20/2008	0.6287	1086.93	0.39	1.44	90.53	4.80	1.78	0.36	0.39	0.13	0.08	0.06	0.03	0.01	0.00
3016	04/19/2008	0.6304	1082.08	0.40	1.73	90.36	4.76	1.71	0.37	0.38	0.13	0.08	0.05	0.03	0.01	0.00
3016	04/18/2008	0.6232	1088.85	0.38	1.03	90.94	4.97	1.76	0.32	0.36	0.10	0.07	0.05	0.02	0.01	0.00
3016	04/17/2008	0.6207	1087.54	0.38	0.93	91.12	5.03	1.70	0.29	0.33	0.09	0.06	0.04	0.02	0.01	0.00
3016	04/16/2008	0.6224	1088.80	0.38	0.99	90.95	5.05	1.74	0.31	0.34	0.10	0.06	0.04	0.02	0.01	0.00
3016	04/15/2008	0.6301	1089.09	0.39	1.45	90.39	4.85	1.85	0.37	0.40	0.13	0.08	0.06	0.03	0.01	0.00
3016	04/14/2008	0.6281	1094.59	0.38	1.10	90.56	4.96	1.91	0.36	0.42	0.13	0.09	0.06	0.03	0.01	0.00
3016	04/13/2008	0.6295	1095.68	0.43	1.11	90.40	4.99	1.94	0.37	0.43	0.13	0.09	0.06	0.03	0.01	0.00
3016	04/12/2008	0.6289	1094.57	0.43	1.13	90.44	4.98	1.92	0.37	0.43	0.13	0.09	0.06	0.03	0.01	0.00
3016	04/11/2008	0.6298	1087.58	0.53	1.39	90.36	4.83	1.80	0.36	0.41	0.13	0.09	0.06	0.03	0.01	0.00
3016	04/10/2008	0.6294	1095.72	0.44	1.10	90.36	5.02	1.96	0.38	0.44	0.13	0.09	0.06	0.02	0.00	0.00
3016	04/09/2008	0.6301	1096.12	0.44	1.13	90.28	5.03	1.98	0.38	0.44	0.13	0.09	0.05	0.02	0.00	0.00
3016	04/08/2008	0.6286	1091.59	0.45	1.21	90.47	4.90	1.88	0.37	0.42	0.13	0.08	0.05	0.02	0.00	0.00
3016	04/07/2008	0.6289	1095.50	0.42	1.10	90.43	4.99	1.96	0.38	0.44	0.13	0.09	0.05	0.02	0.00	0.00
3016	04/06/2008	0.6302	1096.48	0.43	1.13	90.38	4.95	1.94	0.38	0.44	0.14	0.09	0.07	0.03	0.01	0.00
3016	04/05/2008	0.6285	1094.26	0.42	1.12	90.47	4.97	1.92	0.37	0.43	0.13	0.09	0.05	0.02	0.00	0.00

Meter Name = Eakin MI 1 West

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
24	07/03/2008	0.6274	1076.18	0.42	1.76	90.99	4.31	1.47	0.34	0.35	0.13	0.09	0.08	0.05	0.02	0.00
24	07/02/2008	0.6217	1067.41	0.44	1.75	91.52	4.07	1.32	0.30	0.31	0.11	0.07	0.06	0.03	0.01	0.00
24	07/01/2008	0.6167	1060.91	0.43	1.70	92.20	3.64	1.20	0.27	0.28	0.10	0.07	0.06	0.03	0.01	0.00
24	06/30/2008	0.6207	1067.15	0.46	1.68	91.77	3.82	1.34	0.30	0.32	0.12	0.08	0.06	0.04	0.01	0.00
24	06/29/2008	0.6149	1056.97	0.56	1.66	92.32	3.55	1.14	0.25	0.27	0.10	0.06	0.05	0.03	0.01	0.00
24	06/28/2008	0.6136	1055.00	0.58	1.65	92.45	3.48	1.11	0.25	0.26	0.09	0.06	0.05	0.03	0.01	0.00
24	06/27/2008	0.6193	1060.01	0.64	1.76	91.79	3.75	1.23	0.27	0.29	0.10	0.07	0.05	0.03	0.02	0.01
24	06/26/2008	0.6246	1064.06	0.78	1.82	91.26	3.88	1.28	0.29	0.31	0.12	0.08	0.08	0.06	0.03	0.00
24	06/25/2008	0.6256	1068.05	0.76	1.75	91.09	4.05	1.34	0.31	0.32	0.13	0.08	0.08	0.05	0.02	0.00
24	06/24/2008	0.6210	1057.54	0.82	1.84	91.56	3.77	1.14	0.27	0.27	0.11	0.07	0.07	0.05	0.02	0.00
24	06/23/2008	0.6123	1057.99	0.55	1.47	92.48	3.74	1.04	0.23	0.23	0.09	0.06	0.05	0.03	0.01	0.00
24	06/22/2008	0.6029	1057.40	0.29	1.08	93.43	3.74	0.91	0.19	0.18	0.07	0.04	0.04	0.02	0.01	0.00
24	06/21/2008	0.6092	1060.93	0.40	1.26	92.71	3.92	1.06	0.23	0.22	0.08	0.05	0.04	0.02	0.01	0.00
24	06/20/2008	0.6131	1060.60	0.52	1.43	92.32	3.91	1.09	0.24	0.24	0.09	0.06	0.05	0.03	0.01	0.00
24	06/19/2008	0.6192	1060.63	0.44	1.86	91.79	3.90	1.19	0.27	0.27	0.10	0.07	0.05	0.03	0.01	0.00
24	06/18/2008	0.6210	1065.85	0.40	1.79	91.57	4.10	1.28	0.28	0.29	0.11	0.07	0.06	0.03	0.01	0.00
24	06/17/2008	0.6215	1060.52	0.62	1.89	91.46	3.96	1.23	0.28	0.28	0.11	0.07	0.06	0.03	0.01	0.00
24	06/16/2008	0.6205	1055.94	0.76	1.92	91.49	3.87	1.16	0.27	0.27	0.10	0.06	0.05	0.03	0.01	0.00
24	06/15/2008	0.6184	1053.33	0.79	1.87	91.71	3.76	1.11	0.26	0.25	0.10	0.06	0.05	0.03	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = Eakin MI 1 West

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
24	06/14/2008	0.6205	1056.15	0.77	1.91	91.49	3.87	1.16	0.27	0.27	0.10	0.06	0.05	0.03	0.01	0.00
24	06/13/2008	0.6213	1058.62	0.76	1.86	91.37	3.98	1.21	0.28	0.28	0.10	0.06	0.06	0.03	0.01	0.00
24	06/12/2008	0.6110	1070.09	0.35	1.04	92.50	4.18	1.21	0.25	0.24	0.09	0.05	0.05	0.03	0.01	0.00
24	06/11/2008	0.6197	1059.17	0.74	1.79	91.52	3.98	1.19	0.27	0.26	0.10	0.06	0.05	0.03	0.01	0.00
24	06/10/2008	0.6090	1066.18	0.34	1.08	92.79	4.01	1.08	0.24	0.22	0.09	0.05	0.05	0.03	0.01	0.00
24	06/09/2008	0.6051	1057.01	0.44	1.14	93.22	3.62	0.99	0.21	0.20	0.07	0.04	0.04	0.02	0.01	0.00
24	06/08/2008	0.6128	1062.87	0.51	1.33	92.36	3.95	1.11	0.25	0.23	0.09	0.06	0.05	0.03	0.01	0.00
24	06/07/2008	0.6187	1058.79	0.64	1.77	91.71	3.92	1.17	0.26	0.26	0.10	0.06	0.05	0.03	0.01	0.00
24	06/06/2008	0.6177	1065.54	0.50	1.54	91.83	4.09	1.24	0.27	0.27	0.10	0.06	0.05	0.03	0.01	0.00
24	06/05/2008	0.6197	1060.68	0.46	1.87	91.68	4.01	1.18	0.27	0.27	0.10	0.06	0.05	0.03	0.01	0.01
24	06/04/2008	0.6209	1062.37	0.70	1.73	91.36	4.14	1.26	0.28	0.27	0.10	0.06	0.05	0.03	0.01	0.01
24	06/03/2008	0.6193	1067.05	0.53	1.55	91.63	4.19	1.26	0.28	0.27	0.10	0.06	0.06	0.04	0.01	0.01
24	06/02/2008	0.6249	1068.72	0.64	1.76	91.00	4.28	1.42	0.31	0.31	0.11	0.07	0.06	0.03	0.01	0.01
24	06/01/2008	0.6064	1066.02	0.26	0.98	93.11	3.96	1.03	0.23	0.20	0.08	0.05	0.05	0.03	0.01	0.00
24	05/31/2008	0.6014	1059.46	0.31	0.89	93.63	3.70	0.91	0.19	0.18	0.07	0.04	0.04	0.02	0.01	0.00
24	05/30/2008	0.6122	1057.55	0.59	1.45	92.45	3.76	1.05	0.23	0.23	0.09	0.05	0.05	0.03	0.01	0.01
24	05/29/2008	0.6206	1066.53	0.63	1.59	91.51	4.13	1.27	0.29	0.28	0.11	0.07	0.06	0.04	0.02	0.01
24	05/28/2008	0.6156	1063.83	0.53	1.45	91.91	4.20	1.18	0.25	0.24	0.09	0.06	0.05	0.03	0.01	0.00
24	05/27/2008	0.6140	1063.24	0.48	1.41	92.21	4.04	1.13	0.25	0.24	0.09	0.06	0.05	0.03	0.01	0.00
24	05/26/2008	0.6057	1065.27	0.34	0.91	92.92	4.21	1.04	0.20	0.19	0.07	0.04	0.04	0.02	0.01	0.00
24	05/25/2008	0.6048	1067.65	0.30	0.78	93.22	4.01	1.03	0.23	0.20	0.08	0.05	0.05	0.03	0.01	0.00
24	05/24/2008	0.6136	1069.94	0.35	1.21	92.36	4.10	1.20	0.27	0.25	0.10	0.06	0.06	0.04	0.02	0.00
24	05/23/2008	0.6205	1068.66	0.39	1.65	91.62	4.15	1.32	0.28	0.29	0.10	0.07	0.06	0.03	0.02	0.00
24	05/22/2008	0.6201	1062.32	0.41	1.87	91.77	3.91	1.21	0.27	0.27	0.10	0.07	0.06	0.03	0.02	0.00
24	05/21/2008	0.6211	1070.36	0.38	1.63	91.58	4.18	1.33	0.29	0.30	0.11	0.07	0.06	0.04	0.02	0.00
24	05/20/2008	0.6198	1066.46	0.36	1.72	91.82	3.98	1.24	0.28	0.28	0.11	0.07	0.06	0.04	0.02	0.00
24	05/19/2008	0.6166	1066.91	0.35	1.51	91.96	4.21	1.19	0.26	0.26	0.10	0.06	0.05	0.03	0.02	0.00
24	05/18/2008	0.6204	1064.68	0.38	1.81	91.74	3.99	1.21	0.28	0.28	0.11	0.07	0.06	0.04	0.02	0.00
24	05/17/2008	0.6213	1064.77	0.38	1.87	91.67	3.97	1.23	0.29	0.30	0.11	0.07	0.06	0.04	0.02	0.00
24	05/16/2008	0.6173	1067.31	0.33	1.55	91.93	4.18	1.21	0.27	0.27	0.10	0.06	0.05	0.03	0.02	0.00
24	05/15/2008	0.6175	1070.02	0.34	1.45	91.89	4.24	1.25	0.27	0.27	0.10	0.06	0.06	0.04	0.02	0.00
24	05/14/2008	0.6209	1064.06	0.38	1.87	91.69	3.98	1.22	0.28	0.28	0.11	0.07	0.06	0.04	0.02	0.00
24	05/13/2008	0.6177	1066.56	0.40	1.56	91.97	3.98	1.26	0.27	0.28	0.10	0.07	0.05	0.04	0.02	0.00
24	05/12/2008	0.6124	1061.79	0.34	1.46	92.42	4.00	1.09	0.23	0.23	0.08	0.05	0.04	0.03	0.01	0.00
24	05/11/2008	0.6216	1073.57	0.39	1.53	91.49	4.28	1.41	0.29	0.32	0.11	0.07	0.06	0.04	0.02	0.00
24	05/10/2008	0.6132	1061.90	0.39	1.47	92.49	3.77	1.13	0.24	0.25	0.09	0.06	0.05	0.04	0.02	0.00
24	05/09/2008	0.6195	1063.21	0.44	1.78	91.86	3.87	1.21	0.27	0.28	0.10	0.07	0.06	0.05	0.02	0.00
24	05/08/2008	0.6176	1063.44	0.46	1.63	92.02	3.86	1.21	0.26	0.27	0.09	0.06	0.06	0.05	0.02	0.00
24	05/07/2008	0.6124	1058.28	0.41	1.55	92.52	3.80	1.03	0.22	0.22	0.08	0.05	0.06	0.04	0.02	0.00
24	05/06/2008	0.6183	1065.71	0.39	1.64	91.84	4.17	1.16	0.25	0.26	0.11	0.07	0.06	0.04	0.02	0.00
24	05/04/2008	0.6155	1070.98	0.32	1.30	91.54	5.08	1.13	0.22	0.21	0.07	0.05	0.04	0.03	0.01	0.00
24	05/03/2008	0.6187	1074.90	0.33	1.34	91.27	5.11	1.23	0.24	0.24	0.09	0.06	0.05	0.03	0.01	0.00
24	05/02/2008	0.6188	1069.64	0.34	1.54	91.35	4.84	1.24	0.24	0.22	0.08	0.05	0.05	0.03	0.01	0.00
24	05/01/2008	0.6208	1069.70	0.37	1.65	91.43	4.42	1.32	0.27	0.27	0.10	0.06	0.06	0.04	0.01	0.00
24	04/30/2008	0.5936	1052.86	0.30	0.68	94.29	3.60	0.78	0.14	0.13	0.04	0.02	0.02	0.01	0.00	0.00
24	04/29/2008	0.6016	1059.26	0.29	0.93	93.53	3.78	0.95	0.19	0.18	0.06	0.04	0.03	0.02	0.01	0.00
24	04/28/2008	0.6267	1072.60	0.40	1.88	90.95	4.37	1.44	0.32	0.31	0.12	0.07	0.07	0.04	0.02	0.00
24	04/27/2008	0.6273	1070.43	0.40	2.00	90.85	4.41	1.42	0.31	0.31	0.11	0.07	0.07	0.04	0.02	0.00
24	04/26/2008	0.6268	1071.48	0.41	1.92	90.91	4.40	1.42	0.32	0.31	0.12	0.07	0.07	0.04	0.01	0.00
24	04/25/2008	0.6239	1070.31	0.38	1.80	91.22	4.34	1.36	0.30	0.30	0.11	0.07	0.06	0.04	0.01	0.00
24	04/24/2008	0.6294	1076.92	0.41	1.88	90.64	4.51	1.54	0.35	0.34	0.13	0.08	0.07	0.04	0.02	0.00
24	04/23/2008	0.6299	1077.77	0.41	1.87	90.61	4.50	1.57	0.35	0.36	0.13	0.08	0.07	0.04	0.02	0.00
24	04/22/2008	0.6272	1075.77	0.37	1.80	90.93	4.40	1.51	0.33	0.34	0.12	0.08	0.07	0.04	0.01	0.00
24	04/21/2008	0.6144	1065.63	0.35	1.42	92.22	4.04	1.21	0.26	0.26	0.09	0.06	0.05	0.03	0.01	0.00
24	04/20/2008	0.6121	1065.23	0.35	1.30	92.46	4.02	1.15	0.25	0.25	0.09	0.06	0.05	0.03	0.01	0.00
24	04/19/2008	0.6178	1070.72	0.37	1.42	91.85	4.19	1.34	0.28	0.28	0.10	0.06	0.05	0.03	0.01	0.00
24	04/18/2008	0.6311	1078.09	0.39	1.93	90.48	4.55	1.58	0.36	0.37	0.13	0.08	0.07	0.04	0.02	0.00
24	04/17/2008	0.6307	1078.38	0.35	1.93	90.53	4.55	1.59	0.36	0.36	0.13	0.08	0.07	0.04	0.02	0.00
24	04/16/2008	0.6271	1077.23	0.35	1.75	90.89	4.49	1.53	0.34	0.34	0.12	0.08	0.07	0.04	0.01	0.00
24	04/15/2008	0.6097	1062.58	0.31	1.28	92.73	3.89	1.12	0.23	0.23	0.08	0.05	0.04	0.02	0.01	0.00
24	04/14/2008	0.6194	1067.22	0.54	1.55	91.64	4.14	1.29	0.29	0.29	0.10	0.06	0.06	0.03	0.01	0.00
24	04/13/2008	0.6174	1068.19	0.40	1.48	91.88	4.15	1.30	0.28	0.28	0.10	0.06	0.05	0.03	0.01	0.00
24	04/12/2008	0.6116	1058.60	0.55	1.40	92.42	3.87	1.08	0.23	0.23	0.08	0.05	0.04	0.02	0.01	0.00
24	04/11/2008	0.5961	1048.31	0.46	0.91	94.09	3.39	0.74	0.15	0.14	0.05	0.03	0.02	0.01	0.00	0.00
24	04/10/2008	0.6054	1056.54	0.50	1.13	93.06	3.77	0.97	0.20	0.20	0.07	0.04	0.03	0.02	0.01	0.00
24	04/09/2008	0.6091	1058.90	0.45	1.30	92.77	3.78	1.06	0.22	0.22	0.08	0.05	0.04	0.02	0.01	0.00
24	04/08/2008	0.6147	1065.82	0.42	1.39	92.08	4.16	1.23	0.25	0.25	0.09	0.05	0.04	0.03	0.01	0.00
24	04/07/2008	0.6214	1069.26	0.52	1.60	91.40	4.27	1.34	0.30	0.30	0.11	0.07	0.06	0.03	0.01	0.00
24	04/06/2008	0.6179	1066.15	0.50	1.53	91.77	4.15	1.26	0.28	0.27	0.10	0.06	0.05	0.03	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = Eakin MI 1 West

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
24	04/05/2008	0.6172	1065.48	0.50	1.51	91.84	4.13	1.24	0.27	0.27	0.10	0.06	0.05	0.03	0.01	0.00

Meter Name = Hyrum 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
2362	07/03/2008	0.6052	1062.55	0.28	1.03	93.23	3.86	0.99	0.21	0.20	0.08	0.05	0.04	0.03	0.01	0.00
2362	07/02/2008	0.5993	1063.58	0.16	0.70	93.80	3.92	0.90	0.19	0.16	0.06	0.04	0.04	0.02	0.01	0.00
2362	07/01/2008	0.5875	1046.19	0.26	0.59	95.20	3.03	0.60	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
2362	06/30/2008	0.5960	1047.25	0.50	0.92	94.16	3.28	0.72	0.15	0.15	0.05	0.03	0.03	0.02	0.01	0.00
2362	06/29/2008	0.6032	1052.07	0.53	1.15	93.45	3.42	0.89	0.19	0.19	0.07	0.04	0.04	0.02	0.01	0.00
2362	06/28/2008	0.6009	1052.52	0.58	0.96	93.68	3.38	0.85	0.18	0.18	0.07	0.04	0.04	0.03	0.01	0.00
2362	06/27/2008	0.6043	1055.41	0.63	1.02	93.25	3.62	0.87	0.19	0.19	0.08	0.05	0.05	0.03	0.02	0.00
2362	06/26/2008	0.6085	1059.36	0.65	1.11	92.60	4.05	0.96	0.19	0.20	0.08	0.05	0.05	0.03	0.02	0.00
2362	06/25/2008	0.6121	1063.38	0.64	1.18	92.25	4.16	1.07	0.22	0.23	0.09	0.06	0.05	0.04	0.02	0.00
2362	06/24/2008	0.5936	1049.25	0.46	0.72	94.29	3.50	0.65	0.13	0.13	0.05	0.03	0.03	0.02	0.01	0.00
2362	06/23/2008	0.5895	1047.01	0.42	0.58	94.72	3.40	0.58	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
2362	06/22/2008	0.5915	1047.77	0.45	0.65	94.59	3.31	0.65	0.13	0.12	0.04	0.03	0.02	0.01	0.00	0.00
2362	06/21/2008	0.5956	1048.42	0.50	0.85	94.24	3.25	0.72	0.15	0.15	0.06	0.04	0.03	0.02	0.01	0.00
2362	06/20/2008	0.6064	1063.55	0.42	0.97	92.79	4.22	1.03	0.19	0.19	0.07	0.04	0.04	0.02	0.01	0.00
2362	06/19/2008	0.6062	1062.28	0.47	0.97	92.80	4.19	1.01	0.19	0.19	0.07	0.04	0.04	0.02	0.01	0.00
2362	06/18/2008	0.5997	1047.83	0.62	1.04	93.74	3.35	0.77	0.16	0.16	0.06	0.04	0.03	0.02	0.01	0.00
2362	06/17/2008	0.6036	1052.56	0.59	1.12	93.27	3.60	0.87	0.19	0.18	0.07	0.04	0.04	0.02	0.01	0.00
2362	06/16/2008	0.6041	1051.45	0.64	1.16	93.21	3.56	0.88	0.19	0.19	0.07	0.04	0.04	0.02	0.01	0.00
2362	06/15/2008	0.6058	1051.95	0.64	1.24	93.06	3.57	0.91	0.20	0.20	0.07	0.05	0.04	0.02	0.01	0.00
2362	06/14/2008	0.6006	1051.48	0.56	1.00	93.67	3.41	0.84	0.18	0.18	0.07	0.04	0.03	0.02	0.01	0.00
2362	06/13/2008	0.5945	1054.73	0.35	0.63	94.36	3.44	0.78	0.15	0.15	0.05	0.03	0.03	0.02	0.01	0.00
2362	06/12/2008	0.5920	1049.65	0.30	0.70	94.61	3.33	0.68	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
2362	06/11/2008	0.6117	1075.85	0.44	0.80	92.25	4.38	1.38	0.25	0.30	0.08	0.06	0.03	0.02	0.01	0.00
2362	06/10/2008	0.6294	1094.40	0.62	1.04	90.10	5.25	1.93	0.33	0.45	0.12	0.08	0.05	0.03	0.01	0.00
2362	06/09/2008	0.5992	1057.34	0.37	0.80	93.90	3.52	0.86	0.19	0.17	0.07	0.04	0.04	0.03	0.01	0.00
2362	06/08/2008	0.6038	1057.20	0.46	1.03	93.35	3.62	0.95	0.20	0.19	0.07	0.05	0.04	0.02	0.01	0.00
2362	06/07/2008	0.5988	1052.07	0.36	1.00	93.91	3.46	0.81	0.16	0.16	0.06	0.04	0.03	0.02	0.01	0.00
2362	06/06/2008	0.6056	1063.34	0.37	0.96	93.14	3.87	1.03	0.22	0.20	0.08	0.05	0.04	0.03	0.01	0.00
2362	06/05/2008	0.6067	1066.03	0.36	0.93	92.98	4.02	1.06	0.22	0.21	0.08	0.05	0.05	0.03	0.01	0.00
2362	06/04/2008	0.6002	1061.08	0.31	0.75	93.73	3.75	0.90	0.19	0.17	0.07	0.04	0.04	0.03	0.01	0.00
2362	06/03/2008	0.6002	1060.81	0.42	0.69	93.61	3.84	0.89	0.18	0.17	0.06	0.04	0.04	0.03	0.01	0.00
2362	06/02/2008	0.6134	1068.59	0.47	1.17	92.22	4.20	1.19	0.25	0.24	0.09	0.06	0.05	0.04	0.02	0.00
2362	06/01/2008	0.6097	1068.62	0.38	1.00	92.65	4.12	1.13	0.24	0.23	0.09	0.06	0.05	0.03	0.01	0.00
2362	05/31/2008	0.6063	1063.07	0.44	0.97	93.02	3.89	1.04	0.22	0.21	0.08	0.05	0.04	0.03	0.01	0.00
2362	05/30/2008	0.6027	1059.12	0.37	0.95	93.41	3.78	0.93	0.19	0.18	0.07	0.04	0.04	0.02	0.01	0.00
2362	05/29/2008	0.5960	1054.05	0.36	0.74	94.25	3.38	0.80	0.16	0.15	0.06	0.04	0.03	0.02	0.01	0.00
2362	05/28/2008	0.5911	1048.56	0.36	0.66	94.85	3.06	0.68	0.14	0.12	0.05	0.03	0.03	0.02	0.01	0.00
2362	05/27/2008	0.5787	1032.55	0.28	0.57	96.21	2.52	0.32	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
2362	05/26/2008	0.5922	1050.46	0.31	0.68	94.62	3.32	0.70	0.13	0.12	0.04	0.03	0.03	0.02	0.01	0.00
2362	05/25/2008	0.6085	1071.25	0.33	0.86	92.79	4.13	1.19	0.24	0.24	0.08	0.06	0.05	0.03	0.01	0.00
2362	05/24/2008	0.6080	1070.17	0.29	0.89	92.87	4.09	1.16	0.23	0.23	0.08	0.05	0.05	0.03	0.01	0.00
2362	05/23/2008	0.5863	1043.36	0.27	0.62	95.23	3.12	0.52	0.08	0.07	0.02	0.02	0.02	0.01	0.01	0.00
2362	05/22/2008	0.5999	1056.73	0.29	0.92	93.86	3.54	0.86	0.18	0.16	0.06	0.04	0.04	0.03	0.01	0.00
2362	05/21/2008	0.5928	1050.96	0.27	0.72	94.62	3.27	0.71	0.14	0.12	0.05	0.03	0.03	0.02	0.01	0.00
2362	05/20/2008	0.5911	1047.23	0.28	0.76	94.76	3.23	0.63	0.12	0.10	0.04	0.03	0.02	0.02	0.01	0.00
2362	05/19/2008	0.6041	1062.50	0.30	0.95	93.32	3.87	0.95	0.21	0.19	0.08	0.05	0.04	0.03	0.02	0.00
2362	05/18/2008	0.6076	1064.47	0.32	1.08	92.95	3.95	1.03	0.23	0.21	0.08	0.05	0.05	0.03	0.02	0.00
2362	05/17/2008	0.6046	1065.34	0.28	0.88	93.25	3.93	1.03	0.22	0.20	0.08	0.05	0.04	0.03	0.01	0.00
2362	05/16/2008	0.6065	1061.95	0.40	1.05	93.08	3.81	1.01	0.22	0.21	0.08	0.05	0.05	0.03	0.02	0.00
2362	05/15/2008	0.5986	1052.59	0.37	0.95	94.03	3.34	0.81	0.17	0.16	0.06	0.04	0.04	0.02	0.01	0.00
2362	05/14/2008	0.5947	1050.05	0.44	0.76	94.32	3.33	0.74	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
2362	05/13/2008	0.5876	1042.70	0.35	0.68	95.17	2.96	0.56	0.10	0.09	0.03	0.02	0.02	0.01	0.01	0.00
2362	05/12/2008	0.5945	1053.06	0.34	0.70	94.35	3.42	0.78	0.14	0.14	0.05	0.03	0.03	0.02	0.01	0.00
2362	05/11/2008	0.5797	1033.57	0.30	0.58	96.02	2.68	0.31	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
2362	05/10/2008	0.5778	1030.67	0.28	0.59	96.22	2.61	0.24	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
2362	05/09/2008	0.5757	1028.06	0.28	0.57	96.54	2.35	0.21	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
2362	05/08/2008	0.5855	1039.23	0.39	0.66	95.31	2.95	0.47	0.08	0.07	0.02	0.02	0.01	0.01	0.00	0.00
2362	05/07/2008	0.5904	1046.30	0.31	0.73	94.77	3.25	0.62	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
2362	05/06/2008	0.6062	1063.05	0.50	0.92	92.84	4.14	1.01	0.20	0.19	0.07	0.05	0.04	0.03	0.01	0.00
2362	05/04/2008	0.6006	1056.70	0.70	0.69	93.51	3.61	0.94	0.19	0.17	0.07	0.04	0.04	0.02	0.01	0.00
2362	05/03/2008	0.5953	1050.19	0.47	0.78	94.20	3.35	0.80	0.15	0.14	0.05	0.03	0.02	0.01	0.01	0.00
2362	05/02/2008	0.5894	1041.49	0.46	0.76	94.96	2.91	0.60	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
2362	05/01/2008	0.5796	1033.71	0.30	0.57	96.10	2.57	0.33	0.05	0.04	0.01	0.01	0.01	0.01	0.00	0.00
2362	04/30/2008	0.6024	1058.45	0.35	0.96	93.62	3.52	0.95	0.20	0.19	0.07	0.05	0.04	0.03	0.01	0.00
2362	04/29/2008	0.5971	1050.49	0.34	0.96	94.15	3.31	0.79	0.16	0.14	0.05	0.03	0.03	0.02	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = Hyrum 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
2362	04/28/2008	0.5901	1044.38	0.32	0.78	94.97	2.96	0.64	0.12	0.11	0.04	0.02	0.02	0.01	0.00	0.00
2362	04/27/2008	0.5765	1029.63	0.29	0.55	96.52	2.28	0.28	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
2362	04/26/2008	0.5781	1032.07	0.28	0.55	96.28	2.46	0.33	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
2362	04/25/2008	0.5757	1028.36	0.29	0.55	96.62	2.22	0.27	0.03	0.02	0.00	0.00	0.00	0.00	0.00	0.00
2362	04/24/2008	0.5880	1044.10	0.29	0.68	95.23	2.87	0.61	0.11	0.10	0.04	0.02	0.02	0.01	0.00	0.00
2362	04/23/2008	0.5832	1038.60	0.39	0.55	95.73	2.58	0.52	0.09	0.08	0.03	0.02	0.01	0.00	0.00	0.00
2362	04/22/2008	0.5807	1036.33	0.29	0.54	96.08	2.45	0.46	0.08	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	04/21/2008	0.5797	1034.86	0.30	0.53	96.19	2.39	0.41	0.07	0.06	0.02	0.01	0.01	0.00	0.00	0.00
2362	04/20/2008	0.6095	1067.89	0.33	1.04	92.52	4.31	1.16	0.23	0.22	0.07	0.05	0.04	0.02	0.01	0.00
2362	04/19/2008	0.6033	1058.68	0.38	0.99	93.39	3.64	1.04	0.20	0.20	0.06	0.04	0.03	0.02	0.01	0.00
2362	04/18/2008	0.5833	1037.85	0.31	0.63	95.78	2.54	0.51	0.09	0.08	0.03	0.02	0.01	0.00	0.00	0.00
2362	04/17/2008	0.5789	1033.58	0.30	0.53	96.29	2.34	0.39	0.06	0.05	0.02	0.01	0.00	0.00	0.00	0.00
2362	04/16/2008	0.5814	1037.46	0.28	0.54	95.98	2.52	0.47	0.08	0.07	0.02	0.02	0.01	0.00	0.00	0.00
2362	04/15/2008	0.5885	1043.07	0.54	0.60	95.09	2.78	0.65	0.13	0.11	0.04	0.03	0.02	0.01	0.00	0.00
2362	04/14/2008	0.5812	1036.83	0.32	0.53	96.00	2.48	0.47	0.08	0.07	0.02	0.02	0.01	0.00	0.00	0.00
2362	04/13/2008	0.5826	1038.96	0.28	0.56	95.78	2.68	0.49	0.08	0.07	0.03	0.02	0.01	0.00	0.00	0.00
2362	04/12/2008	0.5845	1040.77	0.37	0.55	95.64	2.61	0.55	0.11	0.10	0.03	0.02	0.01	0.01	0.00	0.00
2362	04/11/2008	0.5877	1041.20	0.54	0.62	95.20	2.71	0.61	0.12	0.11	0.04	0.03	0.02	0.01	0.00	0.00
2362	04/10/2008	0.5902	1044.93	0.45	0.68	94.94	2.89	0.67	0.13	0.12	0.05	0.03	0.02	0.01	0.00	0.00
2362	04/09/2008	0.5912	1046.57	0.44	0.69	94.81	2.98	0.70	0.14	0.13	0.05	0.03	0.02	0.01	0.00	0.00
2362	04/08/2008	0.5924	1042.75	0.69	0.75	94.63	2.83	0.70	0.15	0.14	0.05	0.03	0.02	0.01	0.00	0.00
2362	04/07/2008	0.5930	1044.92	0.63	0.74	94.56	2.92	0.74	0.15	0.14	0.05	0.03	0.02	0.01	0.00	0.00
2362	04/06/2008	0.5968	1045.28	0.84	0.82	94.09	2.96	0.81	0.17	0.16	0.06	0.04	0.03	0.02	0.01	0.00
2362	04/05/2008	0.5930	1043.88	0.75	0.70	94.55	2.84	0.74	0.15	0.14	0.05	0.03	0.03	0.02	0.01	0.00

Meter Name = Kanda To Overthrust 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1203	07/03/2008	0.6159	1066.36	0.38	1.47	92.00	4.20	1.19	0.25	0.26	0.10	0.06	0.05	0.03	0.01	0.00
1203	07/02/2008	0.6185	1066.96	0.40	1.59	91.76	4.19	1.24	0.27	0.27	0.10	0.07	0.06	0.03	0.01	0.00
1203	07/01/2008	0.6190	1062.64	0.44	1.77	91.85	3.87	1.25	0.27	0.28	0.11	0.07	0.06	0.03	0.01	0.00
1203	06/30/2008	0.6207	1067.69	0.44	1.68	91.77	3.83	1.37	0.30	0.31	0.11	0.07	0.06	0.04	0.01	0.00
1203	06/29/2008	0.6152	1061.27	0.46	1.57	92.26	3.75	1.18	0.26	0.26	0.10	0.06	0.05	0.03	0.01	0.00
1203	06/28/2008	0.6110	1058.17	0.48	1.43	92.68	3.61	1.10	0.23	0.23	0.09	0.06	0.05	0.03	0.01	0.00
1203	06/27/2008	0.6105	1063.42	0.39	1.25	92.70	3.82	1.14	0.24	0.24	0.09	0.06	0.05	0.03	0.01	0.00
1203	06/26/2008	0.6122	1067.41	0.45	1.15	92.41	4.05	1.19	0.24	0.24	0.09	0.06	0.05	0.04	0.02	0.00
1203	06/25/2008	0.6169	1057.56	0.71	1.66	91.94	3.82	1.11	0.24	0.24	0.09	0.06	0.06	0.04	0.02	0.00
1203	06/24/2008	0.6194	1056.23	0.80	1.81	91.69	3.77	1.13	0.25	0.25	0.10	0.07	0.06	0.05	0.02	0.00
1203	06/23/2008	0.6184	1054.26	0.74	1.86	91.88	3.66	1.07	0.24	0.24	0.10	0.07	0.07	0.05	0.02	0.00
1203	06/22/2008	0.6180	1055.71	0.58	1.89	91.92	3.73	1.10	0.25	0.25	0.10	0.06	0.06	0.04	0.01	0.00
1203	06/21/2008	0.6192	1059.43	0.42	1.93	91.79	3.91	1.17	0.26	0.26	0.10	0.06	0.06	0.03	0.01	0.00
1203	06/20/2008	0.6204	1062.93	0.60	1.74	91.54	4.06	1.24	0.28	0.27	0.10	0.07	0.06	0.04	0.01	0.00
1203	06/19/2008	0.6188	1072.08	0.37	1.43	91.74	4.31	1.30	0.28	0.28	0.11	0.07	0.06	0.04	0.01	0.00
1203	06/18/2008	0.6179	1067.78	0.32	1.57	91.91	4.13	1.24	0.28	0.27	0.10	0.07	0.06	0.04	0.01	0.00
1203	06/17/2008	0.6201	1066.53	0.43	1.69	91.64	4.12	1.28	0.28	0.28	0.11	0.07	0.06	0.04	0.01	0.00
1203	06/16/2008	0.6194	1054.99	0.77	1.88	91.58	3.86	1.15	0.26	0.25	0.10	0.06	0.05	0.03	0.01	0.00
1203	06/15/2008	0.6079	1055.01	0.82	1.14	92.62	3.84	0.99	0.20	0.21	0.07	0.05	0.04	0.02	0.01	0.00
1203	06/14/2008	0.6181	1056.83	0.71	1.76	91.76	3.86	1.14	0.26	0.25	0.10	0.06	0.05	0.03	0.01	0.00
1203	06/13/2008	0.6195	1061.11	0.66	1.71	91.59	4.01	1.21	0.27	0.26	0.10	0.07	0.06	0.03	0.01	0.00
1203	06/12/2008	0.6230	1065.56	0.69	1.74	91.12	4.25	1.34	0.29	0.29	0.11	0.07	0.06	0.03	0.01	0.00
1203	06/11/2008	0.6291	1094.66	0.38	1.17	90.23	5.31	1.89	0.35	0.38	0.12	0.08	0.06	0.03	0.01	0.00
1203	06/10/2008	0.6220	1061.10	0.72	1.83	91.23	4.10	1.29	0.28	0.28	0.10	0.07	0.05	0.03	0.01	0.00
1203	06/09/2008	0.6274	1079.19	0.52	1.59	90.53	4.84	1.59	0.32	0.33	0.11	0.08	0.06	0.03	0.01	0.00
1203	06/08/2008	0.6304	1092.30	0.35	1.36	90.03	5.43	1.84	0.35	0.36	0.12	0.08	0.05	0.03	0.01	0.00
1203	06/07/2008	0.6295	1089.04	0.38	1.42	90.11	5.37	1.77	0.34	0.34	0.11	0.07	0.05	0.02	0.01	0.00
1203	06/06/2008	0.6280	1082.40	0.42	1.55	90.30	5.20	1.62	0.33	0.31	0.11	0.07	0.05	0.03	0.01	0.00
1203	06/05/2008	0.6358	1107.41	0.30	1.13	89.53	5.73	2.12	0.40	0.43	0.14	0.10	0.07	0.04	0.01	0.00
1203	06/04/2008	0.6343	1100.02	0.34	1.30	89.75	5.50	1.98	0.38	0.41	0.13	0.09	0.07	0.04	0.01	0.00
1203	06/03/2008	0.6334	1097.61	0.36	1.33	89.85	5.44	1.91	0.37	0.39	0.13	0.09	0.07	0.04	0.02	0.00
1203	06/02/2008	0.6321	1094.08	0.38	1.37	90.07	5.17	1.90	0.37	0.40	0.13	0.09	0.07	0.03	0.01	0.00
1203	06/01/2008	0.6270	1075.82	0.41	1.76	90.79	4.54	1.56	0.33	0.33	0.12	0.07	0.05	0.03	0.01	0.00
1203	05/31/2008	0.6281	1076.54	0.42	1.80	90.72	4.50	1.59	0.34	0.34	0.12	0.08	0.06	0.03	0.01	0.00
1203	05/30/2008	0.6295	1099.51	0.32	1.04	90.10	5.55	1.98	0.35	0.38	0.12	0.08	0.05	0.03	0.01	0.00
1203	05/29/2008	0.6305	1101.64	0.33	1.01	90.01	5.59	2.01	0.36	0.39	0.12	0.08	0.06	0.03	0.01	0.00
1203	05/28/2008	0.6239	1087.39	0.36	1.15	90.91	4.94	1.73	0.31	0.34	0.10	0.07	0.05	0.03	0.01	0.00
1203	05/27/2008	0.6176	1076.74	0.29	1.22	91.63	4.57	1.54	0.27	0.28	0.08	0.05	0.04	0.02	0.01	0.00
1203	05/26/2008	0.6197	1063.10	0.40	1.82	91.67	4.02	1.29	0.28	0.27	0.10	0.06	0.05	0.02	0.01	0.00
1203	05/25/2008	0.6197	1063.10	0.40	1.82	91.67	4.02	1.29	0.28	0.27	0.10	0.06	0.05	0.02	0.01	0.00
1203	05/24/2008	0.6197	1063.10	0.40	1.82	91.67	4.02	1.29	0.28	0.27	0.10	0.06	0.05	0.02	0.01	0.00
1203	05/23/2008	0.6262	1085.05	0.36	1.37	90.79	4.81	1.69	0.33	0.34	0.11	0.08	0.06	0.03	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = Kanda To Overthrust 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1203	05/22/2008	0.6304	1101.29	0.33	1.01	90.18	5.37	2.01	0.36	0.41	0.13	0.09	0.07	0.04	0.01	0.00
1203	05/21/2008	0.6320	1096.75	0.34	1.29	90.01	5.37	1.91	0.36	0.38	0.12	0.09	0.07	0.04	0.02	0.00
1203	05/20/2008	0.6289	1091.79	0.34	1.29	90.48	5.04	1.80	0.34	0.37	0.12	0.08	0.07	0.04	0.02	0.00
1203	05/19/2008	0.6234	1077.72	0.35	1.51	91.20	4.51	1.52	0.30	0.32	0.11	0.07	0.06	0.04	0.02	0.00
1203	05/18/2008	0.6208	1065.72	0.40	1.78	91.64	4.06	1.26	0.28	0.28	0.11	0.07	0.06	0.04	0.02	0.00
1203	05/17/2008	0.6222	1069.86	0.37	1.73	91.31	4.42	1.33	0.29	0.29	0.11	0.07	0.05	0.03	0.01	0.00
1203	05/16/2008	0.6217	1067.57	0.37	1.79	91.39	4.34	1.27	0.28	0.28	0.11	0.07	0.05	0.03	0.02	0.00
1203	05/15/2008	0.6255	1078.73	0.36	1.59	90.91	4.71	1.51	0.31	0.32	0.11	0.08	0.06	0.04	0.02	0.00
1203	05/14/2008	0.6278	1096.72	0.34	1.03	90.43	5.26	1.93	0.34	0.39	0.12	0.08	0.06	0.03	0.01	0.00
1203	05/13/2008	0.6300	1100.08	0.34	1.03	90.21	5.32	2.01	0.36	0.41	0.13	0.09	0.06	0.03	0.01	0.00
1203	05/12/2008	0.6326	1103.70	0.34	1.05	90.02	5.37	2.06	0.37	0.43	0.14	0.10	0.07	0.04	0.02	0.00
1203	05/11/2008	0.6305	1099.20	0.36	1.09	90.31	5.15	1.96	0.36	0.41	0.13	0.09	0.07	0.04	0.02	0.00
1203	05/10/2008	0.6093	1069.36	0.35	0.96	92.55	4.31	1.17	0.21	0.23	0.08	0.05	0.04	0.03	0.01	0.00
1203	05/09/2008	0.6057	1062.37	0.36	1.01	92.94	4.10	1.03	0.19	0.20	0.07	0.04	0.03	0.02	0.01	0.00
1203	05/08/2008	0.6086	1064.06	0.39	1.11	92.70	4.06	1.12	0.21	0.22	0.08	0.05	0.04	0.02	0.01	0.00
1203	05/07/2008	0.6123	1066.02	0.41	1.24	92.39	4.02	1.22	0.23	0.25	0.09	0.06	0.05	0.03	0.01	0.00
1203	05/06/2008	0.6181	1070.25	0.38	1.45	91.86	4.14	1.34	0.26	0.29	0.10	0.07	0.06	0.04	0.01	0.00
1203	05/04/2008	0.6230	1067.47	0.37	1.87	91.36	4.24	1.30	0.28	0.28	0.11	0.07	0.07	0.05	0.02	0.00
1203	05/03/2008	0.6271	1077.09	0.36	1.75	90.82	4.61	1.49	0.31	0.32	0.12	0.08	0.07	0.05	0.02	0.00
1203	05/02/2008	0.6233	1087.26	0.35	1.12	90.88	5.05	1.74	0.30	0.32	0.10	0.06	0.05	0.03	0.01	0.00
1203	05/01/2008	0.6227	1086.26	0.35	1.12	90.89	5.07	1.75	0.29	0.31	0.09	0.06	0.04	0.02	0.01	0.00
1203	04/30/2008	0.6233	1086.61	0.36	1.14	90.89	4.99	1.74	0.31	0.34	0.10	0.06	0.05	0.02	0.00	0.00
1203	04/29/2008	0.6245	1089.08	0.35	1.12	90.82	5.01	1.76	0.32	0.35	0.11	0.07	0.06	0.03	0.01	0.00
1203	04/28/2008	0.6265	1090.38	0.37	1.18	90.70	4.96	1.78	0.33	0.37	0.12	0.08	0.07	0.04	0.01	0.00
1203	04/27/2008	0.6277	1091.90	0.34	1.21	90.60	4.98	1.83	0.34	0.37	0.12	0.08	0.07	0.04	0.01	0.00
1203	04/26/2008	0.6273	1094.74	0.34	1.07	90.59	5.09	1.87	0.34	0.38	0.12	0.08	0.06	0.03	0.01	0.00
1203	04/25/2008	0.6251	1085.89	0.35	1.28	90.81	4.93	1.69	0.31	0.33	0.11	0.07	0.06	0.03	0.01	0.00
1203	04/24/2008	0.6250	1086.78	0.33	1.26	90.76	5.04	1.68	0.31	0.34	0.11	0.07	0.05	0.03	0.01	0.00
1203	04/23/2008	0.6298	1085.92	0.39	1.55	90.48	4.75	1.76	0.36	0.39	0.13	0.09	0.06	0.03	0.01	0.00
1203	04/22/2008	0.6276	1073.65	0.36	1.92	90.75	4.52	1.52	0.33	0.33	0.11	0.07	0.06	0.03	0.01	0.00
1203	04/21/2008	0.6314	1080.68	0.38	1.86	90.43	4.61	1.66	0.36	0.36	0.13	0.08	0.07	0.04	0.02	0.00
1203	04/20/2008	0.6231	1086.29	0.38	1.13	90.90	4.97	1.74	0.31	0.34	0.10	0.06	0.04	0.02	0.01	0.00
1203	04/19/2008	0.6224	1090.65	0.37	0.92	90.93	5.08	1.80	0.31	0.35	0.10	0.07	0.04	0.02	0.01	0.00
1203	04/18/2008	0.6226	1091.02	0.37	0.92	90.91	5.10	1.80	0.31	0.35	0.10	0.07	0.04	0.02	0.01	0.00
1203	04/17/2008	0.6215	1088.55	0.38	0.94	91.03	5.06	1.73	0.29	0.32	0.09	0.06	0.05	0.03	0.01	0.00
1203	04/16/2008	0.6201	1085.39	0.39	0.97	91.28	4.86	1.64	0.28	0.32	0.10	0.07	0.05	0.03	0.01	0.00
1203	04/15/2008	0.6362	1085.71	0.39	1.95	89.96	4.73	1.79	0.39	0.40	0.15	0.09	0.08	0.05	0.02	0.00
1203	04/14/2008	0.6315	1081.58	0.44	1.79	90.41	4.60	1.68	0.36	0.36	0.13	0.09	0.08	0.04	0.02	0.00
1203	04/13/2008	0.6332	1079.81	0.53	1.91	90.16	4.63	1.68	0.37	0.37	0.14	0.09	0.08	0.04	0.02	0.00
1203	04/12/2008	0.6315	1076.73	0.58	1.89	90.28	4.60	1.60	0.35	0.35	0.13	0.08	0.07	0.04	0.01	0.00
1203	04/11/2008	0.6306	1071.27	0.71	1.97	90.33	4.49	1.52	0.34	0.33	0.12	0.08	0.07	0.04	0.01	0.00
1203	04/10/2008	0.6284	1075.14	0.61	1.75	90.49	4.62	1.59	0.33	0.33	0.11	0.07	0.06	0.03	0.01	0.00
1203	04/09/2008	0.6216	1081.06	0.41	1.22	91.01	4.92	1.63	0.29	0.30	0.09	0.06	0.04	0.02	0.00	0.00
1203	04/08/2008	0.6205	1082.14	0.39	1.13	91.11	4.96	1.63	0.28	0.30	0.09	0.06	0.04	0.02	0.01	0.00
1203	04/07/2008	0.6196	1081.65	0.39	1.09	91.17	4.97	1.61	0.28	0.29	0.08	0.06	0.04	0.02	0.00	0.00
1203	04/06/2008	0.6191	1082.26	0.38	1.04	91.21	4.99	1.62	0.27	0.29	0.08	0.06	0.04	0.02	0.00	0.00
1203	04/05/2008	0.6183	1082.06	0.38	1.00	91.27	5.01	1.61	0.27	0.28	0.08	0.05	0.03	0.02	0.00	0.00

Meter Name = MI 103 From Fidler To Greasewood

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
57	07/03/2008	0.6440	1102.74	0.11	1.95	87.99	7.10	1.86	0.37	0.31	0.11	0.07	0.06	0.04	0.02	0.00
57	07/02/2008	0.6399	1104.54	0.11	1.63	88.27	7.23	1.84	0.37	0.30	0.10	0.06	0.05	0.03	0.01	0.00
57	07/01/2008	0.6420	1104.18	0.11	1.77	88.14	7.16	1.84	0.37	0.31	0.11	0.07	0.06	0.04	0.02	0.00
57	06/30/2008	0.6413	1106.07	0.11	1.65	88.21	7.17	1.86	0.38	0.31	0.11	0.07	0.06	0.04	0.02	0.00
57	06/29/2008	0.6424	1104.83	0.11	1.77	88.05	7.23	1.87	0.38	0.31	0.11	0.07	0.06	0.03	0.01	0.00
57	06/28/2008	0.6431	1106.59	0.12	1.74	88.04	7.19	1.90	0.39	0.32	0.12	0.07	0.06	0.04	0.02	0.00
57	06/27/2008	0.6436	1106.84	0.11	1.76	87.98	7.21	1.91	0.40	0.32	0.11	0.07	0.06	0.04	0.02	0.00
57	06/26/2008	0.6430	1107.51	0.11	1.70	88.08	7.18	1.90	0.40	0.33	0.12	0.07	0.06	0.04	0.02	0.00
57	06/25/2008	0.6448	1107.77	0.11	1.80	87.91	7.20	1.92	0.41	0.34	0.12	0.08	0.07	0.04	0.02	0.00
57	06/24/2008	0.6393	1102.86	0.13	1.64	88.49	6.92	1.86	0.37	0.32	0.11	0.07	0.05	0.03	0.01	0.00
57	06/23/2008	0.6416	1104.51	0.11	1.73	88.14	7.20	1.87	0.37	0.30	0.10	0.07	0.06	0.03	0.01	0.00
57	06/22/2008	0.6401	1101.92	0.11	1.74	88.34	7.05	1.83	0.36	0.30	0.10	0.06	0.05	0.03	0.01	0.00
57	06/21/2008	0.6425	1104.18	0.11	1.80	88.06	7.19	1.87	0.38	0.31	0.11	0.07	0.06	0.03	0.01	0.00
57	06/20/2008	0.6430	1102.94	0.11	1.88	88.03	7.14	1.87	0.38	0.31	0.11	0.07	0.06	0.03	0.01	0.00
57	06/19/2008	0.6447	1104.89	0.11	1.90	87.94	7.11	1.91	0.40	0.33	0.12	0.08	0.06	0.04	0.02	0.00
57	06/18/2008	0.6431	1101.08	0.11	1.96	88.00	7.12	1.86	0.37	0.31	0.11	0.07	0.05	0.03	0.01	0.00
57	06/17/2008	0.6436	1105.90	0.11	1.80	87.83	7.41	1.87	0.39	0.31	0.11	0.07	0.06	0.03	0.01	0.00
57	06/16/2008	0.6431	1108.50	0.11	1.67	87.94	7.39	1.88	0.40	0.32	0.11	0.07	0.06	0.04	0.02	0.00
57	06/15/2008	0.6434	1108.60	0.11	1.68	87.98	7.30	1.88	0.40	0.32	0.12	0.07	0.06	0.04	0.02	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = MI 103 From Fidlar To Greasewood

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
57	06/14/2008	0.6448	1107.92	0.11	1.79	87.86	7.27	1.91	0.40	0.33	0.12	0.08	0.07	0.04	0.02	0.00
57	06/13/2008	0.6412	1106.60	0.11	1.62	88.18	7.25	1.85	0.39	0.31	0.11	0.07	0.06	0.04	0.02	0.00
57	06/12/2008	0.6415	1103.80	0.11	1.75	88.13	7.22	1.83	0.38	0.30	0.10	0.07	0.05	0.03	0.01	0.00
57	06/11/2008	0.6435	1109.54	0.11	1.65	88.06	7.16	1.93	0.42	0.34	0.12	0.08	0.07	0.04	0.02	0.00
57	06/10/2008	0.6455	1110.85	0.12	1.71	87.80	7.27	2.00	0.43	0.35	0.12	0.08	0.06	0.04	0.02	0.00
57	06/09/2008	0.6442	1095.13	1.18	1.56	87.47	6.86	1.91	0.39	0.34	0.11	0.07	0.06	0.03	0.01	0.00
57	06/08/2008	0.6454	1057.18	3.95	1.31	86.15	5.92	1.74	0.34	0.32	0.10	0.07	0.06	0.03	0.01	0.00
57	06/07/2008	0.6434	1108.55	0.11	1.68	88.05	7.19	1.91	0.41	0.33	0.12	0.08	0.06	0.04	0.02	0.00
57	06/06/2008	0.6503	1112.77	0.12	1.93	87.51	7.14	2.05	0.45	0.39	0.15	0.10	0.09	0.05	0.02	0.00
57	06/05/2008	0.6442	1108.14	0.12	1.74	87.91	7.25	1.94	0.41	0.34	0.12	0.08	0.06	0.03	0.01	0.00
57	06/04/2008	0.6482	1108.68	0.11	1.97	87.61	7.18	1.99	0.42	0.36	0.13	0.09	0.07	0.04	0.02	0.00
57	06/03/2008	0.6500	1112.47	0.12	1.93	87.53	7.15	2.06	0.44	0.39	0.14	0.10	0.08	0.05	0.02	0.00
57	06/02/2008	0.6475	1110.06	0.11	1.87	87.80	7.04	2.00	0.43	0.37	0.14	0.09	0.08	0.05	0.02	0.00
57	06/01/2008	0.6475	1112.28	0.12	1.78	87.63	7.28	2.03	0.43	0.37	0.13	0.09	0.07	0.04	0.02	0.00
57	05/31/2008	0.6485	1110.88	0.12	1.90	87.49	7.32	2.04	0.43	0.37	0.13	0.08	0.07	0.04	0.01	0.00
57	05/30/2008	0.6456	1110.31	0.12	1.75	87.69	7.41	1.98	0.42	0.34	0.12	0.07	0.06	0.03	0.02	0.00
57	05/29/2008	0.6428	1110.81	0.19	1.50	88.38	6.72	2.04	0.41	0.40	0.13	0.09	0.07	0.04	0.02	0.00
57	05/28/2008	0.6342	1107.89	0.36	0.96	89.99	5.30	2.09	0.40	0.47	0.15	0.11	0.09	0.05	0.02	0.00
57	05/27/2008	0.6448	1110.52	0.12	1.69	87.80	7.32	2.04	0.41	0.34	0.11	0.07	0.06	0.03	0.01	0.00
57	05/26/2008	0.6455	1109.60	0.12	1.77	87.77	7.27	2.02	0.41	0.34	0.12	0.08	0.06	0.03	0.02	0.00
57	05/25/2008	0.6463	1106.18	0.11	1.96	87.63	7.32	1.97	0.40	0.33	0.11	0.07	0.06	0.03	0.01	0.00
57	05/24/2008	0.6483	1108.90	0.11	1.97	87.41	7.41	2.03	0.42	0.35	0.12	0.08	0.06	0.03	0.01	0.00
57	05/23/2008	0.6445	1109.16	0.10	1.73	87.57	7.70	1.94	0.40	0.31	0.10	0.07	0.05	0.02	0.01	0.00
57	05/22/2008	0.6416	1112.11	0.20	1.37	88.35	6.89	2.07	0.41	0.39	0.12	0.08	0.07	0.04	0.01	0.00
57	05/21/2008	0.6361	1106.37	0.30	1.19	89.37	5.92	2.07	0.39	0.42	0.13	0.09	0.07	0.04	0.01	0.00
57	05/20/2008	0.6455	1103.49	0.12	2.01	87.56	7.43	1.95	0.39	0.31	0.10	0.06	0.04	0.02	0.01	0.00
57	05/19/2008	0.6438	1102.45	0.11	1.95	87.71	7.44	1.89	0.38	0.29	0.09	0.06	0.04	0.02	0.01	0.00
57	05/18/2008	0.6463	1102.91	0.11	2.08	87.51	7.41	1.92	0.39	0.31	0.10	0.07	0.05	0.02	0.01	0.00
57	05/17/2008	0.6476	1103.79	0.11	2.13	87.23	7.60	2.01	0.39	0.31	0.09	0.06	0.04	0.02	0.01	0.00
57	05/16/2008	0.6444	1100.93	0.11	2.05	87.59	7.46	1.93	0.37	0.29	0.08	0.05	0.04	0.02	0.01	0.00
57	05/15/2008	0.6426	1099.08	0.11	2.01	87.75	7.43	1.89	0.35	0.27	0.08	0.05	0.03	0.02	0.01	0.00
57	05/14/2008	0.6388	1096.65	0.11	1.87	88.28	7.20	1.75	0.33	0.25	0.08	0.05	0.04	0.02	0.01	0.00
57	05/13/2008	0.6518	1106.66	0.12	2.27	87.58	6.67	2.08	0.46	0.42	0.15	0.10	0.08	0.04	0.01	0.00
57	05/12/2008	0.6470	1100.60	0.13	2.20	87.88	6.77	1.94	0.39	0.35	0.12	0.08	0.07	0.04	0.02	0.00
57	05/11/2008	0.6444	1101.48	0.13	2.01	88.24	6.60	1.92	0.40	0.37	0.13	0.08	0.07	0.04	0.01	0.00
57	05/10/2008	0.6421	1096.31	0.13	2.07	88.31	6.75	1.81	0.34	0.31	0.10	0.07	0.06	0.04	0.02	0.00
57	05/09/2008	0.6451	1100.53	0.14	2.09	88.10	6.73	1.88	0.38	0.35	0.12	0.08	0.07	0.05	0.02	0.00
57	05/08/2008	0.6508	1112.03	0.18	1.95	87.51	6.91	2.19	0.42	0.46	0.14	0.10	0.08	0.04	0.01	0.00
57	05/07/2008	0.6455	1098.75	0.14	2.18	88.04	6.68	1.91	0.38	0.35	0.12	0.08	0.06	0.03	0.01	0.00
57	05/06/2008	0.6383	1093.82	0.13	1.94	88.82	6.48	1.70	0.34	0.30	0.11	0.07	0.06	0.04	0.01	0.00
57	05/04/2008	0.6333	1098.52	0.26	1.35	89.68	5.81	1.87	0.35	0.37	0.12	0.08	0.06	0.04	0.02	0.00
57	05/03/2008	0.6404	1096.78	0.15	1.94	88.45	6.76	1.78	0.33	0.30	0.10	0.07	0.06	0.04	0.02	0.00
57	05/02/2008	0.6380	1099.15	0.18	1.67	88.94	6.36	1.85	0.36	0.34	0.11	0.08	0.06	0.04	0.02	0.00
57	05/01/2008	0.6365	1094.09	0.18	1.78	89.03	6.32	1.78	0.33	0.30	0.09	0.06	0.05	0.04	0.02	0.00
57	04/30/2008	0.6383	1104.34	0.23	1.45	89.01	6.26	1.95	0.37	0.39	0.13	0.09	0.07	0.04	0.02	0.00
57	04/29/2008	0.6331	1103.74	0.35	1.08	89.94	5.44	2.02	0.38	0.44	0.14	0.10	0.07	0.04	0.02	0.00
57	04/28/2008	0.6342	1102.66	0.25	1.25	89.59	5.90	1.90	0.37	0.39	0.13	0.09	0.07	0.04	0.02	0.00
57	04/27/2008	0.6311	1098.07	0.29	1.22	90.03	5.54	1.87	0.35	0.38	0.12	0.08	0.07	0.04	0.02	0.00
57	04/26/2008	0.6312	1104.47	0.37	0.91	90.26	5.16	2.07	0.39	0.47	0.14	0.10	0.07	0.04	0.01	0.00
57	04/25/2008	0.6289	1099.45	0.39	0.96	90.58	4.97	1.93	0.37	0.44	0.14	0.10	0.08	0.04	0.02	0.00
57	04/24/2008	0.6287	1099.62	0.38	0.94	90.54	5.04	1.95	0.36	0.43	0.13	0.09	0.07	0.04	0.02	0.00
57	04/23/2008	0.6254	1093.79	0.39	0.96	91.03	4.71	1.79	0.35	0.41	0.14	0.09	0.07	0.04	0.02	0.00
57	04/22/2008	0.6313	1104.84	0.35	0.91	90.32	5.13	2.05	0.39	0.47	0.15	0.10	0.08	0.04	0.02	0.00
57	04/21/2008	0.6301	1103.03	0.36	0.90	90.38	5.11	2.04	0.39	0.46	0.14	0.10	0.07	0.03	0.01	0.00
57	04/20/2008	0.6301	1102.37	0.36	0.93	90.38	5.11	2.03	0.38	0.46	0.14	0.10	0.07	0.03	0.01	0.00
57	04/19/2008	0.6268	1096.71	0.37	0.94	90.84	4.83	1.86	0.36	0.42	0.14	0.09	0.07	0.04	0.02	0.00
57	04/18/2008	0.6287	1099.55	0.38	0.95	90.59	4.97	1.93	0.37	0.44	0.14	0.10	0.08	0.04	0.02	0.00
57	04/17/2008	0.6298	1102.15	0.37	0.92	90.46	5.05	2.00	0.38	0.46	0.14	0.10	0.07	0.04	0.01	0.00
57	04/16/2008	0.6289	1100.60	0.38	0.92	90.45	5.10	2.01	0.37	0.44	0.13	0.09	0.06	0.03	0.01	0.00
57	04/15/2008	0.6279	1098.28	0.40	0.94	90.48	5.12	1.98	0.36	0.42	0.12	0.08	0.06	0.03	0.01	0.00
57	04/14/2008	0.6299	1101.92	0.40	0.92	90.28	5.25	2.01	0.37	0.43	0.13	0.09	0.07	0.04	0.01	0.00
57	04/13/2008	0.6302	1102.69	0.38	0.92	90.38	5.10	2.02	0.38	0.45	0.14	0.10	0.07	0.04	0.02	0.00
57	04/12/2008	0.6316	1104.85	0.38	0.92	90.27	5.13	2.06	0.39	0.47	0.15	0.10	0.08	0.04	0.02	0.00
57	04/11/2008	0.6316	1106.08	0.37	0.88	90.18	5.24	2.10	0.39	0.47	0.14	0.10	0.07	0.03	0.01	0.00
57	04/10/2008	0.6361	1113.04	0.36	0.88	89.82	5.33	2.21	0.43	0.53	0.17	0.12	0.09	0.04	0.01	0.00
57	04/09/2008	0.6316	1105.19	0.37	0.91	90.22	5.18	2.09	0.39	0.47	0.14	0.10	0.07	0.04	0.01	0.00
57	04/08/2008	0.6330	1106.83	0.38	0.92	90.14	5.16	2.10	0.41	0.49	0.15	0.11	0.08	0.04	0.02	0.00
57	04/07/2008	0.6329	1107.02	0.38	0.91	90.11	5.19	2.12	0.40	0.48	0.15	0.11	0.08	0.04	0.01	0.00
57	04/06/2008	0.6319	1104.77	0.39	0.93	90.24	5.11	2.07	0.40	0.48	0.15	0.10	0.08	0.04	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = MI 103 From Fidlar To Greasewood

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
57	04/05/2008	0.6306	1101.73	0.41	0.96	90.35	5.04	2.03	0.39	0.46	0.14	0.10	0.07	0.04	0.01	0.00

Meter Name = MI 104 Check Meter

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
94	07/03/2008	0.6077	1056.92	0.35	1.36	93.08	3.50	1.10	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	07/02/2008	0.6089	1059.53	0.34	1.33	92.99	3.53	1.15	0.21	0.24	0.08	0.06	0.05	0.02	0.01	0.00
94	07/01/2008	0.6087	1058.51	0.36	1.35	92.96	3.57	1.13	0.20	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	06/30/2008	0.6086	1059.43	0.35	1.31	92.97	3.59	1.14	0.21	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	06/29/2008	0.6082	1058.46	0.35	1.32	93.01	3.57	1.13	0.20	0.23	0.07	0.05	0.04	0.02	0.01	0.00
94	06/28/2008	0.6078	1057.66	0.35	1.33	93.05	3.53	1.11	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	06/27/2008	0.6085	1059.70	0.35	1.30	92.98	3.59	1.14	0.21	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	06/26/2008	0.6088	1059.61	0.36	1.32	92.95	3.57	1.16	0.21	0.24	0.08	0.05	0.04	0.02	0.01	0.00
94	06/25/2008	0.6077	1057.50	0.36	1.33	93.07	3.52	1.11	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	06/24/2008	0.6077	1057.61	0.36	1.32	93.08	3.50	1.11	0.20	0.23	0.07	0.05	0.04	0.02	0.01	0.00
94	06/23/2008	0.6072	1056.40	0.36	1.34	93.13	3.47	1.09	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	06/22/2008	0.6074	1056.63	0.36	1.34	93.11	3.48	1.09	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	06/21/2008	0.6078	1057.84	0.37	1.31	93.04	3.55	1.11	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	06/20/2008	0.6077	1056.67	0.37	1.36	93.06	3.50	1.10	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	06/19/2008	0.6079	1056.77	0.36	1.37	93.04	3.50	1.11	0.20	0.23	0.07	0.05	0.04	0.02	0.01	0.00
94	06/18/2008	0.6078	1056.89	0.37	1.36	93.06	3.49	1.11	0.20	0.23	0.07	0.05	0.04	0.02	0.01	0.00
94	06/17/2008	0.6078	1056.52	0.37	1.36	93.06	3.47	1.10	0.20	0.23	0.07	0.05	0.04	0.02	0.01	0.00
94	06/16/2008	0.6081	1057.53	0.36	1.35	93.02	3.53	1.12	0.20	0.23	0.07	0.05	0.04	0.02	0.01	0.00
94	06/15/2008	0.6076	1056.58	0.36	1.36	93.08	3.49	1.09	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	06/14/2008	0.6080	1057.04	0.35	1.37	93.06	3.48	1.11	0.20	0.23	0.07	0.05	0.04	0.02	0.01	0.00
94	06/13/2008	0.6086	1058.43	0.36	1.34	92.98	3.54	1.14	0.21	0.23	0.07	0.05	0.04	0.02	0.01	0.00
94	06/12/2008	0.6079	1057.50	0.35	1.34	93.07	3.50	1.11	0.20	0.23	0.07	0.05	0.04	0.02	0.01	0.00
94	06/11/2008	0.6075	1057.34	0.34	1.34	93.11	3.49	1.10	0.20	0.23	0.07	0.05	0.04	0.02	0.01	0.00
94	06/10/2008	0.6073	1056.81	0.35	1.34	93.15	3.46	1.08	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00
94	06/09/2008	0.6072	1056.75	0.34	1.34	93.17	3.45	1.08	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	06/08/2008	0.6074	1057.77	0.34	1.31	93.14	3.49	1.09	0.20	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	06/07/2008	0.6069	1056.33	0.34	1.33	93.20	3.44	1.07	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	06/06/2008	0.6071	1056.22	0.35	1.35	93.19	3.43	1.07	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	06/05/2008	0.6078	1057.61	0.33	1.34	93.14	3.43	1.11	0.21	0.23	0.08	0.06	0.05	0.02	0.01	0.00
94	06/04/2008	0.6078	1057.89	0.34	1.33	93.10	3.47	1.11	0.21	0.23	0.08	0.06	0.04	0.02	0.01	0.00
94	06/03/2008	0.6076	1056.79	0.34	1.36	93.10	3.49	1.09	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	06/02/2008	0.6069	1055.91	0.34	1.36	93.19	3.45	1.06	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	06/01/2008	0.6073	1057.15	0.33	1.33	93.14	3.50	1.08	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	05/31/2008	0.6068	1056.22	0.34	1.34	93.20	3.46	1.06	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	05/30/2008	0.6071	1057.11	0.34	1.32	93.16	3.47	1.08	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	05/29/2008	0.6067	1055.88	0.34	1.34	93.23	3.42	1.06	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	05/28/2008	0.6071	1056.26	0.34	1.35	93.21	3.41	1.07	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00
94	05/27/2008	0.6069	1056.68	0.34	1.32	93.19	3.46	1.07	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	05/26/2008	0.6070	1056.69	0.33	1.33	93.18	3.46	1.08	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	05/25/2008	0.6070	1056.56	0.34	1.33	93.17	3.46	1.08	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	05/24/2008	0.6071	1056.32	0.35	1.34	93.19	3.42	1.08	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00
94	05/23/2008	0.6070	1056.74	0.34	1.33	93.18	3.45	1.09	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00
94	05/22/2008	0.6066	1055.75	0.34	1.34	93.23	3.40	1.07	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	05/21/2008	0.6060	1053.64	0.35	1.39	93.32	3.32	1.04	0.19	0.21	0.07	0.05	0.04	0.02	0.01	0.00
94	05/20/2008	0.6085	1059.35	0.35	1.31	93.01	3.54	1.13	0.21	0.24	0.08	0.06	0.05	0.02	0.01	0.00
94	05/19/2008	0.6083	1058.82	0.34	1.32	93.03	3.53	1.13	0.21	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	05/18/2008	0.6075	1057.68	0.34	1.31	93.14	3.47	1.10	0.20	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	05/17/2008	0.6074	1057.23	0.34	1.33	93.14	3.46	1.09	0.20	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	05/16/2008	0.6072	1057.33	0.34	1.32	93.16	3.47	1.09	0.20	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	05/15/2008	0.6076	1057.83	0.34	1.32	93.12	3.48	1.10	0.20	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	05/14/2008	0.6071	1055.87	0.35	1.36	93.18	3.42	1.07	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00
94	05/13/2008	0.6079	1057.35	0.35	1.35	93.09	3.46	1.11	0.21	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	05/12/2008	0.6074	1056.97	0.36	1.33	93.11	3.49	1.09	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00
94	05/11/2008	0.6069	1055.06	0.36	1.37	93.19	3.42	1.05	0.20	0.21	0.07	0.05	0.04	0.02	0.01	0.00
94	05/10/2008	0.6079	1056.64	0.36	1.37	93.10	3.44	1.09	0.20	0.23	0.08	0.06	0.04	0.02	0.01	0.00
94	05/09/2008	0.6075	1055.62	0.36	1.39	93.12	3.45	1.07	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	05/08/2008	0.6078	1056.95	0.36	1.36	93.12	3.43	1.09	0.21	0.23	0.08	0.06	0.05	0.02	0.01	0.00
94	05/07/2008	0.6071	1054.34	0.37	1.41	93.20	3.36	1.05	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	05/06/2008	0.6073	1055.07	0.36	1.40	93.17	3.39	1.06	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	05/04/2008	0.6079	1056.13	0.35	1.40	93.13	3.40	1.08	0.20	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	05/03/2008	0.6076	1055.84	0.34	1.40	93.17	3.37	1.08	0.20	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	05/02/2008	0.6088	1057.93	0.35	1.39	93.05	3.41	1.13	0.21	0.25	0.08	0.06	0.05	0.02	0.01	0.00
94	05/01/2008	0.6086	1057.99	0.35	1.37	93.05	3.44	1.12	0.21	0.24	0.08	0.06	0.05	0.02	0.01	0.00
94	04/30/2008	0.6083	1056.45	0.35	1.41	93.09	3.41	1.09	0.21	0.23	0.08	0.06	0.04	0.02	0.01	0.00
94	04/29/2008	0.6070	1054.64	0.35	1.40	93.23	3.35	1.05	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = MI 104 Check Meter

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
94	04/28/2008	0.6077	1056.38	0.35	1.38	93.14	3.42	1.08	0.20	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	04/27/2008	0.6070	1054.55	0.35	1.41	93.22	3.36	1.05	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	04/26/2008	0.6077	1055.87	0.36	1.39	93.13	3.42	1.08	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00
94	04/25/2008	0.6103	1061.76	0.35	1.33	92.80	3.64	1.19	0.22	0.25	0.08	0.06	0.05	0.02	0.01	0.00
94	04/24/2008	0.6082	1057.87	0.35	1.35	93.05	3.49	1.11	0.21	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	04/23/2008	0.6077	1056.70	0.34	1.37	93.14	3.42	1.09	0.21	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	04/22/2008	0.6069	1055.70	0.35	1.36	93.23	3.37	1.07	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00
94	04/21/2008	0.6079	1056.52	0.35	1.38	93.11	3.43	1.09	0.21	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	04/20/2008	0.6075	1056.99	0.35	1.34	93.14	3.45	1.08	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00
94	04/19/2008	0.6064	1055.32	0.37	1.33	93.27	3.37	1.05	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00
94	04/18/2008	0.6068	1055.52	0.36	1.35	93.24	3.36	1.06	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00
94	04/17/2008	0.6071	1055.40	0.35	1.38	93.21	3.36	1.07	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00
94	04/16/2008	0.6079	1055.39	0.35	1.43	93.11	3.40	1.09	0.20	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	04/15/2008	0.6083	1056.30	0.35	1.42	93.08	3.44	1.09	0.20	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	04/14/2008	0.6073	1054.86	0.34	1.42	93.19	3.38	1.06	0.20	0.22	0.07	0.05	0.04	0.02	0.01	0.00
94	04/13/2008	0.6079	1056.21	0.34	1.40	93.13	3.41	1.08	0.20	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	04/12/2008	0.6082	1056.59	0.34	1.41	93.08	3.43	1.10	0.21	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	04/11/2008	0.6074	1056.12	0.34	1.38	93.19	3.37	1.09	0.21	0.23	0.08	0.05	0.04	0.02	0.01	0.00
94	04/10/2008	0.6079	1057.77	0.34	1.34	93.11	3.44	1.11	0.21	0.24	0.08	0.05	0.04	0.02	0.01	0.00
94	04/09/2008	0.6077	1057.85	0.34	1.33	93.14	3.45	1.11	0.21	0.23	0.08	0.06	0.04	0.02	0.01	0.00
94	04/08/2008	0.6083	1058.94	0.33	1.32	93.09	3.46	1.13	0.22	0.24	0.08	0.06	0.05	0.02	0.01	0.00
94	04/07/2008	0.6070	1056.45	0.34	1.34	93.22	3.41	1.07	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00
94	04/06/2008	0.6060	1054.59	0.34	1.35	93.33	3.33	1.03	0.20	0.21	0.08	0.05	0.04	0.02	0.01	0.00
94	04/05/2008	0.6066	1055.38	0.35	1.35	93.27	3.36	1.06	0.20	0.22	0.08	0.05	0.04	0.02	0.01	0.00

Meter Name = MI 40 From Fidler To Price

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
8665	07/03/2008	0.6280	1103.37	0.28	0.82	90.39	5.37	2.08	0.35	0.41	0.11	0.08	0.05	0.03	0.01	0.00
8665	07/02/2008	0.6286	1104.46	0.29	0.81	90.33	5.39	2.11	0.36	0.42	0.11	0.08	0.05	0.03	0.01	0.00
8665	07/01/2008	0.6281	1103.60	0.29	0.81	90.38	5.38	2.09	0.35	0.42	0.11	0.08	0.05	0.03	0.01	0.00
8665	06/30/2008	0.6263	1101.02	0.28	0.80	90.54	5.31	2.05	0.34	0.40	0.11	0.07	0.05	0.02	0.01	0.00
8665	06/29/2008	0.6287	1104.65	0.28	0.81	90.39	5.32	2.09	0.36	0.43	0.12	0.09	0.06	0.03	0.01	0.00
8665	06/28/2008	0.6268	1101.54	0.29	0.81	90.53	5.30	2.04	0.35	0.41	0.11	0.08	0.05	0.03	0.01	0.00
8665	06/27/2008	0.6265	1101.22	0.28	0.81	90.52	5.33	2.05	0.34	0.40	0.11	0.07	0.05	0.02	0.01	0.00
8665	06/26/2008	0.6312	1109.13	0.26	0.80	90.14	5.44	2.18	0.38	0.46	0.13	0.09	0.06	0.04	0.01	0.00
8665	06/25/2008	0.6276	1102.75	0.27	0.83	90.43	5.35	2.07	0.35	0.41	0.11	0.08	0.05	0.03	0.01	0.00
8665	06/24/2008	0.6296	1105.88	0.28	0.82	90.25	5.41	2.12	0.37	0.43	0.12	0.08	0.06	0.03	0.01	0.00
8665	06/23/2008	0.6290	1105.17	0.29	0.80	90.40	5.29	2.08	0.37	0.44	0.13	0.09	0.06	0.03	0.01	0.00
8665	06/22/2008	0.6296	1106.59	0.29	0.78	90.35	5.32	2.10	0.37	0.45	0.13	0.09	0.06	0.04	0.02	0.00
8665	06/21/2008	0.6311	1109.21	0.28	0.78	90.18	5.40	2.16	0.38	0.47	0.13	0.10	0.07	0.03	0.01	0.00
8665	06/20/2008	0.6304	1107.91	0.28	0.79	90.19	5.42	2.16	0.38	0.46	0.13	0.09	0.06	0.03	0.01	0.00
8665	06/19/2008	0.6321	1110.17	0.29	0.80	90.11	5.40	2.17	0.39	0.48	0.14	0.10	0.07	0.04	0.02	0.00
8665	06/18/2008	0.6345	1114.52	0.28	0.78	89.86	5.52	2.27	0.41	0.50	0.15	0.11	0.08	0.04	0.02	0.00
8665	06/17/2008	0.6345	1114.76	0.29	0.76	89.78	5.60	2.30	0.41	0.50	0.14	0.10	0.07	0.03	0.01	0.00
8665	06/16/2008	0.6332	1112.74	0.29	0.77	89.88	5.56	2.26	0.40	0.49	0.14	0.10	0.06	0.03	0.01	0.00
8665	06/15/2008	0.6330	1112.32	0.27	0.78	89.91	5.56	2.25	0.40	0.49	0.14	0.10	0.06	0.03	0.01	0.00
8665	06/14/2008	0.6303	1108.24	0.26	0.78	90.27	5.35	2.15	0.38	0.47	0.13	0.09	0.06	0.03	0.01	0.00
8665	06/13/2008	0.6284	1104.73	0.28	0.79	90.52	5.22	2.05	0.36	0.44	0.13	0.09	0.07	0.04	0.01	0.00
8665	06/12/2008	0.6312	1109.45	0.28	0.78	90.12	5.45	2.19	0.39	0.47	0.13	0.09	0.06	0.03	0.01	0.00
8665	06/11/2008	0.6302	1106.00	0.30	0.83	90.30	5.30	2.09	0.38	0.45	0.13	0.10	0.07	0.03	0.01	0.00
8665	06/10/2008	0.6329	1110.78	0.30	0.82	89.97	5.49	2.21	0.39	0.48	0.14	0.10	0.07	0.04	0.01	0.00
8665	06/09/2008	0.6321	1107.49	0.38	0.84	90.09	5.34	2.13	0.38	0.46	0.14	0.10	0.07	0.04	0.02	0.00
8665	06/08/2008	0.6331	1103.72	0.61	0.90	89.99	5.18	2.07	0.38	0.46	0.15	0.10	0.08	0.04	0.02	0.01
8665	06/07/2008	0.6329	1111.40	0.29	0.80	89.94	5.52	2.23	0.40	0.48	0.14	0.10	0.06	0.03	0.01	0.00
8665	06/06/2008	0.6344	1107.95	0.31	1.01	89.95	5.41	2.05	0.39	0.45	0.15	0.10	0.09	0.06	0.03	0.00
8665	06/05/2008	0.6303	1104.06	0.35	0.89	90.33	5.18	2.06	0.38	0.45	0.14	0.10	0.07	0.04	0.01	0.00
8665	06/04/2008	0.6332	1110.65	0.32	0.83	89.98	5.41	2.20	0.40	0.49	0.15	0.10	0.07	0.04	0.01	0.00
8665	06/03/2008	0.6318	1106.12	0.36	0.89	90.22	5.21	2.08	0.39	0.47	0.14	0.10	0.08	0.04	0.02	0.00
8665	06/02/2008	0.6315	1105.37	0.37	0.90	90.25	5.19	2.07	0.38	0.46	0.14	0.10	0.08	0.04	0.02	0.00
8665	06/01/2008	0.6319	1106.10	0.36	0.90	90.24	5.17	2.08	0.39	0.47	0.15	0.10	0.08	0.04	0.02	0.00
8665	05/31/2008	0.6325	1106.91	0.36	0.90	90.16	5.22	2.10	0.39	0.47	0.15	0.10	0.08	0.04	0.02	0.00
8665	05/30/2008	0.6310	1104.81	0.37	0.89	90.26	5.21	2.07	0.38	0.46	0.14	0.10	0.07	0.04	0.02	0.00
8665	05/29/2008	0.6316	1105.60	0.37	0.90	90.22	5.21	2.08	0.39	0.46	0.14	0.10	0.08	0.04	0.02	0.00
8665	05/28/2008	0.6319	1105.30	0.38	0.92	90.27	5.12	2.05	0.38	0.46	0.15	0.10	0.08	0.05	0.02	0.00
8665	05/27/2008	0.6313	1105.14	0.38	0.89	90.26	5.18	2.07	0.38	0.46	0.14	0.10	0.08	0.04	0.02	0.00
8665	05/26/2008	0.6297	1102.78	0.37	0.89	90.43	5.12	2.01	0.37	0.45	0.14	0.10	0.07	0.04	0.02	0.00
8665	05/25/2008	0.6303	1102.98	0.38	0.90	90.35	5.14	2.03	0.38	0.45	0.14	0.10	0.07	0.04	0.02	0.00
8665	05/24/2008	0.6313	1104.83	0.38	0.90	90.28	5.17	2.05	0.38	0.46	0.14	0.10	0.08	0.04	0.02	0.00
8665	05/23/2008	0.6323	1106.73	0.37	0.89	90.17	5.23	2.09	0.39	0.47	0.14	0.10	0.08	0.04	0.02	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = MI 40 From Fidlar To Price

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
8665	05/22/2008	0.6292	1101.23	0.39	0.90	90.44	5.12	1.99	0.37	0.43	0.13	0.09	0.07	0.04	0.02	0.00
8665	05/21/2008	0.6316	1105.23	0.39	0.89	90.23	5.19	2.07	0.38	0.46	0.14	0.10	0.08	0.04	0.02	0.00
8665	05/20/2008	0.6308	1103.75	0.38	0.91	90.32	5.14	2.04	0.38	0.45	0.14	0.10	0.08	0.04	0.02	0.00
8665	05/19/2008	0.6302	1103.27	0.37	0.90	90.39	5.12	2.03	0.38	0.45	0.14	0.10	0.07	0.04	0.02	0.00
8665	05/18/2008	0.6310	1104.94	0.36	0.88	90.30	5.18	2.06	0.38	0.46	0.14	0.10	0.08	0.04	0.02	0.00
8665	05/17/2008	0.6308	1104.46	0.37	0.89	90.32	5.16	2.05	0.38	0.45	0.14	0.10	0.08	0.04	0.02	0.00
8665	05/16/2008	0.6308	1105.04	0.35	0.88	90.33	5.18	2.05	0.38	0.46	0.14	0.10	0.08	0.04	0.02	0.00
8665	05/15/2008	0.6286	1101.33	0.35	0.89	90.53	5.09	1.98	0.36	0.44	0.13	0.09	0.07	0.04	0.01	0.00
8665	05/14/2008	0.6306	1104.80	0.36	0.87	90.33	5.19	2.04	0.38	0.46	0.14	0.10	0.08	0.04	0.02	0.00
8665	05/13/2008	0.6311	1105.65	0.36	0.87	90.32	5.18	2.04	0.38	0.46	0.14	0.10	0.08	0.05	0.02	0.00
8665	05/12/2008	0.6302	1104.48	0.35	0.86	90.32	5.22	2.06	0.38	0.45	0.14	0.10	0.07	0.04	0.01	0.00
8665	05/11/2008	0.6297	1102.24	0.37	0.91	90.40	5.15	2.01	0.37	0.44	0.14	0.10	0.07	0.04	0.02	0.00
8665	05/10/2008	0.6308	1103.86	0.37	0.91	90.31	5.18	2.02	0.37	0.45	0.14	0.10	0.08	0.04	0.02	0.00
8665	05/09/2008	0.6293	1102.07	0.35	0.90	90.39	5.20	2.02	0.37	0.44	0.13	0.09	0.06	0.03	0.01	0.00
8665	05/08/2008	0.6313	1104.74	0.35	0.92	90.21	5.25	2.07	0.38	0.46	0.14	0.10	0.07	0.04	0.01	0.00
8665	05/07/2008	0.6315	1105.32	0.34	0.91	90.21	5.22	2.09	0.39	0.47	0.14	0.10	0.07	0.04	0.01	0.00
8665	05/06/2008	0.6309	1103.41	0.36	0.94	90.50	4.93	1.99	0.39	0.47	0.15	0.11	0.09	0.05	0.02	0.00
8665	05/04/2008	0.6312	1105.09	0.37	0.89	90.28	5.18	2.05	0.38	0.46	0.14	0.10	0.08	0.04	0.02	0.00
8665	05/03/2008	0.6304	1103.54	0.37	0.90	90.36	5.15	2.02	0.37	0.45	0.14	0.10	0.08	0.04	0.02	0.00
8665	05/02/2008	0.6304	1103.49	0.37	0.90	90.36	5.15	2.02	0.38	0.45	0.14	0.10	0.08	0.04	0.02	0.00
8665	05/01/2008	0.6307	1103.72	0.36	0.91	90.34	5.14	2.04	0.38	0.45	0.14	0.10	0.08	0.04	0.02	0.00
8665	04/30/2008	0.6335	1107.04	0.38	0.95	90.09	5.21	2.10	0.40	0.48	0.15	0.11	0.08	0.05	0.02	0.00
8665	04/29/2008	0.6318	1103.94	0.39	0.96	90.26	5.11	2.04	0.39	0.46	0.15	0.10	0.08	0.04	0.02	0.00
8665	04/28/2008	0.6305	1102.97	0.38	0.92	90.37	5.12	2.01	0.37	0.45	0.14	0.10	0.08	0.04	0.02	0.00
8665	04/27/2008	0.6290	1100.10	0.38	0.94	90.48	5.08	1.98	0.37	0.43	0.13	0.09	0.07	0.04	0.01	0.00
8665	04/26/2008	0.6315	1105.18	0.36	0.91	90.26	5.17	2.06	0.38	0.46	0.14	0.10	0.08	0.04	0.02	0.00
8665	04/25/2008	0.6305	1103.16	0.37	0.92	90.33	5.15	2.03	0.38	0.45	0.14	0.10	0.07	0.04	0.01	0.00
8665	04/24/2008	0.6287	1098.90	0.39	0.97	90.56	5.00	1.93	0.36	0.43	0.14	0.09	0.07	0.04	0.02	0.00
8665	04/23/2008	0.6314	1104.77	0.37	0.92	90.28	5.14	2.05	0.39	0.46	0.15	0.10	0.08	0.04	0.02	0.00
8665	04/22/2008	0.6288	1099.48	0.38	0.96	90.58	4.96	1.95	0.37	0.44	0.14	0.10	0.07	0.04	0.01	0.00
8665	04/21/2008	0.6292	1101.27	0.37	0.92	90.48	5.05	2.00	0.38	0.45	0.14	0.10	0.07	0.03	0.01	0.00
8665	04/20/2008	0.6300	1102.28	0.36	0.93	90.38	5.11	2.03	0.38	0.45	0.14	0.10	0.07	0.03	0.01	0.00
8665	04/19/2008	0.6274	1097.83	0.37	0.94	90.78	4.87	1.89	0.36	0.43	0.14	0.10	0.07	0.04	0.02	0.00
8665	04/18/2008	0.6288	1099.54	0.38	0.95	90.59	4.97	1.93	0.37	0.43	0.14	0.10	0.08	0.04	0.02	0.00
8665	04/17/2008	0.6299	1102.34	0.37	0.92	90.45	5.05	2.01	0.38	0.46	0.14	0.10	0.07	0.04	0.01	0.00
8665	04/16/2008	0.6291	1100.93	0.38	0.92	90.42	5.11	2.02	0.37	0.44	0.13	0.09	0.06	0.03	0.01	0.00
8665	04/15/2008	0.6285	1099.13	0.40	0.94	90.45	5.11	1.99	0.36	0.42	0.13	0.09	0.06	0.03	0.01	0.00
8665	04/14/2008	0.6307	1103.18	0.40	0.92	90.20	5.28	2.03	0.37	0.44	0.14	0.10	0.07	0.04	0.01	0.00
8665	04/13/2008	0.6303	1102.86	0.38	0.91	90.38	5.10	2.02	0.38	0.45	0.14	0.10	0.08	0.04	0.02	0.00
8665	04/12/2008	0.6318	1105.10	0.38	0.92	90.26	5.12	2.06	0.39	0.47	0.15	0.10	0.08	0.04	0.02	0.00
8665	04/11/2008	0.6315	1105.94	0.36	0.88	90.20	5.23	2.10	0.39	0.47	0.14	0.10	0.07	0.04	0.01	0.00
8665	04/10/2008	0.6314	1104.99	0.37	0.90	90.25	5.16	2.07	0.39	0.47	0.14	0.10	0.08	0.04	0.01	0.00
8665	04/09/2008	0.6332	1108.54	0.36	0.88	90.09	5.25	2.13	0.40	0.48	0.15	0.11	0.08	0.04	0.02	0.00
8665	04/08/2008	0.6345	1109.28	0.38	0.92	90.07	5.15	2.12	0.41	0.50	0.16	0.12	0.09	0.05	0.02	0.00
8665	04/07/2008	0.6337	1108.14	0.38	0.92	90.07	5.19	2.13	0.41	0.49	0.16	0.11	0.08	0.04	0.02	0.00
8665	04/06/2008	0.6320	1104.91	0.39	0.93	90.23	5.11	2.07	0.40	0.48	0.15	0.10	0.08	0.04	0.01	0.00
8665	04/05/2008	0.6306	1101.77	0.40	0.96	90.34	5.05	2.04	0.39	0.46	0.14	0.10	0.07	0.03	0.01	0.00

Meter Name = MI 80 #1 From Fidlar To Clay Basin

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
3907	07/03/2008	0.6314	1103.02	0.24	1.07	89.87	5.76	2.03	0.36	0.39	0.11	0.08	0.05	0.03	0.01	0.00
3907	07/02/2008	0.6314	1104.40	0.24	1.02	89.83	5.84	2.04	0.36	0.39	0.11	0.08	0.05	0.03	0.01	0.00
3907	07/01/2008	0.6296	1103.41	0.27	0.93	90.12	5.59	2.05	0.36	0.40	0.11	0.08	0.05	0.03	0.01	0.00
3907	06/30/2008	0.6285	1101.80	0.25	0.93	90.20	5.59	2.02	0.35	0.39	0.11	0.07	0.05	0.03	0.01	0.00
3907	06/29/2008	0.6307	1104.47	0.25	0.96	90.04	5.62	2.05	0.36	0.41	0.12	0.08	0.06	0.03	0.01	0.00
3907	06/28/2008	0.6299	1102.34	0.25	1.00	90.05	5.67	2.01	0.35	0.39	0.11	0.08	0.05	0.03	0.01	0.00
3907	06/27/2008	0.6285	1101.58	0.25	0.94	90.21	5.57	2.02	0.35	0.39	0.11	0.07	0.05	0.03	0.01	0.00
3907	06/26/2008	0.6335	1108.57	0.23	0.99	89.72	5.80	2.12	0.38	0.43	0.12	0.09	0.06	0.04	0.02	0.00
3907	06/25/2008	0.6321	1104.41	0.23	1.07	89.79	5.82	2.04	0.37	0.39	0.11	0.08	0.06	0.03	0.01	0.00
3907	06/24/2008	0.6327	1104.98	0.23	1.08	89.70	5.90	2.03	0.37	0.40	0.12	0.08	0.06	0.03	0.01	0.00
3907	06/23/2008	0.6323	1105.03	0.23	1.05	89.82	5.79	2.02	0.37	0.41	0.12	0.08	0.06	0.03	0.01	0.00
3907	06/22/2008	0.6322	1105.35	0.24	1.03	89.84	5.78	2.03	0.37	0.41	0.12	0.08	0.06	0.03	0.02	0.00
3907	06/21/2008	0.6346	1107.82	0.22	1.09	89.53	5.96	2.08	0.38	0.42	0.13	0.09	0.06	0.03	0.01	0.00
3907	06/20/2008	0.6341	1106.54	0.22	1.11	89.56	5.94	2.07	0.38	0.41	0.12	0.08	0.06	0.03	0.01	0.00
3907	06/19/2008	0.6361	1108.68	0.22	1.15	89.42	5.95	2.09	0.39	0.43	0.13	0.09	0.07	0.04	0.02	0.00
3907	06/18/2008	0.6386	1108.30	0.20	1.34	88.98	6.28	2.08	0.39	0.41	0.13	0.09	0.06	0.03	0.01	0.00
3907	06/17/2008	0.6390	1110.44	0.19	1.28	88.82	6.49	2.09	0.40	0.41	0.13	0.09	0.06	0.03	0.01	0.00
3907	06/16/2008	0.6369	1111.91	0.22	1.07	89.20	6.18	2.15	0.41	0.44	0.13	0.09	0.06	0.03	0.01	0.00
3907	06/15/2008	0.6357	1111.17	0.22	1.03	89.39	6.04	2.14	0.40	0.44	0.13	0.09	0.06	0.03	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = MI 80 #1 From Fidar To Clay Basin

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
3907	06/14/2008	0.6330	1107.92	0.22	0.99	89.81	5.73	2.10	0.38	0.44	0.13	0.09	0.06	0.03	0.01	0.00
3907	06/13/2008	0.6315	1105.14	0.23	1.00	89.96	5.71	2.00	0.37	0.41	0.12	0.09	0.06	0.04	0.01	0.00
3907	06/12/2008	0.6339	1107.98	0.23	1.04	89.59	5.92	2.10	0.39	0.43	0.13	0.09	0.06	0.03	0.01	0.00
3907	06/11/2008	0.6333	1106.91	0.26	1.03	89.77	5.74	2.05	0.39	0.43	0.13	0.09	0.07	0.04	0.01	0.00
3907	06/10/2008	0.6361	1110.58	0.24	1.06	89.41	5.95	2.15	0.40	0.45	0.13	0.09	0.07	0.03	0.01	0.00
3907	06/09/2008	0.6346	1107.92	0.25	1.06	89.60	5.85	2.07	0.39	0.43	0.13	0.09	0.07	0.04	0.02	0.00
3907	06/08/2008	0.6344	1105.86	0.28	1.12	89.67	5.76	2.02	0.39	0.42	0.14	0.09	0.07	0.04	0.02	0.00
3907	06/07/2008	0.6355	1110.62	0.24	1.02	89.49	5.92	2.14	0.40	0.44	0.13	0.09	0.07	0.03	0.01	0.00
3907	06/06/2008	0.6399	1110.26	0.25	1.30	89.14	5.96	2.07	0.41	0.44	0.15	0.10	0.09	0.05	0.03	0.00
3907	06/05/2008	0.6351	1106.43	0.26	1.15	89.51	5.89	2.04	0.39	0.42	0.13	0.09	0.07	0.04	0.01	0.00
3907	06/04/2008	0.6365	1110.10	0.27	1.09	89.46	5.80	2.15	0.41	0.46	0.14	0.10	0.07	0.04	0.01	0.00
3907	06/03/2008	0.6373	1108.03	0.28	1.20	89.41	5.79	2.07	0.40	0.44	0.14	0.10	0.08	0.04	0.02	0.00
3907	06/02/2008	0.6366	1106.81	0.28	1.22	89.47	5.77	2.05	0.40	0.43	0.14	0.10	0.08	0.04	0.02	0.00
3907	06/01/2008	0.6358	1107.64	0.30	1.12	89.59	5.70	2.07	0.40	0.44	0.14	0.10	0.08	0.04	0.02	0.00
3907	05/31/2008	0.6360	1107.77	0.31	1.12	89.58	5.67	2.09	0.40	0.45	0.14	0.10	0.08	0.04	0.02	0.00
3907	05/30/2008	0.6340	1106.00	0.31	1.07	89.73	5.66	2.05	0.39	0.44	0.14	0.09	0.07	0.04	0.02	0.00
3907	05/29/2008	0.6337	1106.41	0.33	1.01	89.88	5.49	2.07	0.39	0.45	0.14	0.10	0.07	0.04	0.02	0.00
3907	05/28/2008	0.6322	1105.33	0.38	0.93	90.23	5.16	2.05	0.39	0.46	0.15	0.10	0.08	0.05	0.02	0.00
3907	05/27/2008	0.6339	1106.21	0.32	1.05	89.78	5.60	2.06	0.39	0.44	0.14	0.09	0.07	0.04	0.02	0.00
3907	05/26/2008	0.6326	1103.70	0.32	1.06	89.95	5.51	2.01	0.38	0.43	0.13	0.09	0.07	0.04	0.02	0.00
3907	05/25/2008	0.6348	1103.86	0.30	1.21	89.58	5.77	2.01	0.38	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3907	05/24/2008	0.6358	1105.87	0.30	1.19	89.51	5.77	2.04	0.39	0.43	0.14	0.09	0.07	0.04	0.02	0.00
3907	05/23/2008	0.6353	1107.41	0.30	1.10	89.51	5.85	2.06	0.39	0.43	0.13	0.09	0.07	0.04	0.02	0.00
3907	05/22/2008	0.6320	1103.52	0.35	1.01	89.98	5.51	2.00	0.38	0.42	0.13	0.09	0.07	0.04	0.02	0.00
3907	05/21/2008	0.6325	1105.38	0.37	0.96	90.04	5.35	2.07	0.38	0.45	0.14	0.10	0.07	0.04	0.02	0.00
3907	05/20/2008	0.6342	1103.71	0.32	1.16	89.69	5.67	2.02	0.38	0.42	0.13	0.09	0.07	0.04	0.02	0.00
3907	05/19/2008	0.6328	1102.99	0.32	1.11	89.87	5.58	2.00	0.38	0.42	0.13	0.09	0.07	0.04	0.02	0.00
3907	05/18/2008	0.6339	1104.37	0.31	1.12	89.76	5.61	2.03	0.38	0.43	0.13	0.09	0.07	0.04	0.02	0.00
3907	05/17/2008	0.6343	1103.91	0.31	1.17	89.65	5.70	2.03	0.38	0.42	0.13	0.09	0.07	0.04	0.01	0.00
3907	05/16/2008	0.6336	1103.92	0.30	1.14	89.74	5.67	2.02	0.38	0.42	0.13	0.09	0.07	0.04	0.02	0.00
3907	05/15/2008	0.6320	1100.57	0.29	1.17	89.85	5.68	1.95	0.36	0.39	0.12	0.08	0.06	0.03	0.01	0.00
3907	05/14/2008	0.6322	1103.25	0.30	1.07	89.90	5.62	1.98	0.37	0.41	0.13	0.09	0.07	0.04	0.02	0.00
3907	05/13/2008	0.6335	1105.63	0.33	1.04	90.00	5.35	2.04	0.39	0.46	0.14	0.10	0.08	0.04	0.02	0.00
3907	05/12/2008	0.6340	1103.34	0.30	1.18	89.77	5.58	2.03	0.38	0.43	0.13	0.09	0.07	0.04	0.01	0.00
3907	05/11/2008	0.6317	1102.00	0.33	1.07	90.09	5.36	1.99	0.37	0.43	0.13	0.09	0.07	0.04	0.02	0.00
3907	05/10/2008	0.6312	1103.36	0.36	0.96	90.24	5.23	2.01	0.37	0.44	0.14	0.10	0.08	0.04	0.02	0.00
3907	05/09/2008	0.6295	1101.84	0.34	0.93	90.36	5.22	2.02	0.37	0.43	0.13	0.09	0.06	0.03	0.01	0.00
3907	05/08/2008	0.6317	1104.73	0.35	0.95	90.14	5.30	2.07	0.38	0.45	0.14	0.10	0.07	0.04	0.01	0.00
3907	05/07/2008	0.6321	1104.82	0.33	0.98	90.11	5.30	2.08	0.39	0.46	0.14	0.10	0.07	0.04	0.01	0.00
3907	05/06/2008	0.6308	1102.76	0.35	0.97	90.48	4.96	1.97	0.39	0.46	0.15	0.11	0.09	0.05	0.02	0.00
3907	05/04/2008	0.6313	1104.56	0.37	0.92	90.25	5.22	2.04	0.38	0.45	0.14	0.10	0.08	0.04	0.02	0.00
3907	05/03/2008	0.6312	1102.99	0.35	0.99	90.20	5.28	2.00	0.37	0.44	0.14	0.10	0.08	0.04	0.02	0.00
3907	05/02/2008	0.6314	1102.78	0.35	1.01	90.17	5.31	2.00	0.37	0.43	0.13	0.10	0.07	0.04	0.02	0.00
3907	05/01/2008	0.6326	1100.82	0.31	1.19	89.93	5.50	1.96	0.36	0.41	0.13	0.09	0.07	0.04	0.02	0.00
3907	04/30/2008	0.6341	1106.95	0.36	1.00	89.97	5.32	2.08	0.40	0.47	0.15	0.11	0.08	0.05	0.02	0.00
3907	04/29/2008	0.6319	1103.76	0.38	0.97	90.22	5.16	2.04	0.38	0.45	0.14	0.10	0.08	0.04	0.02	0.00
3907	04/28/2008	0.6310	1102.86	0.36	0.97	90.27	5.21	2.00	0.37	0.44	0.14	0.10	0.08	0.04	0.02	0.00
3907	04/27/2008	0.6291	1099.67	0.37	0.97	90.45	5.11	1.96	0.36	0.43	0.13	0.09	0.07	0.04	0.01	0.00
3907	04/26/2008	0.6316	1105.21	0.36	0.91	90.25	5.18	2.06	0.38	0.46	0.14	0.10	0.08	0.04	0.02	0.00
3907	04/25/2008	0.6304	1102.84	0.37	0.93	90.35	5.14	2.03	0.38	0.45	0.14	0.10	0.07	0.04	0.01	0.00
3907	04/24/2008	0.6279	1097.81	0.39	0.96	90.63	4.98	1.91	0.36	0.42	0.13	0.09	0.07	0.04	0.02	0.00
3907	04/23/2008	0.6312	1104.41	0.37	0.92	90.30	5.13	2.05	0.38	0.46	0.15	0.10	0.08	0.04	0.02	0.00
3907	04/22/2008	0.6295	1101.15	0.37	0.94	90.49	5.03	1.99	0.38	0.45	0.14	0.10	0.07	0.04	0.01	0.00
3907	04/21/2008	0.6296	1102.00	0.37	0.91	90.45	5.07	2.01	0.38	0.45	0.14	0.10	0.07	0.03	0.01	0.00
3907	04/20/2008	0.6300	1102.19	0.37	0.93	90.39	5.11	2.03	0.38	0.45	0.14	0.10	0.07	0.03	0.01	0.00
3907	04/19/2008	0.6269	1096.92	0.37	0.95	90.83	4.84	1.87	0.36	0.42	0.14	0.09	0.07	0.04	0.02	0.00
3907	04/18/2008	0.6287	1099.58	0.38	0.95	90.59	4.98	1.93	0.37	0.43	0.14	0.10	0.08	0.04	0.02	0.00
3907	04/17/2008	0.6299	1102.24	0.37	0.92	90.45	5.04	2.00	0.38	0.46	0.14	0.10	0.07	0.04	0.01	0.00
3907	04/16/2008	0.6290	1100.73	0.38	0.92	90.44	5.10	2.01	0.37	0.44	0.13	0.09	0.06	0.03	0.01	0.00
3907	04/15/2008	0.6276	1097.36	0.41	0.95	90.54	5.08	1.96	0.36	0.41	0.12	0.08	0.06	0.03	0.01	0.00
3907	04/14/2008	0.6300	1102.00	0.40	0.92	90.27	5.26	2.01	0.37	0.44	0.13	0.09	0.07	0.03	0.01	0.00
3907	04/13/2008	0.6303	1102.79	0.38	0.91	90.38	5.10	2.02	0.38	0.45	0.14	0.10	0.08	0.04	0.02	0.00
3907	04/12/2008	0.6317	1104.92	0.38	0.92	90.27	5.12	2.05	0.39	0.47	0.15	0.10	0.08	0.04	0.02	0.00
3907	04/11/2008	0.6315	1106.04	0.36	0.88	90.19	5.24	2.10	0.39	0.47	0.14	0.10	0.07	0.04	0.01	0.00
3907	04/10/2008	0.6314	1105.04	0.37	0.90	90.25	5.16	2.07	0.39	0.47	0.14	0.10	0.08	0.04	0.01	0.00
3907	04/09/2008	0.6330	1108.12	0.36	0.89	90.11	5.24	2.12	0.40	0.48	0.15	0.11	0.08	0.04	0.02	0.00
3907	04/08/2008	0.6344	1109.15	0.38	0.92	90.06	5.16	2.12	0.41	0.50	0.16	0.12	0.09	0.05	0.02	0.00
3907	04/07/2008	0.6337	1108.11	0.38	0.92	90.08	5.19	2.13	0.41	0.49	0.16	0.11	0.08	0.04	0.02	0.00
3907	04/06/2008	0.6320	1104.90	0.39	0.93	90.23	5.11	2.07	0.40	0.48	0.15	0.10	0.08	0.04	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = MI 80 #1 From Fidar To Clay Basin

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
3907	04/05/2008	0.6305	1101.57	0.41	0.96	90.36	5.04	2.03	0.39	0.46	0.14	0.10	0.07	0.03	0.01	0.00

Meter Name = Nightingale Master Meter

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
13	07/03/2008	0.6294	1076.76	0.40	1.88	90.79	4.35	1.51	0.34	0.36	0.14	0.09	0.09	0.05	0.01	0.00
13	07/02/2008	0.6229	1068.64	0.42	1.79	91.37	4.16	1.36	0.30	0.31	0.11	0.07	0.07	0.04	0.00	0.00
13	07/01/2008	0.6178	1060.45	0.43	1.79	92.00	3.77	1.21	0.27	0.28	0.10	0.06	0.06	0.03	0.00	0.00
13	06/30/2008	0.6212	1068.24	0.42	1.69	91.75	3.82	1.37	0.31	0.32	0.12	0.08	0.07	0.04	0.00	0.00
13	06/29/2008	0.6162	1059.25	0.49	1.70	92.17	3.66	1.19	0.26	0.27	0.10	0.07	0.06	0.03	0.00	0.00
13	06/28/2008	0.6141	1055.38	0.56	1.67	92.39	3.51	1.13	0.25	0.26	0.10	0.06	0.05	0.03	0.00	0.00
13	06/27/2008	0.6186	1061.73	0.52	1.73	91.91	3.75	1.25	0.28	0.29	0.11	0.07	0.06	0.03	0.00	0.00
13	06/26/2008	0.6232	1062.45	0.78	1.82	91.33	3.87	1.29	0.29	0.30	0.12	0.08	0.08	0.05	0.01	0.01
13	06/25/2008	0.6263	1066.35	0.76	1.86	91.05	3.99	1.34	0.31	0.32	0.13	0.08	0.09	0.06	0.01	0.00
13	06/24/2008	0.6210	1057.69	0.81	1.85	91.54	3.80	1.15	0.26	0.27	0.11	0.07	0.08	0.05	0.01	0.00
13	06/23/2008	0.6207	1058.22	0.77	1.83	91.59	3.79	1.16	0.27	0.27	0.11	0.07	0.08	0.05	0.01	0.00
13	06/22/2008	0.6178	1055.94	0.57	1.87	91.94	3.73	1.10	0.25	0.25	0.10	0.06	0.07	0.04	0.00	0.00
13	06/21/2008	0.6190	1059.88	0.39	1.91	91.82	3.92	1.17	0.26	0.27	0.10	0.06	0.06	0.03	0.00	0.00
13	06/20/2008	0.6215	1060.80	0.64	1.86	91.40	4.02	1.24	0.28	0.28	0.11	0.07	0.06	0.03	0.00	0.00
13	06/19/2008	0.6209	1061.99	0.53	1.85	91.57	3.98	1.23	0.28	0.28	0.11	0.07	0.07	0.04	0.00	0.00
13	06/18/2008	0.6205	1062.61	0.38	1.90	91.66	3.98	1.24	0.28	0.28	0.11	0.07	0.06	0.03	0.00	0.00
13	06/17/2008	0.6225	1065.74	0.45	1.85	91.40	4.11	1.31	0.29	0.30	0.11	0.07	0.07	0.03	0.00	0.00
13	06/16/2008	0.6202	1055.61	0.75	1.92	91.51	3.86	1.17	0.27	0.26	0.10	0.06	0.06	0.03	0.00	0.00
13	06/15/2008	0.6190	1053.59	0.77	1.92	91.62	3.81	1.13	0.26	0.25	0.10	0.06	0.06	0.03	0.00	0.00
13	06/14/2008	0.6195	1054.65	0.77	1.90	91.58	3.83	1.15	0.26	0.26	0.10	0.06	0.06	0.03	0.00	0.00
13	06/13/2008	0.6205	1056.02	0.76	1.91	91.48	3.87	1.17	0.27	0.27	0.10	0.07	0.06	0.03	0.00	0.00
13	06/12/2008	0.6204	1056.70	0.76	1.88	91.46	3.92	1.18	0.27	0.27	0.10	0.06	0.06	0.03	0.00	0.00
13	06/11/2008	0.6213	1057.65	0.80	1.87	91.32	4.00	1.21	0.27	0.27	0.10	0.06	0.06	0.03	0.00	0.00
13	06/10/2008	0.6211	1056.08	0.77	1.95	91.39	3.92	1.17	0.27	0.27	0.10	0.07	0.06	0.03	0.00	0.00
13	06/09/2008	0.6203	1055.99	0.76	1.91	91.46	3.93	1.17	0.26	0.27	0.10	0.06	0.06	0.03	0.00	0.00
13	06/08/2008	0.6198	1055.12	0.73	1.93	91.55	3.86	1.15	0.26	0.26	0.10	0.06	0.06	0.03	0.00	0.00
13	06/07/2008	0.6202	1056.54	0.71	1.91	91.51	3.91	1.18	0.27	0.27	0.10	0.06	0.06	0.03	0.00	0.00
13	06/06/2008	0.6200	1057.57	0.64	1.90	91.59	3.89	1.18	0.27	0.27	0.10	0.06	0.06	0.03	0.00	0.00
13	06/05/2008	0.6190	1057.60	0.56	1.89	91.74	3.86	1.17	0.26	0.26	0.10	0.06	0.06	0.03	0.00	0.01
13	06/04/2008	0.6196	1059.00	0.54	1.89	91.59	4.05	1.17	0.26	0.26	0.10	0.06	0.06	0.03	0.00	0.01
13	06/03/2008	0.6218	1059.82	0.73	1.86	91.30	4.05	1.23	0.28	0.27	0.10	0.06	0.06	0.03	0.00	0.01
13	06/02/2008	0.6235	1063.43	0.64	1.88	91.18	4.11	1.31	0.29	0.29	0.11	0.07	0.06	0.03	0.00	0.01
13	06/01/2008	0.6222	1062.13	0.62	1.87	91.38	4.01	1.28	0.29	0.28	0.11	0.07	0.06	0.03	0.00	0.01
13	05/31/2008	0.6250	1068.78	0.57	1.81	91.16	4.09	1.41	0.32	0.32	0.12	0.08	0.07	0.04	0.01	0.01
13	05/30/2008	0.6247	1066.87	0.59	1.85	91.14	4.10	1.39	0.31	0.32	0.12	0.07	0.07	0.04	0.01	0.01
13	05/29/2008	0.6223	1060.63	0.75	1.85	91.33	3.96	1.25	0.28	0.28	0.11	0.07	0.07	0.04	0.01	0.01
13	05/28/2008	0.6226	1060.22	0.77	1.87	91.28	3.96	1.25	0.28	0.28	0.11	0.07	0.07	0.04	0.01	0.01
13	05/27/2008	0.6206	1057.89	0.71	1.88	91.49	3.93	1.18	0.27	0.27	0.10	0.07	0.06	0.03	0.01	0.01
13	05/26/2008	0.6204	1059.32	0.59	1.89	91.58	3.93	1.20	0.27	0.27	0.10	0.07	0.06	0.03	0.01	0.01
13	05/25/2008	0.6196	1058.86	0.60	1.85	91.68	3.88	1.18	0.27	0.27	0.10	0.06	0.06	0.03	0.01	0.01
13	05/24/2008	0.6200	1060.33	0.51	1.88	91.67	3.92	1.21	0.27	0.27	0.10	0.06	0.06	0.03	0.01	0.00
13	05/23/2008	0.6192	1060.46	0.39	1.90	91.82	3.90	1.19	0.27	0.27	0.10	0.06	0.06	0.03	0.01	0.00
13	05/22/2008	0.6191	1059.99	0.39	1.91	91.86	3.86	1.18	0.27	0.26	0.10	0.06	0.06	0.03	0.01	0.00
13	05/21/2008	0.6196	1062.10	0.39	1.86	91.84	3.87	1.20	0.27	0.28	0.11	0.07	0.07	0.03	0.01	0.00
13	05/20/2008	0.6223	1066.28	0.39	1.86	91.54	4.01	1.30	0.29	0.30	0.11	0.07	0.07	0.04	0.01	0.00
13	05/19/2008	0.6197	1062.59	0.38	1.85	91.85	3.87	1.20	0.27	0.28	0.11	0.07	0.07	0.04	0.01	0.00
13	05/18/2008	0.6199	1062.32	0.39	1.87	91.83	3.87	1.19	0.27	0.28	0.11	0.07	0.07	0.04	0.01	0.00
13	05/17/2008	0.6217	1064.52	0.38	1.90	91.61	3.99	1.24	0.28	0.29	0.11	0.07	0.07	0.04	0.01	0.00
13	05/16/2008	0.6220	1065.05	0.36	1.90	91.59	3.99	1.26	0.29	0.30	0.11	0.07	0.07	0.04	0.01	0.00
13	05/15/2008	0.6222	1067.68	0.36	1.82	91.47	4.17	1.31	0.29	0.29	0.11	0.07	0.07	0.04	0.01	0.00
13	05/14/2008	0.6207	1065.59	0.35	1.81	91.66	4.08	1.24	0.28	0.28	0.11	0.07	0.07	0.04	0.01	0.00
13	05/13/2008	0.6220	1065.14	0.37	1.90	91.55	4.04	1.27	0.29	0.29	0.11	0.07	0.07	0.04	0.01	0.00
13	05/12/2008	0.6209	1063.72	0.38	1.89	91.66	3.99	1.24	0.27	0.28	0.11	0.07	0.06	0.04	0.01	0.00
13	05/11/2008	0.6229	1066.44	0.38	1.90	91.42	4.11	1.30	0.29	0.30	0.11	0.07	0.06	0.05	0.01	0.00
13	05/10/2008	0.6224	1065.97	0.40	1.88	91.45	4.11	1.29	0.29	0.29	0.11	0.07	0.07	0.05	0.01	0.00
13	05/09/2008	0.6197	1063.04	0.42	1.81	91.84	3.87	1.22	0.27	0.28	0.10	0.07	0.07	0.05	0.01	0.00
13	05/08/2008	0.6203	1063.08	0.42	1.84	91.77	3.88	1.23	0.28	0.29	0.10	0.06	0.07	0.05	0.01	0.00
13	05/07/2008	0.6163	1060.59	0.46	1.66	92.17	3.76	1.16	0.24	0.25	0.09	0.06	0.08	0.05	0.01	0.00
13	05/06/2008	0.6174	1058.76	0.43	1.83	92.18	3.66	1.09	0.25	0.25	0.11	0.07	0.08	0.05	0.01	0.00
13	05/04/2008	0.6275	1072.19	0.37	1.96	90.90	4.42	1.36	0.31	0.31	0.13	0.08	0.09	0.05	0.01	0.00
13	05/03/2008	0.6263	1069.78	0.37	1.98	91.05	4.32	1.31	0.30	0.30	0.12	0.08	0.09	0.05	0.01	0.00
13	05/02/2008	0.6283	1073.15	0.36	1.98	90.77	4.51	1.40	0.32	0.31	0.12	0.08	0.09	0.05	0.01	0.00
13	05/01/2008	0.6266	1070.08	0.37	1.99	90.92	4.40	1.42	0.31	0.30	0.11	0.07	0.07	0.04	0.01	0.00
13	04/30/2008	0.6304	1076.95	0.39	1.94	90.64	4.44	1.52	0.34	0.35	0.13	0.09	0.10	0.06	0.01	0.00
13	04/29/2008	0.6313	1078.47	0.39	1.94	90.53	4.51	1.57	0.35	0.35	0.14	0.09	0.10	0.05	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = Nightingale Master Meter

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
13	04/28/2008	0.6312	1077.58	0.39	1.96	90.59	4.43	1.53	0.35	0.36	0.14	0.09	0.10	0.05	0.01	0.00
13	04/27/2008	0.6287	1073.57	0.39	1.97	90.72	4.45	1.49	0.33	0.33	0.12	0.07	0.08	0.04	0.01	0.00
13	04/26/2008	0.6274	1072.14	0.39	1.95	90.81	4.45	1.45	0.32	0.31	0.11	0.07	0.08	0.04	0.01	0.00
13	04/25/2008	0.6283	1072.50	0.39	1.98	90.76	4.44	1.46	0.32	0.32	0.12	0.08	0.08	0.04	0.01	0.00
13	04/24/2008	0.6295	1075.57	0.39	1.94	90.62	4.51	1.53	0.34	0.35	0.13	0.08	0.08	0.04	0.01	0.00
13	04/23/2008	0.6309	1078.61	0.39	1.90	90.48	4.56	1.60	0.36	0.36	0.13	0.08	0.08	0.04	0.01	0.00
13	04/22/2008	0.6310	1078.44	0.37	1.93	90.50	4.53	1.60	0.36	0.36	0.13	0.08	0.08	0.04	0.01	0.00
13	04/21/2008	0.6313	1078.62	0.36	1.94	90.47	4.55	1.61	0.36	0.36	0.13	0.08	0.08	0.04	0.01	0.00
13	04/20/2008	0.6316	1079.31	0.39	1.92	90.40	4.60	1.62	0.36	0.36	0.14	0.09	0.08	0.04	0.01	0.00
13	04/19/2008	0.6345	1084.30	0.39	1.90	90.09	4.74	1.72	0.38	0.39	0.14	0.09	0.09	0.05	0.01	0.00
13	04/18/2008	0.6326	1080.60	0.38	1.94	90.31	4.61	1.66	0.37	0.38	0.14	0.08	0.08	0.04	0.01	0.00
13	04/17/2008	0.6309	1078.02	0.35	1.96	90.48	4.56	1.60	0.36	0.36	0.13	0.08	0.08	0.04	0.01	0.00
13	04/16/2008	0.6329	1081.68	0.33	1.95	90.30	4.64	1.69	0.37	0.37	0.13	0.08	0.08	0.04	0.01	0.00
13	04/15/2008	0.6359	1085.77	0.37	1.94	90.01	4.70	1.78	0.40	0.41	0.15	0.09	0.09	0.04	0.01	0.00
13	04/14/2008	0.6312	1077.49	0.46	1.92	90.45	4.50	1.60	0.36	0.36	0.13	0.08	0.09	0.04	0.01	0.00
13	04/13/2008	0.6330	1079.70	0.52	1.91	90.20	4.61	1.66	0.37	0.38	0.14	0.09	0.08	0.04	0.01	0.00
13	04/12/2008	0.6312	1075.10	0.58	1.93	90.33	4.55	1.57	0.35	0.35	0.13	0.08	0.08	0.04	0.01	0.00
13	04/11/2008	0.6303	1071.06	0.70	1.96	90.37	4.46	1.51	0.34	0.34	0.12	0.08	0.08	0.04	0.01	0.00
13	04/10/2008	0.6303	1071.98	0.70	1.93	90.38	4.45	1.54	0.34	0.34	0.13	0.08	0.08	0.04	0.01	0.00
13	04/09/2008	0.6316	1074.51	0.67	1.93	90.27	4.50	1.57	0.36	0.36	0.13	0.08	0.08	0.04	0.01	0.00
13	04/08/2008	0.6318	1075.39	0.58	1.97	90.29	4.53	1.58	0.36	0.36	0.13	0.08	0.08	0.04	0.01	0.00
13	04/07/2008	0.6322	1076.60	0.57	1.95	90.25	4.56	1.59	0.36	0.36	0.14	0.08	0.08	0.04	0.01	0.00
13	04/06/2008	0.6317	1076.50	0.56	1.93	90.29	4.57	1.59	0.36	0.36	0.13	0.08	0.08	0.04	0.01	0.00
13	04/05/2008	0.6320	1076.17	0.58	1.95	90.22	4.61	1.59	0.36	0.36	0.13	0.08	0.08	0.04	0.01	0.00

Meter Name = Payson 1-12"

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
2812	07/03/2008	0.6179	1083.10	0.42	0.90	91.62	4.71	1.45	0.27	0.31	0.11	0.08	0.06	0.04	0.02	0.00
2812	07/02/2008	0.6185	1084.04	0.43	0.90	91.56	4.74	1.47	0.27	0.32	0.11	0.08	0.06	0.04	0.02	0.00
2812	07/01/2008	0.6185	1083.42	0.45	0.91	91.51	4.77	1.48	0.28	0.31	0.10	0.07	0.06	0.04	0.02	0.00
2812	06/30/2008	0.6187	1083.29	0.45	0.93	91.49	4.77	1.47	0.28	0.31	0.11	0.08	0.06	0.04	0.02	0.00
2812	06/29/2008	0.6171	1079.79	0.45	0.96	91.72	4.58	1.43	0.26	0.30	0.10	0.07	0.06	0.04	0.02	0.00
2812	06/28/2008	0.6172	1081.55	0.44	0.91	91.68	4.68	1.43	0.27	0.30	0.10	0.07	0.06	0.04	0.02	0.00
2812	06/27/2008	0.6189	1084.13	0.44	0.91	91.53	4.71	1.49	0.28	0.32	0.11	0.08	0.06	0.04	0.02	0.00
2812	06/26/2008	0.6189	1084.80	0.44	0.89	91.44	4.82	1.51	0.28	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	06/25/2008	0.6188	1083.91	0.45	0.91	91.46	4.81	1.49	0.28	0.31	0.11	0.07	0.06	0.04	0.01	0.00
2812	06/24/2008	0.6182	1082.71	0.45	0.91	91.55	4.74	1.47	0.28	0.31	0.10	0.07	0.06	0.04	0.02	0.00
2812	06/23/2008	0.6186	1083.51	0.46	0.91	91.47	4.81	1.47	0.28	0.31	0.11	0.07	0.06	0.04	0.02	0.00
2812	06/22/2008	0.6182	1082.23	0.47	0.93	91.53	4.74	1.46	0.27	0.31	0.10	0.07	0.06	0.04	0.01	0.00
2812	06/21/2008	0.6178	1082.59	0.47	0.89	91.54	4.77	1.46	0.27	0.30	0.10	0.07	0.06	0.03	0.01	0.00
2812	06/20/2008	0.6188	1083.69	0.47	0.90	91.43	4.81	1.50	0.28	0.32	0.11	0.07	0.06	0.03	0.01	0.00
2812	06/19/2008	0.6190	1084.22	0.46	0.91	91.43	4.81	1.50	0.28	0.32	0.11	0.08	0.06	0.03	0.01	0.00
2812	06/18/2008	0.6187	1082.94	0.48	0.92	91.47	4.76	1.48	0.28	0.31	0.11	0.07	0.06	0.03	0.01	0.00
2812	06/17/2008	0.6185	1081.87	0.49	0.95	91.52	4.69	1.48	0.28	0.31	0.10	0.07	0.06	0.03	0.01	0.00
2812	06/16/2008	0.6192	1084.16	0.46	0.92	91.41	4.82	1.49	0.29	0.32	0.11	0.07	0.06	0.03	0.01	0.00
2812	06/15/2008	0.6203	1086.44	0.44	0.91	91.26	4.95	1.53	0.29	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	06/14/2008	0.6195	1083.99	0.44	0.95	91.40	4.80	1.51	0.28	0.32	0.11	0.08	0.06	0.03	0.01	0.00
2812	06/13/2008	0.6215	1088.00	0.44	0.92	91.12	5.00	1.59	0.30	0.34	0.11	0.08	0.06	0.03	0.01	0.00
2812	06/12/2008	0.6205	1087.68	0.41	0.89	91.24	4.97	1.56	0.30	0.33	0.11	0.08	0.06	0.03	0.02	0.00
2812	06/11/2008	0.6206	1087.76	0.40	0.90	91.25	4.96	1.56	0.29	0.33	0.11	0.08	0.06	0.04	0.02	0.00
2812	06/10/2008	0.6197	1085.55	0.42	0.92	91.38	4.87	1.50	0.28	0.32	0.11	0.08	0.06	0.04	0.02	0.00
2812	06/09/2008	0.6192	1085.38	0.42	0.90	91.44	4.83	1.51	0.28	0.32	0.11	0.08	0.06	0.04	0.02	0.00
2812	06/08/2008	0.6191	1085.54	0.41	0.89	91.46	4.82	1.50	0.28	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	06/07/2008	0.6192	1085.36	0.41	0.90	91.45	4.83	1.50	0.28	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	06/06/2008	0.6191	1084.28	0.42	0.93	91.49	4.75	1.50	0.28	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	06/05/2008	0.6196	1085.87	0.40	0.92	91.45	4.78	1.52	0.29	0.33	0.11	0.08	0.07	0.04	0.01	0.00
2812	06/04/2008	0.6201	1086.53	0.41	0.91	91.34	4.88	1.53	0.29	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	06/03/2008	0.6190	1084.46	0.40	0.93	91.44	4.88	1.43	0.29	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	06/02/2008	0.6190	1084.83	0.40	0.92	91.45	4.86	1.48	0.28	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	06/01/2008	0.6187	1084.61	0.40	0.90	91.49	4.84	1.47	0.28	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/31/2008	0.6189	1084.77	0.41	0.91	91.45	4.85	1.48	0.28	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/30/2008	0.6184	1084.07	0.41	0.90	91.55	4.77	1.46	0.28	0.32	0.11	0.08	0.06	0.04	0.02	0.00
2812	05/29/2008	0.6195	1086.50	0.40	0.88	91.39	4.91	1.50	0.29	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/28/2008	0.6189	1084.14	0.41	0.93	91.52	4.76	1.48	0.29	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/27/2008	0.6144	1074.51	0.45	1.01	92.06	4.36	1.32	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
2812	05/26/2008	0.6173	1081.34	0.42	0.94	91.68	4.67	1.43	0.27	0.31	0.11	0.07	0.06	0.03	0.01	0.00
2812	05/25/2008	0.6187	1084.50	0.42	0.90	91.50	4.80	1.48	0.28	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/24/2008	0.6196	1086.77	0.41	0.87	91.38	4.88	1.52	0.29	0.34	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/23/2008	0.6190	1085.35	0.41	0.89	91.46	4.82	1.50	0.29	0.32	0.11	0.08	0.06	0.04	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = Payson 1-12"

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
2812	05/22/2008	0.6194	1086.26	0.40	0.89	91.42	4.87	1.50	0.29	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/21/2008	0.6198	1085.90	0.42	0.91	91.39	4.86	1.50	0.29	0.33	0.11	0.08	0.06	0.04	0.02	0.00
2812	05/20/2008	0.6173	1080.31	0.45	0.96	91.73	4.55	1.42	0.27	0.31	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/19/2008	0.6193	1084.93	0.42	0.92	91.46	4.77	1.51	0.29	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/18/2008	0.6192	1085.40	0.42	0.90	91.45	4.82	1.50	0.29	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/17/2008	0.6203	1087.51	0.40	0.89	91.31	4.91	1.55	0.29	0.34	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/16/2008	0.6206	1088.01	0.40	0.89	91.27	4.94	1.55	0.30	0.34	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/15/2008	0.6208	1088.03	0.40	0.90	91.26	4.94	1.55	0.30	0.34	0.12	0.08	0.06	0.04	0.01	0.00
2812	05/14/2008	0.6212	1088.06	0.41	0.92	91.21	4.95	1.55	0.30	0.34	0.12	0.08	0.07	0.04	0.01	0.00
2812	05/13/2008	0.6213	1088.07	0.41	0.92	91.21	4.93	1.58	0.30	0.34	0.12	0.08	0.06	0.04	0.01	0.00
2812	05/12/2008	0.6200	1085.80	0.41	0.93	91.32	4.92	1.50	0.29	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/11/2008	0.6209	1087.30	0.42	0.92	91.26	4.91	1.53	0.29	0.34	0.12	0.09	0.07	0.04	0.01	0.00
2812	05/10/2008	0.6200	1085.09	0.45	0.94	91.33	4.84	1.52	0.29	0.33	0.11	0.08	0.06	0.03	0.01	0.00
2812	05/09/2008	0.6192	1083.39	0.44	0.96	91.48	4.71	1.49	0.28	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/08/2008	0.6201	1086.25	0.44	0.90	91.34	4.85	1.54	0.29	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/07/2008	0.6203	1085.78	0.46	0.92	91.29	4.86	1.54	0.29	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	05/06/2008	0.6217	1087.39	0.44	0.96	91.05	5.06	1.57	0.30	0.33	0.11	0.08	0.06	0.03	0.01	0.00
2812	05/04/2008	0.6217	1088.89	0.40	0.92	91.16	4.97	1.58	0.30	0.34	0.12	0.08	0.07	0.04	0.01	0.00
2812	05/03/2008	0.6212	1087.17	0.41	0.95	91.26	4.87	1.55	0.30	0.34	0.12	0.08	0.07	0.04	0.01	0.00
2812	05/02/2008	0.6227	1089.72	0.40	0.95	91.13	4.90	1.61	0.31	0.36	0.12	0.09	0.07	0.04	0.01	0.00
2812	05/01/2008	0.6228	1089.69	0.40	0.96	91.10	4.94	1.60	0.31	0.36	0.12	0.09	0.07	0.04	0.02	0.00
2812	04/30/2008	0.6227	1089.29	0.42	0.96	91.06	5.00	1.58	0.30	0.35	0.12	0.09	0.07	0.04	0.02	0.00
2812	04/29/2008	0.6217	1089.09	0.41	0.91	91.12	5.03	1.57	0.30	0.34	0.12	0.08	0.07	0.04	0.01	0.00
2812	04/28/2008	0.6211	1087.83	0.40	0.93	91.21	4.95	1.56	0.30	0.34	0.12	0.08	0.06	0.04	0.01	0.00
2812	04/27/2008	0.6214	1088.88	0.40	0.91	91.13	5.03	1.58	0.30	0.34	0.12	0.08	0.06	0.03	0.01	0.00
2812	04/26/2008	0.6215	1088.29	0.40	0.94	91.14	4.99	1.59	0.30	0.34	0.12	0.08	0.06	0.03	0.01	0.00
2812	04/25/2008	0.6150	1071.27	0.40	1.21	92.14	4.12	1.33	0.25	0.28	0.10	0.07	0.05	0.03	0.01	0.00
2812	04/24/2008	0.6205	1085.52	0.41	0.97	91.32	4.84	1.53	0.29	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	04/23/2008	0.6206	1086.06	0.41	0.96	91.32	4.83	1.53	0.29	0.33	0.11	0.08	0.07	0.04	0.02	0.00
2812	04/22/2008	0.6201	1086.16	0.41	0.92	91.38	4.83	1.53	0.29	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	04/21/2008	0.6211	1087.09	0.41	0.95	91.25	4.89	1.55	0.30	0.34	0.12	0.08	0.07	0.04	0.01	0.00
2812	04/20/2008	0.6214	1088.62	0.41	0.91	91.18	4.99	1.56	0.30	0.34	0.12	0.08	0.07	0.04	0.01	0.00
2812	04/19/2008	0.6207	1087.31	0.43	0.90	91.24	4.94	1.54	0.29	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	04/18/2008	0.6213	1088.21	0.41	0.92	91.20	4.95	1.57	0.30	0.34	0.12	0.08	0.07	0.04	0.01	0.00
2812	04/17/2008	0.6223	1089.57	0.39	0.94	91.08	5.00	1.62	0.31	0.35	0.12	0.08	0.06	0.03	0.01	0.00
2812	04/16/2008	0.6208	1086.15	0.41	0.97	91.29	4.85	1.56	0.30	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	04/15/2008	0.6208	1085.72	0.42	0.98	91.30	4.84	1.52	0.29	0.33	0.11	0.08	0.07	0.04	0.02	0.00
2812	04/14/2008	0.6209	1087.06	0.40	0.95	91.24	4.93	1.56	0.29	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	04/13/2008	0.6205	1085.95	0.39	0.97	91.33	4.85	1.53	0.29	0.33	0.11	0.08	0.06	0.04	0.01	0.00
2812	04/12/2008	0.6207	1085.45	0.40	1.00	91.32	4.81	1.54	0.29	0.33	0.12	0.08	0.06	0.04	0.01	0.00
2812	04/11/2008	0.6198	1085.86	0.40	0.92	91.42	4.79	1.54	0.29	0.33	0.11	0.08	0.06	0.03	0.01	0.00
2812	04/10/2008	0.6188	1083.97	0.42	0.92	91.55	4.68	1.51	0.29	0.33	0.11	0.08	0.06	0.03	0.01	0.00
2812	04/09/2008	0.6186	1083.92	0.42	0.91	91.58	4.68	1.49	0.28	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	04/08/2008	0.6194	1085.44	0.41	0.91	91.48	4.73	1.53	0.29	0.34	0.12	0.08	0.06	0.03	0.01	0.00
2812	04/07/2008	0.6190	1085.24	0.40	0.90	91.49	4.80	1.49	0.28	0.32	0.11	0.08	0.07	0.04	0.01	0.00
2812	04/06/2008	0.6182	1083.36	0.42	0.92	91.59	4.72	1.46	0.28	0.32	0.11	0.08	0.06	0.04	0.01	0.00
2812	04/05/2008	0.6197	1086.32	0.40	0.90	91.41	4.84	1.52	0.29	0.33	0.11	0.08	0.06	0.04	0.01	0.00

Meter Name = Price Master Meter West

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
66	07/03/2008	0.6139	1070.40	0.54	1.08	92.19	4.14	1.26	0.24	0.27	0.10	0.07	0.06	0.04	0.02	0.00
66	07/02/2008	0.6151	1073.16	0.54	1.05	92.06	4.21	1.31	0.25	0.28	0.10	0.07	0.07	0.04	0.02	0.00
66	07/01/2008	0.6149	1072.55	0.56	1.04	92.03	4.25	1.30	0.25	0.28	0.10	0.07	0.06	0.04	0.02	0.00
66	06/30/2008	0.6154	1072.68	0.56	1.07	92.00	4.24	1.31	0.25	0.28	0.10	0.07	0.06	0.04	0.02	0.00
66	06/29/2008	0.6147	1070.86	0.57	1.09	92.07	4.19	1.28	0.24	0.27	0.10	0.07	0.06	0.04	0.02	0.00
66	06/28/2008	0.6149	1071.72	0.56	1.08	92.05	4.22	1.29	0.24	0.27	0.10	0.07	0.06	0.04	0.02	0.00
66	06/27/2008	0.6150	1073.38	0.53	1.03	92.05	4.25	1.32	0.25	0.28	0.10	0.07	0.06	0.04	0.02	0.00
66	06/26/2008	0.6137	1070.08	0.58	1.06	92.18	4.12	1.26	0.24	0.27	0.10	0.07	0.06	0.04	0.01	0.00
66	06/25/2008	0.6140	1071.03	0.57	1.04	92.14	4.18	1.28	0.24	0.27	0.10	0.07	0.06	0.04	0.01	0.00
66	06/24/2008	0.6134	1069.86	0.58	1.04	92.20	4.12	1.27	0.24	0.27	0.09	0.07	0.06	0.04	0.01	0.00
66	06/23/2008	0.6143	1071.88	0.58	1.02	92.06	4.24	1.30	0.25	0.27	0.10	0.07	0.06	0.04	0.01	0.00
66	06/22/2008	0.6138	1070.68	0.60	1.03	92.14	4.17	1.28	0.24	0.27	0.10	0.07	0.06	0.04	0.01	0.00
66	06/21/2008	0.6132	1069.95	0.59	1.02	92.20	4.15	1.26	0.24	0.27	0.09	0.07	0.06	0.04	0.01	0.00
66	06/20/2008	0.6138	1071.41	0.58	1.01	92.12	4.21	1.29	0.24	0.27	0.10	0.07	0.06	0.04	0.01	0.00
66	06/19/2008	0.6145	1072.48	0.57	1.02	92.03	4.27	1.31	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
66	06/18/2008	0.6151	1073.04	0.59	1.02	91.97	4.28	1.33	0.25	0.28	0.10	0.07	0.06	0.04	0.01	0.00
66	06/17/2008	0.6141	1069.91	0.62	1.06	92.09	4.17	1.27	0.24	0.27	0.10	0.07	0.06	0.04	0.01	0.00
66	06/16/2008	0.6147	1072.30	0.57	1.03	92.02	4.26	1.31	0.25	0.28	0.10	0.07	0.06	0.04	0.01	0.00
66	06/15/2008	0.6142	1071.06	0.57	1.05	92.10	4.20	1.28	0.24	0.27	0.10	0.07	0.06	0.04	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = Price Master Meter West

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
66	06/14/2008	0.6139	1069.99	0.58	1.07	92.13	4.15	1.28	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	06/13/2008	0.6142	1070.29	0.59	1.07	92.08	4.19	1.29	0.24	0.27	0.09	0.07	0.06	0.03	0.01	0.00
66	06/12/2008	0.6146	1071.92	0.58	1.04	92.01	4.26	1.31	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
66	06/11/2008	0.6154	1074.17	0.53	1.03	91.94	4.34	1.35	0.25	0.28	0.10	0.07	0.06	0.04	0.01	0.00
66	06/10/2008	0.6143	1070.82	0.58	1.06	92.08	4.22	1.28	0.24	0.27	0.10	0.07	0.06	0.04	0.01	0.00
66	06/09/2008	0.6139	1071.23	0.57	1.03	92.11	4.22	1.28	0.25	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	06/08/2008	0.6138	1071.25	0.58	1.02	92.13	4.21	1.27	0.25	0.27	0.10	0.07	0.06	0.04	0.01	0.00
66	06/07/2008	0.6132	1069.80	0.59	1.03	92.19	4.16	1.25	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	06/06/2008	0.6132	1068.54	0.59	1.08	92.22	4.10	1.24	0.24	0.27	0.10	0.07	0.06	0.04	0.01	0.00
66	06/05/2008	0.6136	1069.91	0.56	1.07	92.20	4.12	1.27	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	06/04/2008	0.6134	1069.65	0.59	1.04	92.18	4.14	1.26	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	06/03/2008	0.6127	1068.40	0.57	1.07	92.28	4.09	1.23	0.24	0.26	0.09	0.07	0.06	0.03	0.01	0.00
66	06/02/2008	0.6138	1070.99	0.55	1.05	92.15	4.21	1.27	0.24	0.27	0.10	0.07	0.06	0.04	0.01	0.00
66	06/01/2008	0.6143	1071.96	0.53	1.05	92.09	4.25	1.28	0.25	0.27	0.10	0.07	0.06	0.04	0.01	0.00
66	05/31/2008	0.6145	1073.08	0.53	1.02	92.04	4.30	1.31	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
66	05/30/2008	0.6140	1072.51	0.54	1.00	92.09	4.27	1.30	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
66	05/29/2008	0.6141	1072.17	0.55	1.02	92.09	4.25	1.30	0.25	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	05/28/2008	0.6143	1072.36	0.55	1.02	92.07	4.25	1.30	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
66	05/27/2008	0.6137	1071.41	0.57	1.01	92.11	4.24	1.28	0.25	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	05/26/2008	0.6140	1070.80	0.56	1.06	92.09	4.21	1.29	0.25	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	05/25/2008	0.6146	1071.70	0.56	1.06	92.02	4.26	1.29	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
66	05/24/2008	0.6139	1069.60	0.59	1.08	92.11	4.17	1.27	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	05/23/2008	0.6143	1071.55	0.55	1.05	92.06	4.25	1.30	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
66	05/22/2008	0.6147	1071.57	0.57	1.06	92.01	4.25	1.30	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
66	05/21/2008	0.6144	1070.37	0.59	1.08	92.05	4.21	1.28	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	05/20/2008	0.6141	1069.84	0.60	1.08	92.12	4.15	1.25	0.24	0.27	0.10	0.07	0.06	0.04	0.01	0.00
66	05/19/2008	0.6154	1071.70	0.59	1.09	91.96	4.25	1.30	0.25	0.28	0.10	0.07	0.06	0.04	0.01	0.00
66	05/18/2008	0.6150	1071.09	0.58	1.10	92.00	4.23	1.28	0.25	0.28	0.10	0.07	0.06	0.04	0.01	0.00
66	05/17/2008	0.6150	1070.20	0.58	1.13	92.00	4.22	1.27	0.25	0.27	0.10	0.07	0.06	0.04	0.01	0.00
66	05/16/2008	0.6149	1070.85	0.54	1.12	92.03	4.23	1.28	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
66	05/15/2008	0.6146	1068.94	0.58	1.16	92.04	4.17	1.26	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	05/14/2008	0.6150	1066.78	0.60	1.26	92.00	4.14	1.24	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	05/13/2008	0.6149	1067.09	0.61	1.23	92.00	4.13	1.25	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	05/12/2008	0.6149	1068.21	0.61	1.19	91.97	4.21	1.26	0.24	0.27	0.09	0.07	0.06	0.03	0.01	0.00
66	05/11/2008	0.6146	1065.56	0.61	1.27	92.06	4.08	1.22	0.24	0.26	0.10	0.07	0.06	0.03	0.01	0.00
66	05/10/2008	0.6164	1069.49	0.59	1.24	91.84	4.24	1.29	0.25	0.28	0.10	0.07	0.06	0.03	0.01	0.00
66	05/09/2008	0.6159	1067.58	0.59	1.29	91.91	4.18	1.25	0.24	0.27	0.10	0.07	0.06	0.03	0.01	0.00
66	05/08/2008	0.6122	1059.96	0.53	1.40	92.52	3.72	1.12	0.22	0.24	0.09	0.06	0.06	0.04	0.01	0.00
66	05/07/2008	0.6132	1060.54	0.54	1.43	92.37	3.80	1.13	0.22	0.24	0.09	0.06	0.06	0.04	0.01	0.00
66	05/06/2008	0.6130	1059.45	0.54	1.46	92.44	3.73	1.12	0.22	0.24	0.09	0.06	0.06	0.04	0.01	0.00
66	05/04/2008	0.6131	1058.36	0.53	1.51	92.46	3.67	1.10	0.22	0.24	0.09	0.06	0.06	0.04	0.01	0.00
66	05/03/2008	0.6135	1059.57	0.52	1.50	92.39	3.73	1.13	0.22	0.24	0.09	0.06	0.06	0.04	0.01	0.00
66	05/02/2008	0.6146	1061.57	0.52	1.48	92.26	3.80	1.18	0.23	0.26	0.09	0.07	0.06	0.04	0.01	0.00
66	05/01/2008	0.6144	1061.47	0.52	1.48	92.26	3.82	1.18	0.23	0.26	0.09	0.06	0.06	0.03	0.01	0.00
66	04/30/2008	0.6149	1061.23	0.53	1.51	92.21	3.83	1.18	0.23	0.25	0.09	0.07	0.06	0.04	0.01	0.00
66	04/29/2008	0.6137	1060.20	0.51	1.49	92.38	3.76	1.13	0.22	0.24	0.09	0.06	0.06	0.04	0.01	0.00
66	04/28/2008	0.6126	1059.17	0.53	1.46	92.49	3.70	1.11	0.22	0.24	0.09	0.06	0.06	0.04	0.01	0.00
66	04/27/2008	0.6122	1056.86	0.54	1.51	92.53	3.64	1.08	0.21	0.23	0.09	0.06	0.06	0.03	0.01	0.00
66	04/26/2008	0.6128	1057.47	0.55	1.52	92.45	3.67	1.10	0.21	0.24	0.09	0.06	0.06	0.03	0.01	0.00
66	04/25/2008	0.6126	1057.37	0.53	1.52	92.51	3.64	1.10	0.22	0.24	0.09	0.06	0.06	0.03	0.01	0.00
66	04/24/2008	0.6140	1061.94	0.52	1.43	92.28	3.86	1.17	0.23	0.25	0.09	0.06	0.06	0.04	0.01	0.00
66	04/23/2008	0.6132	1060.65	0.53	1.43	92.40	3.77	1.14	0.22	0.24	0.09	0.06	0.06	0.04	0.01	0.00
66	04/22/2008	0.6118	1059.57	0.54	1.38	92.56	3.70	1.11	0.22	0.24	0.09	0.06	0.06	0.03	0.01	0.00
66	04/21/2008	0.6126	1061.61	0.54	1.35	92.44	3.79	1.15	0.22	0.25	0.09	0.06	0.06	0.04	0.01	0.00
66	04/20/2008	0.6106	1059.60	0.55	1.30	92.68	3.67	1.10	0.21	0.23	0.09	0.06	0.06	0.03	0.01	0.00
66	04/19/2008	0.6097	1059.81	0.56	1.22	92.78	3.64	1.08	0.21	0.23	0.09	0.06	0.06	0.04	0.01	0.00
66	04/18/2008	0.6103	1060.32	0.55	1.25	92.70	3.68	1.11	0.21	0.24	0.09	0.06	0.06	0.03	0.01	0.00
66	04/17/2008	0.6102	1060.80	0.54	1.23	92.72	3.69	1.12	0.22	0.24	0.09	0.06	0.05	0.03	0.01	0.00
66	04/16/2008	0.6121	1065.17	0.52	1.19	92.45	3.89	1.21	0.23	0.25	0.09	0.06	0.06	0.03	0.01	0.00
66	04/15/2008	0.6124	1064.40	0.51	1.24	92.44	3.87	1.18	0.23	0.25	0.09	0.06	0.06	0.04	0.01	0.00
66	04/14/2008	0.6118	1061.36	0.52	1.32	92.54	3.76	1.13	0.22	0.24	0.09	0.06	0.06	0.04	0.01	0.00
66	04/13/2008	0.6115	1060.33	0.53	1.34	92.59	3.71	1.12	0.22	0.24	0.09	0.06	0.06	0.03	0.01	0.00
66	04/12/2008	0.6122	1059.79	0.55	1.39	92.49	3.73	1.13	0.22	0.24	0.09	0.06	0.06	0.03	0.01	0.00
66	04/11/2008	0.6110	1062.76	0.54	1.20	92.60	3.78	1.16	0.22	0.25	0.09	0.06	0.05	0.03	0.01	0.00
66	04/10/2008	0.6113	1066.66	0.53	1.08	92.53	3.91	1.21	0.23	0.26	0.09	0.06	0.06	0.03	0.01	0.00
66	04/09/2008	0.6099	1063.85	0.54	1.09	92.72	3.77	1.15	0.22	0.25	0.09	0.06	0.06	0.03	0.01	0.00
66	04/08/2008	0.6095	1062.96	0.55	1.10	92.77	3.72	1.14	0.22	0.25	0.09	0.06	0.06	0.03	0.01	0.00
66	04/07/2008	0.6099	1063.46	0.55	1.10	92.71	3.78	1.14	0.22	0.24	0.09	0.06	0.06	0.03	0.01	0.00
66	04/06/2008	0.6086	1060.11	0.56	1.15	92.89	3.64	1.08	0.21	0.23	0.09	0.06	0.06	0.03	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = Price Master Meter West

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
66	04/05/2008	0.6090	1061.12	0.56	1.13	92.83	3.68	1.10	0.21	0.24	0.09	0.06	0.06	0.03	0.01	0.00

Meter Name = Simon Compressor Master Meter

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
7	07/03/2008	0.6293	1076.14	0.38	1.91	90.77	4.37	1.50	0.35	0.36	0.14	0.09	0.08	0.05	0.01	0.00
7	07/02/2008	0.6245	1070.35	0.39	1.84	91.23	4.21	1.38	0.32	0.32	0.12	0.08	0.06	0.04	0.01	0.00
7	07/01/2008	0.6187	1060.85	0.40	1.84	91.87	3.85	1.22	0.28	0.28	0.10	0.06	0.05	0.03	0.00	0.00
7	06/30/2008	0.6210	1067.01	0.42	1.73	91.76	3.79	1.36	0.31	0.32	0.12	0.08	0.06	0.04	0.01	0.00
7	06/29/2008	0.6157	1058.64	0.43	1.73	92.26	3.63	1.17	0.26	0.27	0.10	0.06	0.05	0.03	0.00	0.00
7	06/28/2008	0.6136	1055.46	0.44	1.72	92.51	3.48	1.11	0.25	0.26	0.09	0.06	0.04	0.03	0.00	0.00
7	06/27/2008	0.6159	1058.41	0.44	1.75	92.24	3.62	1.18	0.26	0.27	0.10	0.06	0.05	0.03	0.00	0.00
7	06/26/2008	0.6236	1067.76	0.42	1.86	91.47	3.94	1.34	0.31	0.32	0.12	0.08	0.07	0.05	0.01	0.00
7	06/25/2008	0.6255	1069.90	0.41	1.90	91.35	3.98	1.34	0.32	0.33	0.13	0.09	0.08	0.06	0.01	0.00
7	06/24/2008	0.6207	1061.88	0.42	1.92	91.79	3.82	1.17	0.27	0.28	0.11	0.07	0.07	0.06	0.01	0.00
7	06/23/2008	0.6204	1062.41	0.42	1.88	91.82	3.83	1.17	0.27	0.28	0.11	0.07	0.07	0.06	0.01	0.00
7	06/22/2008	0.6172	1056.91	0.39	1.92	92.13	3.70	1.08	0.25	0.25	0.10	0.06	0.06	0.04	0.01	0.00
7	06/21/2008	0.6187	1058.45	0.37	1.96	91.84	3.92	1.13	0.26	0.26	0.10	0.06	0.05	0.03	0.00	0.00
7	06/20/2008	0.6204	1061.72	0.39	1.92	91.65	4.00	1.22	0.28	0.28	0.11	0.07	0.05	0.03	0.00	0.00
7	06/19/2008	0.6212	1063.79	0.38	1.90	91.61	4.01	1.24	0.29	0.29	0.11	0.07	0.06	0.04	0.00	0.00
7	06/18/2008	0.6197	1060.54	0.37	1.94	91.75	3.93	1.20	0.28	0.28	0.10	0.06	0.05	0.03	0.00	0.00
7	06/17/2008	0.6226	1065.81	0.39	1.90	91.39	4.14	1.30	0.30	0.30	0.11	0.07	0.06	0.04	0.00	0.00
7	06/16/2008	0.6195	1059.69	0.37	1.96	91.78	3.90	1.19	0.27	0.27	0.10	0.06	0.05	0.03	0.00	0.00
7	06/15/2008	0.6185	1057.30	0.38	1.99	91.90	3.82	1.14	0.27	0.26	0.10	0.06	0.05	0.03	0.00	0.00
7	06/14/2008	0.6177	1056.71	0.38	1.96	91.98	3.80	1.12	0.26	0.26	0.10	0.06	0.05	0.03	0.00	0.00
7	06/13/2008	0.6195	1059.41	0.38	1.97	91.79	3.89	1.18	0.27	0.27	0.10	0.06	0.05	0.03	0.00	0.00
7	06/12/2008	0.6195	1060.10	0.37	1.95	91.77	3.92	1.18	0.28	0.27	0.10	0.06	0.05	0.03	0.00	0.00
7	06/11/2008	0.6198	1062.15	0.36	1.89	91.70	4.02	1.21	0.28	0.27	0.10	0.06	0.05	0.03	0.00	0.00
7	06/10/2008	0.6200	1059.37	0.37	2.00	91.72	3.93	1.17	0.27	0.27	0.10	0.06	0.05	0.03	0.00	0.00
7	06/09/2008	0.6198	1059.83	0.37	1.97	91.73	3.95	1.17	0.27	0.27	0.10	0.06	0.05	0.03	0.00	0.00
7	06/08/2008	0.6187	1058.26	0.37	1.97	91.86	3.87	1.15	0.27	0.26	0.10	0.06	0.05	0.03	0.00	0.00
7	06/07/2008	0.6193	1059.23	0.37	1.97	91.79	3.91	1.17	0.27	0.27	0.10	0.06	0.05	0.03	0.00	0.00
7	06/06/2008	0.6194	1059.91	0.37	1.95	91.79	3.91	1.18	0.28	0.27	0.10	0.06	0.05	0.03	0.00	0.00
7	06/05/2008	0.6182	1058.15	0.38	1.93	91.95	3.80	1.15	0.27	0.26	0.10	0.06	0.05	0.03	0.00	0.00
7	06/04/2008	0.6188	1059.17	0.40	1.92	91.74	4.05	1.14	0.26	0.25	0.10	0.06	0.05	0.03	0.00	0.00
7	06/03/2008	0.6212	1062.53	0.41	1.92	91.52	4.09	1.24	0.28	0.27	0.10	0.06	0.05	0.03	0.00	0.00
7	06/02/2008	0.6211	1063.56	0.37	1.91	91.58	4.06	1.24	0.28	0.28	0.11	0.07	0.06	0.04	0.00	0.00
7	06/01/2008	0.6239	1067.56	0.37	1.92	91.30	4.16	1.36	0.31	0.30	0.11	0.07	0.06	0.04	0.00	0.01
7	05/31/2008	0.6227	1067.01	0.41	1.85	91.51	3.99	1.32	0.31	0.31	0.12	0.07	0.06	0.04	0.01	0.01
7	05/30/2008	0.6263	1071.95	0.39	1.89	91.06	4.22	1.46	0.34	0.33	0.12	0.08	0.06	0.04	0.01	0.01
7	05/29/2008	0.6193	1060.76	0.39	1.90	91.87	3.85	1.18	0.27	0.27	0.10	0.06	0.06	0.04	0.01	0.01
7	05/28/2008	0.6239	1067.58	0.38	1.92	91.36	4.09	1.33	0.31	0.31	0.12	0.07	0.07	0.04	0.01	0.01
7	05/27/2008	0.6197	1060.78	0.38	1.92	91.80	3.90	1.18	0.27	0.27	0.10	0.07	0.05	0.04	0.01	0.01
7	05/26/2008	0.6197	1060.92	0.37	1.93	91.77	3.95	1.18	0.27	0.27	0.10	0.06	0.05	0.03	0.01	0.01
7	05/25/2008	0.6192	1060.79	0.38	1.90	91.85	3.89	1.19	0.27	0.27	0.10	0.06	0.05	0.03	0.01	0.01
7	05/24/2008	0.6195	1060.89	0.37	1.91	91.82	3.90	1.19	0.28	0.27	0.10	0.06	0.05	0.03	0.01	0.00
7	05/23/2008	0.6194	1060.72	0.37	1.91	91.81	3.91	1.18	0.27	0.27	0.10	0.06	0.05	0.03	0.01	0.00
7	05/22/2008	0.6190	1059.47	0.38	1.94	91.88	3.85	1.17	0.27	0.26	0.10	0.06	0.05	0.04	0.01	0.00
7	05/21/2008	0.6193	1060.41	0.38	1.91	91.86	3.85	1.17	0.27	0.27	0.10	0.07	0.05	0.04	0.01	0.00
7	05/20/2008	0.6220	1064.97	0.37	1.90	91.60	3.98	1.26	0.29	0.29	0.11	0.07	0.06	0.04	0.01	0.00
7	05/19/2008	0.6200	1062.51	0.37	1.88	91.82	3.88	1.20	0.28	0.28	0.11	0.07	0.06	0.04	0.01	0.00
7	05/18/2008	0.6196	1061.40	0.38	1.90	91.88	3.83	1.17	0.27	0.27	0.11	0.07	0.06	0.04	0.01	0.00
7	05/17/2008	0.6218	1064.28	0.36	1.93	91.61	3.98	1.23	0.29	0.29	0.11	0.07	0.06	0.05	0.01	0.00
7	05/16/2008	0.6219	1064.41	0.35	1.94	91.61	3.98	1.24	0.29	0.29	0.11	0.07	0.06	0.05	0.01	0.00
7	05/15/2008	0.6226	1067.25	0.34	1.88	91.45	4.16	1.30	0.29	0.29	0.11	0.07	0.06	0.05	0.01	0.00
7	05/14/2008	0.6213	1066.97	0.33	1.81	91.58	4.14	1.27	0.28	0.28	0.11	0.07	0.06	0.05	0.01	0.00
7	05/13/2008	0.6221	1064.97	0.35	1.93	91.53	4.07	1.25	0.29	0.29	0.11	0.07	0.06	0.05	0.01	0.00
7	05/12/2008	0.6203	1061.91	0.35	1.94	91.74	3.95	1.20	0.27	0.27	0.11	0.07	0.05	0.05	0.01	0.00
7	05/11/2008	0.6228	1066.17	0.35	1.92	91.45	4.10	1.29	0.29	0.30	0.11	0.07	0.05	0.05	0.01	0.00
7	05/10/2008	0.6227	1066.21	0.37	1.90	91.43	4.15	1.28	0.29	0.29	0.11	0.07	0.06	0.05	0.01	0.00
7	05/09/2008	0.6192	1061.55	0.40	1.85	91.89	3.86	1.18	0.27	0.27	0.10	0.07	0.06	0.06	0.01	0.00
7	05/08/2008	0.6198	1062.19	0.40	1.86	91.84	3.85	1.20	0.28	0.28	0.10	0.06	0.06	0.06	0.01	0.00
7	05/07/2008	0.6167	1060.76	0.43	1.70	92.14	3.77	1.17	0.25	0.25	0.09	0.06	0.07	0.05	0.01	0.00
7	05/06/2008	0.6163	1056.56	0.40	1.87	92.31	3.59	1.05	0.24	0.24	0.10	0.07	0.07	0.06	0.01	0.00
7	05/04/2008	0.6282	1073.05	0.34	1.99	90.82	4.50	1.36	0.32	0.32	0.13	0.08	0.08	0.06	0.01	0.00
7	05/03/2008	0.6261	1069.33	0.34	2.01	91.15	4.24	1.30	0.31	0.31	0.12	0.08	0.08	0.06	0.01	0.00
7	05/02/2008	0.6286	1073.47	0.33	2.01	90.75	4.54	1.38	0.32	0.32	0.13	0.08	0.08	0.06	0.01	0.00
7	05/01/2008	0.6100	1057.21	0.25	1.55	93.02	3.39	1.09	0.24	0.22	0.08	0.05	0.05	0.04	0.00	0.00
7	04/30/2008	0.6274	1073.07	0.35	1.94	90.96	4.32	1.45	0.33	0.32	0.12	0.08	0.07	0.06	0.01	0.00
7	04/29/2008	0.6327	1080.32	0.35	1.97	90.45	4.51	1.58	0.36	0.37	0.14	0.09	0.09	0.07	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = Simon Compressor Master Meter

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
7	04/28/2008	0.6327	1079.69	0.35	2.00	90.50	4.45	1.55	0.36	0.37	0.15	0.09	0.09	0.07	0.01	0.00
7	04/27/2008	0.6287	1073.41	0.35	2.00	90.75	4.44	1.47	0.33	0.33	0.12	0.07	0.07	0.05	0.01	0.00
7	04/26/2008	0.6274	1070.60	0.36	2.03	90.85	4.42	1.42	0.32	0.31	0.11	0.07	0.07	0.05	0.01	0.00
7	04/25/2008	0.6278	1071.99	0.36	2.00	90.83	4.42	1.44	0.32	0.31	0.12	0.08	0.07	0.05	0.00	0.00
7	04/24/2008	0.6288	1074.63	0.35	1.96	90.71	4.48	1.50	0.34	0.34	0.12	0.08	0.07	0.05	0.00	0.00
7	04/23/2008	0.6311	1078.89	0.36	1.92	90.49	4.56	1.59	0.36	0.36	0.13	0.08	0.07	0.05	0.01	0.00
7	04/22/2008	0.6315	1078.98	0.35	1.95	90.47	4.54	1.61	0.36	0.37	0.13	0.08	0.07	0.05	0.01	0.00
7	04/21/2008	0.6309	1077.73	0.36	1.96	90.51	4.53	1.58	0.36	0.36	0.13	0.08	0.07	0.05	0.01	0.00
7	04/20/2008	0.6310	1078.55	0.36	1.93	90.47	4.57	1.60	0.36	0.36	0.13	0.08	0.07	0.05	0.00	0.00
7	04/19/2008	0.6344	1084.02	0.35	1.93	90.13	4.73	1.69	0.39	0.39	0.15	0.09	0.08	0.05	0.01	0.00
7	04/18/2008	0.6336	1082.24	0.35	1.95	90.22	4.66	1.69	0.38	0.39	0.14	0.09	0.07	0.05	0.01	0.00
7	04/17/2008	0.6313	1078.20	0.34	1.98	90.45	4.58	1.60	0.36	0.36	0.13	0.08	0.07	0.05	0.01	0.00
7	04/16/2008	0.6318	1079.51	0.33	1.96	90.40	4.61	1.63	0.37	0.36	0.13	0.08	0.07	0.05	0.01	0.00
7	04/15/2008	0.6364	1086.38	0.35	1.96	89.95	4.75	1.79	0.41	0.41	0.15	0.10	0.08	0.05	0.01	0.00
7	04/14/2008	0.6321	1079.97	0.34	1.96	90.42	4.56	1.63	0.37	0.37	0.14	0.09	0.08	0.05	0.01	0.00
7	04/13/2008	0.6326	1081.23	0.34	1.93	90.35	4.63	1.64	0.37	0.37	0.14	0.09	0.08	0.05	0.01	0.00
7	04/12/2008	0.6318	1079.63	0.35	1.95	90.38	4.64	1.61	0.36	0.36	0.13	0.08	0.07	0.05	0.01	0.00
7	04/11/2008	0.6295	1075.34	0.34	1.98	90.64	4.51	1.51	0.34	0.34	0.13	0.08	0.07	0.05	0.01	0.00
7	04/10/2008	0.6295	1075.50	0.35	1.97	90.64	4.49	1.54	0.35	0.34	0.13	0.08	0.07	0.04	0.00	0.00
7	04/09/2008	0.6305	1077.77	0.35	1.94	90.56	4.53	1.57	0.36	0.36	0.13	0.08	0.07	0.05	0.01	0.00
7	04/08/2008	0.6316	1078.76	0.34	1.97	90.46	4.56	1.59	0.36	0.36	0.13	0.08	0.07	0.05	0.01	0.00
7	04/07/2008	0.6315	1078.75	0.35	1.96	90.43	4.59	1.59	0.36	0.36	0.14	0.09	0.07	0.05	0.01	0.00
7	04/06/2008	0.6314	1079.29	0.36	1.93	90.44	4.60	1.60	0.37	0.37	0.13	0.08	0.07	0.05	0.01	0.00
7	04/05/2008	0.6312	1078.46	0.36	1.95	90.40	4.65	1.60	0.36	0.36	0.13	0.08	0.07	0.05	0.00	0.00