

**Questar Pipeline Company
Average Daily Gas Quality Information**

Meter Name = COALVILLE ML 14 - 20

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
43	02/05/2012	0.5968	1043.49	0.57	1.08	94.19	2.91	0.84	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	02/04/2012	0.5876	1033.48	0.54	0.92	95.39	2.26	0.60	0.10	0.11	0.03	0.02	0.01	0.01	0.00	0.00
43	02/03/2012	0.5953	1041.12	0.63	1.03	94.31	2.83	0.81	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
43	02/02/2012	0.5983	1045.89	0.56	1.08	93.95	3.10	0.89	0.15	0.17	0.05	0.03	0.02	0.01	0.00	0.00
43	02/01/2012	0.5986	1046.03	0.60	1.07	93.89	3.11	0.90	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
43	01/31/2012	0.5973	1044.57	0.62	1.03	94.05	3.02	0.86	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	01/30/2012	0.5970	1045.21	0.52	1.05	94.15	3.02	0.85	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	01/29/2012	0.6025	1050.66	0.57	1.14	93.41	3.38	1.00	0.18	0.19	0.05	0.04	0.02	0.01	0.00	0.00
43	01/28/2012	0.5984	1046.65	0.54	1.07	93.94	3.13	0.89	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
43	01/27/2012	0.6004	1047.66	0.57	1.14	93.69	3.23	0.93	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
43	01/26/2012	0.5928	1041.69	0.50	0.94	94.70	2.74	0.73	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
43	01/25/2012	0.5935	1042.55	0.44	0.99	94.66	2.77	0.75	0.13	0.15	0.04	0.03	0.02	0.01	0.00	0.00
43	01/24/2012	0.5964	1045.60	0.41	1.07	94.27	3.00	0.83	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	01/23/2012	0.5933	1041.96	0.38	1.04	94.69	2.77	0.75	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
43	01/22/2012	0.6018	1051.77	0.42	1.16	93.59	3.35	0.99	0.18	0.19	0.05	0.04	0.02	0.01	0.00	0.00
43	01/21/2012	0.5967	1045.91	0.45	1.05	94.30	2.89	0.86	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
43	01/20/2012	0.5961	1044.42	0.53	1.02	94.30	2.88	0.85	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	01/19/2012	0.5991	1047.84	0.53	1.07	93.91	3.11	0.93	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
43	01/18/2012	0.6002	1049.14	0.51	1.10	93.76	3.21	0.95	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
43	01/17/2012	0.5952	1045.05	0.44	1.00	94.38	2.98	0.81	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
43	01/16/2012	0.5943	1042.94	0.42	1.04	94.55	2.82	0.78	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
43	01/15/2012	0.5984	1048.03	0.44	1.08	94.03	3.07	0.92	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
43	01/14/2012	0.5966	1045.41	0.49	1.03	94.26	2.92	0.86	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	01/13/2012	0.5874	1035.41	0.50	0.86	95.36	2.40	0.59	0.10	0.11	0.03	0.02	0.01	0.01	0.00	0.00
43	01/12/2012	0.5864	1033.30	0.54	0.85	95.47	2.31	0.56	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
43	01/11/2012	0.5904	1037.40	0.60	0.90	94.92	2.59	0.67	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
43	01/10/2012	0.5989	1047.08	0.50	1.11	93.86	3.20	0.90	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	01/09/2012	0.6003	1050.02	0.42	1.13	93.74	3.32	0.94	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
43	01/08/2012	0.5971	1046.92	0.41	1.07	94.14	3.11	0.86	0.15	0.16	0.04	0.03	0.02	0.01	0.00	0.00
43	01/07/2012	0.6016	1051.40	0.43	1.15	93.58	3.38	0.99	0.17	0.19	0.05	0.03	0.02	0.01	0.00	0.00
43	01/06/2012	0.6030	1052.49	0.46	1.17	93.41	3.42	1.02	0.18	0.20	0.06	0.04	0.02	0.01	0.00	0.00
43	01/05/2012	0.5988	1047.23	0.52	1.08	93.91	3.13	0.90	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
43	01/04/2012	0.5934	1042.70	0.53	0.92	94.61	2.77	0.79	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
43	01/03/2012	0.5971	1044.15	0.59	1.05	94.12	2.95	0.86	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	01/02/2012	0.5970	1045.22	0.56	1.03	94.14	2.98	0.87	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	01/01/2012	0.5952	1044.76	0.46	1.00	94.45	2.84	0.83	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	12/31/2011	0.5960	1045.90	0.44	1.02	94.34	2.94	0.84	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	12/30/2011	0.6018	1050.23	0.53	1.14	93.59	3.24	0.99	0.18	0.19	0.06	0.04	0.02	0.01	0.00	0.00
43	12/29/2011	0.6009	1047.26	0.61	1.15	93.62	3.20	0.95	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
43	12/28/2011	0.5993	1046.54	0.56	1.11	93.83	3.16	0.90	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
43	12/27/2011	0.6012	1050.25	0.46	1.15	93.59	3.36	0.97	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
43	12/26/2011	0.6007	1049.52	0.46	1.15	93.64	3.35	0.95	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
43	12/25/2011	0.6012	1049.56	0.47	1.17	93.61	3.33	0.96	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
43	12/24/2011	0.5945	1043.42	0.46	1.01	94.44	2.94	0.77	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
43	12/23/2011	0.5908	1037.99	0.54	0.94	94.88	2.65	0.66	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
43	12/22/2011	0.5939	1040.90	0.55	1.01	94.47	2.87	0.75	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
43	12/21/2011	0.5980	1046.55	0.52	1.06	93.99	3.12	0.88	0.15	0.17	0.05	0.03	0.02	0.01	0.00	0.00
43	12/20/2011	0.5963	1044.75	0.53	1.02	94.15	3.06	0.85	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
43	12/19/2011	0.5962	1044.67	0.49	1.04	94.13	3.15	0.82	0.14	0.14	0.04	0.02	0.01	0.01	0.00	0.00
43	12/18/2011	0.5970	1044.52	0.52	1.08	94.08	3.08	0.85	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
43	12/17/2011	0.5985	1047.47	0.49	1.07	93.93	3.18	0.90	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	12/16/2011	0.5997	1048.63	0.49	1.10	93.76	3.28	0.93	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
43	12/15/2011	0.5968	1044.15	0.51	1.09	94.17	3.00	0.82	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	12/14/2011	0.5913	1038.23	0.49	0.99	94.87	2.65	0.67	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
43	12/13/2011	0.5965	1044.60	0.46	1.08	94.32	2.87	0.81	0.15	0.16	0.05	0.04	0.03	0.01	0.00	0.00
43	12/12/2011	0.5960	1043.02	0.47	1.11	94.37	2.82	0.81	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	12/11/2011	0.5982	1043.00	0.52	1.22	94.07	2.92	0.84	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	12/10/2011	0.5971	1043.16	0.48	1.16	94.21	2.92	0.82	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	12/09/2011	0.5964	1042.24	0.54	1.12	94.23	2.91	0.80	0.14	0.15	0.05	0.03	0.02	0.01	0.00	0.00
43	12/08/2011	0.5956	1040.47	0.59	1.11	94.29	2.87	0.77	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00
43	12/07/2011	0.5956	1041.78	0.54	1.08	94.18	3.10	0.73	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
43	12/06/2011	0.5927	1038.74	0.48	1.07	94.63	2.83	0.67	0.12	0.12	0.04	0.02	0.01	0.01	0.00	0.00
43	12/05/2011	0.5915	1037.92	0.43	1.06	94.89	2.61	0.68	0.12	0.13	0.04	0.02	0.01	0.01	0.00	0.00
43	12/04/2011	0.5920	1040.04	0.40	1.02	94.86	2.65	0.70	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
43	12/03/2011	0.5933	1039.15	0.47	1.10	94.69	2.66	0.71	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = COALVILLE ML 14 - 20

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
43	12/02/2011	0.5954	1041.18	0.47	1.14	94.48	2.75	0.75	0.14	0.15	0.05	0.03	0.02	0.01	0.00	0.00
43	12/01/2011	0.5954	1040.20	0.51	1.16	94.43	2.75	0.76	0.14	0.15	0.05	0.03	0.02	0.01	0.00	0.00
43	11/30/2011	0.5865	1032.09	0.39	1.01	95.59	2.23	0.52	0.09	0.10	0.03	0.02	0.01	0.01	0.00	0.00
43	11/29/2011	0.5928	1037.66	0.54	1.07	94.82	2.50	0.68	0.13	0.14	0.05	0.03	0.02	0.01	0.00	0.00
43	11/28/2011	0.5855	1030.52	0.53	0.91	95.65	2.14	0.51	0.09	0.10	0.03	0.02	0.01	0.01	0.00	0.00
43	11/27/2011	0.5888	1033.66	0.59	0.95	95.20	2.37	0.59	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
43	11/26/2011	0.5869	1031.30	0.55	0.96	95.49	2.17	0.54	0.10	0.11	0.03	0.02	0.02	0.01	0.00	0.00
43	11/25/2011	0.5889	1032.60	0.63	0.98	95.23	2.24	0.60	0.11	0.12	0.04	0.02	0.02	0.01	0.00	0.00
43	11/24/2011	0.5890	1033.67	0.53	1.00	95.25	2.27	0.62	0.11	0.12	0.04	0.02	0.02	0.01	0.00	0.00
43	11/23/2011	0.5947	1041.39	0.52	1.06	94.51	2.71	0.80	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
43	11/22/2011	0.5967	1043.10	0.51	1.12	94.27	2.83	0.83	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	11/21/2011	0.5908	1036.25	0.52	1.02	95.03	2.42	0.66	0.12	0.13	0.04	0.03	0.02	0.01	0.00	0.00
43	11/20/2011	0.5874	1032.72	0.50	0.97	95.45	2.23	0.56	0.10	0.11	0.03	0.02	0.02	0.01	0.00	0.00
43	11/19/2011	0.5862	1031.64	0.53	0.91	95.57	2.17	0.53	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
43	11/18/2011	0.5928	1038.31	0.58	1.02	94.75	2.55	0.73	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
43	11/17/2011	0.5886	1035.23	0.45	0.97	95.31	2.34	0.61	0.11	0.12	0.04	0.02	0.02	0.01	0.00	0.00
43	11/16/2011	0.5962	1043.80	0.54	1.05	94.30	2.89	0.80	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
43	11/15/2011	0.5938	1039.15	0.58	1.05	94.64	2.58	0.76	0.14	0.15	0.05	0.03	0.02	0.01	0.00	0.00
43	11/14/2011	0.5879	1034.99	0.44	0.95	95.41	2.31	0.59	0.11	0.11	0.04	0.02	0.02	0.01	0.00	0.00
43	11/13/2011	0.5862	1032.92	0.39	0.95	95.59	2.29	0.52	0.09	0.10	0.03	0.02	0.01	0.01	0.00	0.00
43	11/12/2011	0.5891	1035.30	0.42	1.03	95.27	2.36	0.61	0.11	0.12	0.04	0.02	0.02	0.01	0.00	0.00
43	11/11/2011	0.5929	1039.24	0.44	1.09	94.81	2.55	0.72	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
43	11/10/2011	0.5895	1034.35	0.47	1.05	95.21	2.34	0.62	0.11	0.12	0.03	0.02	0.02	0.01	0.00	0.00
43	11/09/2011	0.5875	1034.09	0.37	1.00	95.46	2.31	0.57	0.10	0.11	0.03	0.02	0.01	0.01	0.00	0.00
43	11/08/2011	0.5830	1029.44	0.41	0.88	96.02	1.99	0.47	0.08	0.09	0.03	0.02	0.01	0.01	0.00	0.00

Meter Name = COLEMAN TO OVERTHRUST #1- 10 INCH

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
3016	02/05/2012	0.6355	1083.84	0.67	1.80	89.65	4.97	1.82	0.36	0.40	0.13	0.09	0.06	0.04	0.01	0.00
3016	02/04/2012	0.6375	1086.47	0.69	1.81	89.38	5.11	1.88	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	02/03/2012	0.6388	1088.37	0.69	1.82	89.25	5.16	1.92	0.38	0.43	0.14	0.10	0.07	0.04	0.01	0.00
3016	02/02/2012	0.6371	1084.66	0.66	1.88	89.46	5.08	1.82	0.36	0.40	0.13	0.09	0.07	0.04	0.02	0.00
3016	02/01/2012	0.6391	1088.53	0.72	1.81	89.29	5.12	1.87	0.37	0.43	0.14	0.11	0.09	0.05	0.01	0.00
3016	01/31/2012	0.6394	1086.95	0.73	1.88	89.16	5.19	1.88	0.37	0.42	0.14	0.10	0.07	0.04	0.02	0.00
3016	01/30/2012	0.6376	1084.72	0.74	1.86	89.34	5.13	1.83	0.36	0.40	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/29/2012	0.6379	1086.66	0.68	1.84	89.33	5.16	1.87	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/28/2012	0.6379	1086.19	0.68	1.85	89.33	5.16	1.86	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/27/2012	0.6386	1086.60	0.70	1.86	89.28	5.14	1.86	0.37	0.41	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/26/2012	0.6393	1088.22	0.71	1.83	89.27	5.13	1.86	0.37	0.42	0.14	0.10	0.09	0.05	0.01	0.00
3016	01/25/2012	0.6378	1087.76	0.57	1.86	89.40	5.18	1.86	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/24/2012	0.6389	1091.31	0.48	1.85	89.40	5.19	1.89	0.37	0.43	0.14	0.11	0.08	0.05	0.01	0.00
3016	01/23/2012	0.6377	1088.51	0.47	1.88	89.46	5.19	1.87	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/22/2012	0.6378	1089.72	0.46	1.86	89.50	5.16	1.88	0.37	0.41	0.13	0.09	0.07	0.05	0.02	0.00
3016	01/21/2012	0.6384	1090.72	0.46	1.85	89.43	5.19	1.90	0.37	0.42	0.14	0.10	0.08	0.04	0.01	0.00
3016	01/20/2012	0.6383	1090.41	0.46	1.85	89.42	5.21	1.91	0.38	0.42	0.14	0.09	0.07	0.04	0.01	0.00
3016	01/19/2012	0.6384	1090.86	0.48	1.83	89.38	5.22	1.92	0.38	0.42	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/18/2012	0.6382	1089.84	0.48	1.86	89.41	5.20	1.90	0.38	0.42	0.14	0.09	0.07	0.04	0.01	0.00
3016	01/17/2012	0.6377	1089.57	0.49	1.83	89.43	5.21	1.91	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/16/2012	0.6373	1089.36	0.49	1.81	89.47	5.19	1.90	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/15/2012	0.6368	1087.62	0.49	1.86	89.57	5.12	1.85	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/14/2012	0.6383	1090.03	0.50	1.84	89.43	5.17	1.90	0.38	0.42	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/13/2012	0.6309	1081.73	0.49	1.72	90.25	4.76	1.75	0.34	0.38	0.12	0.08	0.06	0.03	0.01	0.00
3016	01/12/2012	0.5942	1043.56	0.44	1.00	94.66	2.66	0.82	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
3016	01/11/2012	0.6001	1051.41	0.42	1.06	93.93	3.06	1.01	0.19	0.20	0.06	0.04	0.02	0.01	0.00	0.00
3016	01/10/2012	0.6113	1062.93	0.47	1.27	92.59	3.67	1.29	0.25	0.26	0.08	0.05	0.04	0.02	0.01	0.00
3016	01/09/2012	0.6379	1089.56	0.49	1.85	89.42	5.21	1.90	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
3016	01/08/2012	0.6399	1093.18	0.48	1.83	89.22	5.30	1.97	0.39	0.43	0.14	0.10	0.07	0.04	0.02	0.00
3016	01/07/2012	0.6404	1093.55	0.49	1.84	89.18	5.31	1.98	0.39	0.44	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/06/2012	0.6399	1092.70	0.50	1.84	89.21	5.29	1.96	0.39	0.44	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/05/2012	0.6385	1091.06	0.50	1.82	89.37	5.21	1.93	0.38	0.42	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/04/2012	0.6376	1089.82	0.50	1.81	89.51	5.12	1.91	0.38	0.42	0.14	0.09	0.07	0.04	0.01	0.00
3016	01/03/2012	0.6395	1092.33	0.52	1.81	89.24	5.27	1.96	0.39	0.43	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/02/2012	0.6389	1090.29	0.52	1.86	89.32	5.23	1.91	0.38	0.42	0.14	0.10	0.07	0.04	0.01	0.00
3016	01/01/2012	0.6394	1091.67	0.52	1.83	89.26	5.26	1.95	0.39	0.43	0.14	0.10	0.07	0.04	0.01	0.00
3016	12/31/2011	0.6399	1092.20	0.52	1.84	89.21	5.26	1.97	0.39	0.43	0.14	0.10	0.07	0.04	0.01	0.00
3016	12/30/2011	0.6398	1092.05	0.52	1.84	89.24	5.26	1.95	0.39	0.43	0.14	0.10	0.07	0.04	0.02	0.00
3016	12/29/2011	0.6400	1092.43	0.52	1.84	89.23	5.25	1.95	0.39	0.44	0.14	0.10	0.07	0.04	0.02	0.00
3016	12/28/2011	0.6404	1092.45	0.53	1.85	89.17	5.27	1.97	0.40	0.44	0.14	0.10	0.07	0.04	0.01	0.00
3016	12/27/2011	0.6397	1090.35	0.53	1.90	89.24	5.23	1.92	0.39	0.43	0.14	0.10	0.07	0.04	0.02	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = COLEMAN TO OVERTHRUST #1- 10 INCH

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
3016	12/26/2011	0.6398	1092.06	0.54	1.83	89.20	5.29	1.95	0.38	0.43	0.14	0.10	0.07	0.04	0.02	0.00
3016	12/25/2011	0.6394	1090.32	0.57	1.86	89.22	5.26	1.93	0.38	0.42	0.14	0.10	0.07	0.04	0.02	0.00
3016	12/24/2011	0.6363	1086.20	0.56	1.83	89.63	5.04	1.83	0.36	0.40	0.13	0.09	0.07	0.04	0.02	0.00
3016	12/23/2011	0.6348	1083.83	0.57	1.83	89.85	4.88	1.78	0.36	0.39	0.13	0.09	0.07	0.04	0.02	0.00
3016	12/22/2011	0.6387	1088.20	0.59	1.88	89.36	5.12	1.88	0.38	0.42	0.14	0.10	0.07	0.04	0.02	0.00
3016	12/21/2011	0.6388	1087.87	0.61	1.89	89.33	5.14	1.87	0.38	0.41	0.14	0.10	0.08	0.04	0.02	0.00
3016	12/20/2011	0.6407	1094.14	0.61	1.76	89.11	5.29	1.98	0.40	0.46	0.15	0.11	0.07	0.04	0.02	0.00
3016	12/19/2011	0.6402	1094.59	0.61	1.71	89.08	5.39	2.01	0.39	0.44	0.14	0.10	0.07	0.05	0.02	0.00
3016	12/18/2011	0.6393	1093.32	0.63	1.69	89.19	5.34	1.97	0.38	0.43	0.14	0.10	0.08	0.05	0.02	0.00
3016	12/17/2011	0.6417	1096.02	0.65	1.72	88.93	5.43	2.04	0.40	0.45	0.14	0.10	0.08	0.05	0.02	0.00
3016	12/16/2011	0.6432	1098.87	0.65	1.70	88.78	5.48	2.10	0.41	0.46	0.15	0.11	0.09	0.05	0.02	0.00
3016	12/15/2011	0.6416	1095.64	0.68	1.71	88.93	5.41	2.02	0.39	0.45	0.15	0.11	0.09	0.05	0.01	0.00
3016	12/14/2011	0.6407	1092.82	0.66	1.78	89.11	5.26	1.94	0.39	0.44	0.15	0.11	0.08	0.05	0.01	0.00
3016	12/13/2011	0.6404	1091.40	0.65	1.82	89.20	5.16	1.92	0.40	0.45	0.16	0.11	0.08	0.05	0.01	0.00
3016	12/12/2011	0.6389	1090.80	0.62	1.77	89.39	5.10	1.89	0.39	0.44	0.15	0.11	0.08	0.05	0.01	0.00
3016	12/11/2011	0.6414	1093.80	0.62	1.80	89.08	5.25	1.97	0.41	0.45	0.16	0.11	0.08	0.05	0.01	0.00
3016	12/10/2011	0.6413	1093.40	0.64	1.81	89.08	5.25	1.96	0.40	0.45	0.16	0.11	0.08	0.05	0.01	0.00
3016	12/09/2011	0.6409	1092.12	0.63	1.84	89.14	5.20	1.93	0.40	0.45	0.16	0.11	0.08	0.05	0.01	0.00
3016	12/08/2011	0.6370	1087.84	0.62	1.77	89.59	5.01	1.83	0.38	0.42	0.15	0.10	0.08	0.04	0.01	0.00
3016	12/07/2011	0.6382	1087.28	0.66	1.84	89.43	5.06	1.82	0.38	0.42	0.15	0.10	0.08	0.05	0.01	0.00
3016	12/06/2011	0.6327	1081.37	0.67	1.73	89.99	4.85	1.70	0.34	0.38	0.13	0.09	0.07	0.04	0.01	0.00
3016	12/05/2011	0.6235	1073.09	0.55	1.56	91.10	4.40	1.48	0.29	0.33	0.11	0.08	0.06	0.03	0.01	0.00
3016	12/04/2011	0.6408	1091.91	0.70	1.79	89.09	5.22	1.95	0.40	0.45	0.15	0.11	0.08	0.05	0.01	0.00
3016	12/03/2011	0.6392	1089.28	0.70	1.79	89.34	5.03	1.90	0.39	0.44	0.15	0.11	0.08	0.05	0.02	0.00
3016	12/02/2011	0.6323	1078.52	0.70	1.80	90.13	4.66	1.64	0.33	0.37	0.13	0.09	0.08	0.05	0.02	0.00
3016	12/01/2011	0.6342	1081.02	0.74	1.79	89.88	4.77	1.70	0.35	0.39	0.14	0.10	0.08	0.05	0.02	0.00
3016	11/30/2011	0.6372	1083.79	0.78	1.84	89.50	4.95	1.77	0.36	0.40	0.14	0.10	0.08	0.05	0.02	0.00
3016	11/29/2011	0.6286	1073.31	0.75	1.74	90.60	4.38	1.52	0.31	0.35	0.12	0.09	0.07	0.05	0.02	0.00
3016	11/28/2011	0.6326	1080.32	0.64	1.78	90.17	4.65	1.66	0.34	0.38	0.14	0.09	0.08	0.05	0.02	0.00
3016	11/27/2011	0.6404	1087.86	0.81	1.85	89.14	5.09	1.88	0.39	0.43	0.15	0.11	0.08	0.05	0.02	0.00
3016	11/26/2011	0.6380	1083.94	0.90	1.80	89.23	5.10	1.84	0.37	0.41	0.14	0.09	0.07	0.04	0.01	0.00
3016	11/25/2011	0.6373	1083.02	0.85	1.83	89.29	5.11	1.83	0.36	0.40	0.13	0.09	0.06	0.04	0.01	0.00
3016	11/24/2011	0.6386	1085.14	0.91	1.79	89.15	5.14	1.87	0.37	0.41	0.14	0.09	0.07	0.04	0.01	0.00
3016	11/23/2011	0.6422	1092.42	0.75	1.83	88.92	5.22	2.02	0.41	0.45	0.15	0.10	0.08	0.05	0.02	0.00
3016	11/22/2011	0.6333	1082.87	0.62	1.74	89.97	4.83	1.76	0.35	0.39	0.13	0.09	0.07	0.04	0.01	0.00
3016	11/21/2011	0.6331	1082.33	0.57	1.78	90.03	4.79	1.76	0.35	0.39	0.13	0.09	0.06	0.04	0.01	0.00
3016	11/20/2011	0.6315	1079.66	0.58	1.78	90.22	4.67	1.71	0.34	0.37	0.12	0.08	0.06	0.04	0.01	0.00
3016	11/19/2011	0.6302	1077.78	0.58	1.78	90.38	4.58	1.67	0.33	0.37	0.12	0.08	0.06	0.04	0.01	0.00
3016	11/18/2011	0.6298	1076.10	0.59	1.81	90.44	4.53	1.63	0.33	0.36	0.12	0.08	0.06	0.04	0.01	0.00
3016	11/17/2011	0.6284	1075.20	0.55	1.79	90.53	4.56	1.61	0.32	0.35	0.11	0.08	0.06	0.03	0.01	0.00
3016	11/16/2011	0.6295	1076.71	0.58	1.77	90.42	4.59	1.65	0.33	0.36	0.12	0.08	0.06	0.03	0.01	0.00
3016	11/15/2011	0.6303	1077.98	0.57	1.78	90.37	4.59	1.66	0.34	0.37	0.12	0.08	0.06	0.04	0.01	0.00
3016	11/14/2011	0.6297	1077.81	0.58	1.74	90.44	4.57	1.66	0.33	0.37	0.12	0.08	0.06	0.03	0.01	0.00
3016	11/13/2011	0.6269	1073.03	0.57	1.77	90.76	4.39	1.58	0.31	0.34	0.11	0.08	0.05	0.03	0.01	0.00
3016	11/12/2011	0.6246	1070.23	0.56	1.74	91.02	4.27	1.52	0.30	0.33	0.11	0.07	0.05	0.03	0.01	0.00
3016	11/11/2011	0.6235	1068.78	0.55	1.73	91.20	4.16	1.47	0.30	0.32	0.10	0.07	0.05	0.03	0.01	0.00
3016	11/10/2011	0.6242	1069.78	0.54	1.75	91.15	4.15	1.50	0.30	0.33	0.11	0.07	0.05	0.03	0.01	0.00
3016	11/09/2011	0.6347	1082.91	0.58	1.85	89.86	4.80	1.81	0.37	0.40	0.13	0.09	0.06	0.04	0.01	0.00
3016	11/08/2011	0.6363	1083.82	0.65	1.86	89.55	5.01	1.83	0.37	0.40	0.13	0.09	0.06	0.04	0.01	0.00

Meter Name = EAKIN ML 1 WEST

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
24	02/05/2012	0.5976	1049.19	0.39	1.01	94.12	3.16	0.86	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
24	02/04/2012	0.5891	1039.90	0.33	0.90	95.27	2.51	0.66	0.12	0.12	0.04	0.03	0.02	0.01	0.00	0.00
24	02/03/2012	0.5960	1045.55	0.42	1.04	94.36	2.89	0.86	0.15	0.16	0.04	0.03	0.02	0.01	0.00	0.00
24	02/02/2012	0.5958	1046.51	0.43	0.99	94.31	3.03	0.84	0.15	0.15	0.04	0.03	0.02	0.01	0.00	0.00
24	02/01/2012	0.5953	1046.84	0.40	0.96	94.39	3.01	0.84	0.15	0.15	0.04	0.03	0.02	0.01	0.00	0.00
24	01/31/2012	0.5941	1047.21	0.39	0.88	94.52	3.00	0.80	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
24	01/30/2012	0.5961	1049.04	0.37	0.94	94.30	3.09	0.86	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
24	01/29/2012	0.5997	1051.68	0.40	1.04	93.86	3.28	0.94	0.17	0.18	0.05	0.04	0.02	0.01	0.01	0.00
24	01/28/2012	0.5968	1049.29	0.37	0.97	94.20	3.15	0.87	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
24	01/27/2012	0.5989	1049.43	0.42	1.07	93.93	3.24	0.88	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
24	01/26/2012	0.5944	1046.09	0.37	0.96	94.57	2.91	0.78	0.14	0.15	0.05	0.03	0.02	0.01	0.00	0.00
24	01/25/2012	0.5945	1046.66	0.37	0.94	94.56	2.91	0.80	0.14	0.15	0.05	0.03	0.03	0.01	0.00	0.00
24	01/24/2012	0.6032	1056.24	0.38	1.09	93.45	3.50	1.03	0.19	0.20	0.06	0.04	0.03	0.02	0.01	0.00
24	01/23/2012	0.5962	1048.06	0.35	1.00	94.36	3.00	0.85	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
24	01/22/2012	0.5993	1050.65	0.36	1.08	93.99	3.15	0.94	0.17	0.18	0.05	0.04	0.03	0.01	0.00	0.00
24	01/21/2012	0.5923	1044.67	0.35	0.89	94.91	2.66	0.78	0.14	0.15	0.05	0.03	0.02	0.01	0.00	0.00
24	01/20/2012	0.5965	1047.44	0.36	1.04	94.40	2.85	0.89	0.16	0.18	0.05	0.03	0.02	0.01	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = EAKIN ML 1 WEST

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
24	01/19/2012	0.5994	1050.78	0.38	1.07	93.98	3.13	0.96	0.17	0.19	0.05	0.04	0.02	0.01	0.00	0.00
24	01/18/2012	0.5983	1050.68	0.38	1.01	94.07	3.15	0.92	0.17	0.18	0.05	0.04	0.02	0.01	0.01	0.00
24	01/17/2012	0.5990	1051.67	0.38	1.01	93.92	3.30	0.93	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
24	01/16/2012	0.5967	1049.78	0.36	0.96	94.21	3.17	0.86	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
24	01/15/2012	0.5954	1048.40	0.33	0.95	94.51	2.87	0.89	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
24	01/14/2012	0.5989	1051.84	0.39	1.00	93.97	3.24	0.92	0.17	0.18	0.05	0.04	0.03	0.01	0.00	0.00
24	01/13/2012	0.5972	1050.30	0.35	0.97	94.13	3.25	0.87	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
24	01/12/2012	0.5979	1050.03	0.34	1.04	94.08	3.21	0.90	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
24	01/11/2012	0.5989	1051.38	0.34	1.05	93.89	3.38	0.90	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
24	01/10/2012	0.6023	1053.94	0.36	1.14	93.50	3.51	1.00	0.18	0.18	0.05	0.04	0.02	0.01	0.00	0.00
24	01/09/2012	0.6020	1054.24	0.37	1.10	93.53	3.52	0.98	0.17	0.18	0.05	0.04	0.03	0.02	0.01	0.00
24	01/08/2012	0.5972	1049.39	0.36	1.00	94.17	3.15	0.88	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
24	01/07/2012	0.6002	1052.91	0.36	1.05	93.78	3.38	0.95	0.17	0.18	0.05	0.04	0.02	0.01	0.00	0.00
24	01/06/2012	0.6060	1057.64	0.41	1.18	93.03	3.72	1.10	0.20	0.21	0.06	0.04	0.03	0.01	0.00	0.00
24	01/05/2012	0.6036	1055.31	0.40	1.14	93.40	3.46	1.05	0.19	0.20	0.06	0.04	0.03	0.02	0.01	0.00
24	01/04/2012	0.5903	1043.82	0.36	0.80	95.06	2.69	0.72	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
24	01/03/2012	0.5900	1039.41	0.49	0.87	95.09	2.50	0.68	0.12	0.13	0.04	0.03	0.02	0.01	0.00	0.00
24	01/02/2012	0.5927	1044.06	0.48	0.86	94.77	2.70	0.78	0.14	0.15	0.05	0.03	0.02	0.01	0.00	0.00
24	01/01/2012	0.5869	1039.91	0.39	0.73	95.56	2.32	0.66	0.12	0.13	0.04	0.03	0.02	0.01	0.00	0.00
24	12/31/2011	0.5885	1040.82	0.37	0.80	95.30	2.53	0.66	0.12	0.13	0.04	0.03	0.02	0.01	0.00	0.00
24	12/30/2011	0.5963	1048.27	0.38	0.98	94.42	2.87	0.87	0.16	0.18	0.05	0.04	0.03	0.01	0.00	0.00
24	12/29/2011	0.6095	1058.51	0.46	1.34	92.66	3.73	1.23	0.21	0.22	0.06	0.04	0.03	0.01	0.00	0.00
24	12/28/2011	0.6012	1051.79	0.44	1.10	93.66	3.34	0.97	0.17	0.18	0.05	0.04	0.02	0.01	0.00	0.00
24	12/27/2011	0.6015	1052.76	0.41	1.10	93.56	3.48	0.97	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
24	12/26/2011	0.5996	1051.39	0.33	1.09	93.85	3.32	0.95	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
24	12/25/2011	0.6016	1052.59	0.34	1.16	93.58	3.45	0.99	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
24	12/24/2011	0.5984	1050.84	0.31	1.05	93.98	3.32	0.90	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
24	12/23/2011	0.5928	1044.23	0.28	0.99	94.73	2.91	0.75	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
24	12/22/2011	0.5954	1047.15	0.30	1.02	94.37	3.12	0.81	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
24	12/21/2011	0.5996	1051.66	0.32	1.09	93.84	3.39	0.90	0.16	0.17	0.05	0.04	0.02	0.01	0.00	0.00
24	12/20/2011	0.5982	1050.17	0.33	1.05	94.05	3.23	0.89	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
24	12/19/2011	0.5971	1047.94	0.32	1.08	94.15	3.22	0.83	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
24	12/18/2011	0.5964	1046.27	0.31	1.11	94.31	3.05	0.82	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
24	12/17/2011	0.5959	1046.86	0.30	1.06	94.30	3.14	0.80	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00
24	12/16/2011	0.5986	1049.98	0.35	1.08	93.92	3.36	0.88	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
24	12/15/2011	0.5916	1041.03	0.33	1.01	94.90	2.73	0.70	0.12	0.13	0.04	0.02	0.02	0.01	0.00	0.00
24	12/14/2011	0.5963	1046.46	0.31	1.10	94.32	3.05	0.81	0.14	0.15	0.05	0.03	0.02	0.01	0.00	0.00
24	12/13/2011	0.6010	1050.40	0.32	1.23	93.84	3.20	0.91	0.17	0.18	0.06	0.04	0.03	0.02	0.01	0.00
24	12/12/2011	0.6027	1052.77	0.35	1.21	93.67	3.20	1.01	0.19	0.21	0.07	0.04	0.03	0.02	0.00	0.00
24	12/11/2011	0.6095	1056.70	0.44	1.42	92.78	3.58	1.15	0.22	0.23	0.07	0.05	0.03	0.02	0.00	0.00
24	12/10/2011	0.6057	1055.02	0.40	1.28	93.17	3.55	1.04	0.19	0.21	0.06	0.04	0.03	0.02	0.00	0.00
24	12/09/2011	0.5988	1048.89	0.33	1.14	94.00	3.21	0.85	0.15	0.17	0.05	0.04	0.03	0.01	0.00	0.00
24	12/08/2011	0.5965	1045.56	0.37	1.10	94.32	2.96	0.82	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
24	12/07/2011	0.5944	1042.63	0.36	1.10	94.57	2.86	0.73	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
24	12/06/2011	0.5941	1042.75	0.31	1.11	94.59	2.89	0.72	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
24	12/05/2011	0.5906	1038.55	0.28	1.08	95.03	2.69	0.62	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
24	12/04/2011	0.5952	1045.22	0.31	1.07	94.48	2.97	0.76	0.14	0.15	0.05	0.03	0.02	0.01	0.00	0.00
24	12/03/2011	0.5928	1042.82	0.30	1.03	94.85	2.71	0.71	0.13	0.14	0.05	0.03	0.02	0.01	0.00	0.00
24	12/02/2011	0.5938	1041.52	0.33	1.12	94.73	2.71	0.72	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
24	12/01/2011	0.5925	1039.77	0.39	1.07	94.88	2.58	0.70	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
24	11/30/2011	0.5886	1035.82	0.35	1.01	95.34	2.41	0.58	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
24	11/29/2011	0.5874	1033.23	0.48	0.95	95.58	2.11	0.54	0.10	0.12	0.04	0.03	0.02	0.02	0.01	0.00
24	11/28/2011	0.5865	1033.30	0.41	0.94	95.57	2.29	0.51	0.09	0.10	0.03	0.02	0.02	0.01	0.00	0.00
24	11/27/2011	0.5834	1030.84	0.40	0.85	95.94	2.12	0.46	0.08	0.09	0.03	0.02	0.01	0.01	0.00	0.00
24	11/26/2011	0.5879	1033.83	0.47	0.96	95.42	2.28	0.57	0.10	0.11	0.03	0.02	0.02	0.01	0.00	0.00
24	11/25/2011	0.5939	1042.02	0.64	0.90	94.70	2.52	0.77	0.15	0.17	0.05	0.04	0.03	0.02	0.01	0.00
24	11/24/2011	0.6006	1045.48	0.81	1.07	93.78	2.90	0.91	0.17	0.19	0.06	0.04	0.03	0.02	0.01	0.00
24	11/23/2011	0.5999	1050.22	0.35	1.14	93.93	3.13	0.98	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
24	11/22/2011	0.6023	1052.18	0.35	1.21	93.62	3.29	1.03	0.18	0.19	0.06	0.04	0.02	0.01	0.00	0.00
24	11/21/2011	0.6028	1052.68	0.35	1.22	93.64	3.25	1.00	0.18	0.20	0.06	0.04	0.03	0.02	0.01	0.00
24	11/20/2011	0.5886	1038.36	0.22	1.00	95.42	2.42	0.63	0.11	0.12	0.04	0.02	0.02	0.01	0.00	0.00
24	11/19/2011	0.5899	1039.59	0.24	1.01	95.27	2.47	0.66	0.11	0.13	0.04	0.03	0.02	0.01	0.00	0.00
24	11/18/2011	0.5968	1045.66	0.31	1.16	94.41	2.85	0.83	0.15	0.17	0.05	0.04	0.03	0.01	0.00	0.00
24	11/17/2011	0.5928	1041.58	0.30	1.08	94.87	2.65	0.73	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
24	11/16/2011	0.5950	1047.41	0.29	0.99	94.56	2.93	0.81	0.14	0.16	0.05	0.03	0.03	0.01	0.00	0.00
24	11/15/2011	0.6056	1055.21	0.39	1.27	93.23	3.45	1.09	0.20	0.22	0.06	0.04	0.03	0.01	0.00	0.00
24	11/14/2011	0.5919	1042.67	0.27	1.00	95.00	2.61	0.74	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
24	11/13/2011	0.5892	1038.24	0.23	1.02	95.31	2.49	0.64	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
24	11/12/2011	0.5903	1039.81	0.25	1.02	95.20	2.52	0.68	0.12	0.13	0.04	0.03	0.02	0.01	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = EAKIN ML 1 WEST

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
24	11/11/2011	0.5978	1045.60	0.33	1.21	94.29	2.86	0.86	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
24	11/10/2011	0.5918	1038.09	0.47	1.04	94.97	2.46	0.70	0.12	0.14	0.04	0.03	0.02	0.01	0.00	0.00
24	11/09/2011	0.5853	1029.96	0.52	0.92	95.74	2.07	0.48	0.09	0.10	0.03	0.02	0.02	0.01	0.00	0.00
24	11/08/2011	0.5847	1035.23	0.20	0.89	95.82	2.34	0.51	0.08	0.09	0.03	0.02	0.01	0.01	0.00	0.00

Meter Name = HYRUM 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
2362	02/05/2012	0.5877	1030.41	0.33	1.19	95.49	2.19	0.56	0.09	0.10	0.03	0.02	0.01	0.00	0.00	0.00
2362	02/04/2012	0.5797	1021.33	0.28	1.08	96.54	1.64	0.32	0.05	0.05	0.01	0.01	0.00	0.00	0.00	0.00
2362	02/03/2012	0.5855	1029.96	0.35	1.06	95.74	2.11	0.52	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
2362	02/02/2012	0.5864	1028.45	0.40	1.14	95.64	2.06	0.53	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
2362	02/01/2012	0.5860	1028.43	0.35	1.14	95.71	2.05	0.52	0.09	0.09	0.02	0.02	0.01	0.00	0.00	0.00
2362	01/31/2012	0.5818	1024.39	0.31	1.07	96.27	1.76	0.41	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/30/2012	0.5817	1025.44	0.29	1.04	96.25	1.83	0.41	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/29/2012	0.5824	1025.62	0.31	1.06	96.17	1.86	0.42	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/28/2012	0.5895	1033.66	0.32	1.17	95.25	2.36	0.62	0.11	0.11	0.03	0.02	0.01	0.00	0.00	0.00
2362	01/27/2012	0.5866	1029.88	0.31	1.15	95.64	2.13	0.53	0.09	0.10	0.03	0.02	0.01	0.00	0.00	0.00
2362	01/26/2012	0.5894	1032.41	0.32	1.22	95.26	2.34	0.60	0.10	0.11	0.03	0.02	0.01	0.00	0.00	0.00
2362	01/25/2012	0.5850	1027.56	0.31	1.15	95.86	2.00	0.48	0.08	0.08	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/24/2012	0.5812	1023.86	0.29	1.07	96.35	1.76	0.38	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/23/2012	0.5782	1021.74	0.26	0.99	96.73	1.57	0.32	0.05	0.05	0.01	0.01	0.00	0.00	0.00	0.00
2362	01/22/2012	0.5800	1022.60	0.28	1.05	96.49	1.70	0.34	0.05	0.06	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/21/2012	0.5910	1036.40	0.43	1.09	95.01	2.48	0.68	0.12	0.13	0.04	0.02	0.01	0.00	0.00	0.00
2362	01/20/2012	0.5979	1045.39	0.49	1.12	94.06	3.01	0.89	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
2362	01/19/2012	0.5938	1040.24	0.42	1.12	94.61	2.73	0.76	0.13	0.14	0.04	0.03	0.01	0.00	0.00	0.00
2362	01/18/2012	0.5884	1033.33	0.28	1.15	95.39	2.32	0.60	0.10	0.10	0.03	0.02	0.01	0.00	0.00	0.00
2362	01/17/2012	0.5791	1023.05	0.23	1.01	96.59	1.71	0.32	0.05	0.05	0.01	0.01	0.00	0.00	0.00	0.00
2362	01/16/2012	0.5801	1023.46	0.27	1.03	96.48	1.71	0.36	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/15/2012	0.5863	1030.87	0.36	1.07	95.65	2.13	0.55	0.09	0.10	0.03	0.02	0.01	0.00	0.00	0.00
2362	01/14/2012	0.5819	1025.71	0.29	1.04	96.26	1.80	0.42	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/13/2012	0.5829	1026.34	0.32	1.06	96.15	1.82	0.45	0.08	0.08	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/12/2012	0.5833	1026.27	0.32	1.09	96.08	1.86	0.45	0.08	0.08	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/11/2012	0.5846	1027.75	0.32	1.10	95.88	2.00	0.49	0.08	0.08	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/10/2012	0.5852	1028.87	0.32	1.10	95.80	2.05	0.51	0.08	0.09	0.02	0.02	0.01	0.00	0.00	0.00
2362	01/09/2012	0.5841	1029.80	0.29	1.02	95.95	2.03	0.50	0.08	0.09	0.02	0.02	0.01	0.00	0.00	0.00
2362	01/08/2012	0.5811	1026.26	0.30	0.96	96.34	1.81	0.42	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/07/2012	0.5864	1030.68	0.36	1.08	95.63	2.15	0.55	0.09	0.10	0.03	0.02	0.01	0.00	0.00	0.00
2362	01/06/2012	0.5821	1027.68	0.28	0.98	96.19	1.92	0.44	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/05/2012	0.5815	1028.51	0.25	0.93	96.26	1.93	0.44	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/04/2012	0.5826	1029.46	0.27	0.95	96.11	2.00	0.47	0.08	0.08	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/03/2012	0.5872	1030.30	0.35	1.14	95.52	2.21	0.54	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
2362	01/02/2012	0.5823	1023.97	0.30	1.13	96.18	1.85	0.38	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
2362	01/01/2012	0.5816	1024.35	0.30	1.07	96.28	1.81	0.38	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
2362	12/31/2011	0.5836	1026.92	0.33	1.07	95.99	1.96	0.45	0.07	0.08	0.02	0.01	0.01	0.00	0.00	0.00
2362	12/30/2011	0.5973	1042.43	0.53	1.17	94.14	2.90	0.85	0.15	0.16	0.04	0.03	0.02	0.00	0.00	0.00
2362	12/29/2011	0.5924	1037.60	0.47	1.10	94.77	2.62	0.71	0.12	0.13	0.04	0.02	0.01	0.00	0.00	0.00
2362	12/28/2011	0.5774	1019.17	0.28	1.03	96.85	1.45	0.27	0.04	0.04	0.01	0.01	0.00	0.00	0.00	0.00
2362	12/27/2011	0.5744	1016.55	0.26	0.96	97.25	1.25	0.20	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
2362	12/26/2011	0.5818	1023.63	0.31	1.10	96.29	1.73	0.39	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	12/25/2011	0.5907	1033.28	0.35	1.25	95.12	2.35	0.64	0.11	0.12	0.03	0.02	0.01	0.00	0.00	0.00
2362	12/24/2011	0.5866	1029.76	0.33	1.15	95.64	2.10	0.54	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
2362	12/23/2011	0.5838	1025.04	0.31	1.17	96.02	1.87	0.43	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	12/22/2011	0.5827	1036.94	0.18	0.72	95.93	2.44	0.53	0.08	0.08	0.02	0.01	0.01	0.00	0.00	0.00
2362	12/21/2011	0.5782	1031.10	0.19	0.67	96.69	1.83	0.43	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	12/20/2011	0.5840	1036.46	0.25	0.77	95.90	2.23	0.59	0.10	0.10	0.03	0.02	0.01	0.00	0.00	0.00
2362	12/19/2011	0.5869	1038.90	0.25	0.85	95.46	2.51	0.65	0.10	0.11	0.03	0.02	0.01	0.00	0.00	0.00
2362	12/18/2011	0.5845	1037.32	0.21	0.80	95.77	2.40	0.60	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
2362	12/17/2011	0.5924	1047.34	0.22	0.88	94.69	3.05	0.81	0.13	0.14	0.04	0.02	0.01	0.00	0.00	0.00
2362	12/16/2011	0.5881	1040.93	0.22	0.87	95.34	2.59	0.69	0.11	0.12	0.03	0.02	0.01	0.00	0.00	0.00
2362	12/15/2011	0.6004	1051.74	0.34	1.12	93.96	3.06	0.97	0.18	0.20	0.07	0.05	0.03	0.02	0.00	0.00
2362	12/14/2011	0.5734	1022.20	0.19	0.72	97.34	1.41	0.25	0.04	0.04	0.01	0.01	0.00	0.00	0.00	0.00
2362	12/13/2011	0.5780	1021.08	0.26	1.00	96.76	1.56	0.30	0.05	0.05	0.01	0.01	0.00	0.00	0.00	0.00
2362	12/12/2011	0.5831	1017.68	0.37	1.38	96.14	1.63	0.34	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
2362	12/11/2011	0.5812	1022.16	0.33	1.11	96.39	1.64	0.37	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
2362	12/10/2011	0.5825	1022.09	0.36	1.17	96.19	1.72	0.38	0.06	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	12/09/2011	0.5861	1027.13	0.41	1.16	95.67	2.04	0.49	0.08	0.09	0.03	0.02	0.01	0.00	0.00	0.00
2362	12/08/2011	0.5774	1015.32	0.40	1.10	96.87	1.28	0.24	0.04	0.04	0.01	0.01	0.00	0.00	0.00	0.00
2362	12/07/2011	0.5819	1021.50	0.35	1.16	96.28	1.68	0.36	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
2362	12/06/2011	0.5882	1030.45	0.36	1.19	95.46	2.16	0.57	0.10	0.10	0.03	0.02	0.01	0.00	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = HYRUM 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
2362	12/05/2011	0.5819	1026.53	0.30	1.00	96.24	1.84	0.43	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	12/04/2011	0.5787	1028.55	0.20	0.79	96.60	1.85	0.41	0.06	0.06	0.02	0.01	0.00	0.00	0.00	0.00
2362	12/03/2011	0.5793	1024.66	0.25	0.95	96.56	1.73	0.37	0.06	0.06	0.02	0.01	0.00	0.00	0.00	0.00
2362	12/02/2011	0.5819	1025.10	0.29	1.06	96.25	1.82	0.40	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	12/01/2011	0.5887	1032.33	0.35	1.16	95.34	2.29	0.59	0.10	0.11	0.03	0.02	0.01	0.00	0.00	0.00
2362	11/30/2011	0.5881	1031.12	0.35	1.17	95.43	2.25	0.54	0.10	0.10	0.03	0.02	0.01	0.00	0.00	0.00
2362	11/29/2011	0.5911	1034.76	0.40	1.18	95.08	2.37	0.64	0.12	0.13	0.04	0.03	0.02	0.01	0.00	0.00
2362	11/28/2011	0.5861	1029.53	0.36	1.11	95.68	2.11	0.51	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
2362	11/27/2011	0.5877	1031.10	0.38	1.13	95.49	2.18	0.55	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
2362	11/26/2011	0.5866	1030.34	0.35	1.11	95.66	2.08	0.53	0.09	0.10	0.03	0.02	0.01	0.01	0.00	0.00
2362	11/25/2011	0.5804	1023.36	0.30	1.04	96.46	1.68	0.36	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
2362	11/24/2011	0.5855	1030.75	0.38	1.00	95.73	2.11	0.53	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
2362	11/23/2011	0.5777	1020.19	0.27	1.01	96.82	1.50	0.28	0.05	0.04	0.01	0.01	0.00	0.00	0.00	0.00
2362	11/22/2011	0.5806	1023.80	0.29	1.04	96.42	1.71	0.37	0.06	0.06	0.02	0.01	0.00	0.00	0.00	0.00
2362	11/21/2011	0.5852	1028.17	0.32	1.13	95.88	1.95	0.48	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
2362	11/20/2011	0.5872	1028.10	0.41	1.20	95.54	2.10	0.51	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
2362	11/19/2011	0.5873	1030.29	0.30	1.19	95.54	2.21	0.51	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
2362	11/18/2011	0.5854	1027.01	0.30	1.20	95.83	2.00	0.46	0.08	0.08	0.03	0.02	0.01	0.00	0.00	0.00
2362	11/17/2011	0.5801	1022.90	0.25	1.07	96.51	1.69	0.33	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
2362	11/16/2011	0.5835	1024.97	0.31	1.15	96.11	1.81	0.41	0.08	0.07	0.02	0.02	0.01	0.00	0.00	0.00
2362	11/15/2011	0.5916	1032.61	0.45	1.26	95.09	2.22	0.63	0.12	0.13	0.04	0.03	0.02	0.01	0.00	0.00
2362	11/14/2011	0.5882	1030.05	0.33	1.24	95.49	2.15	0.53	0.10	0.10	0.03	0.02	0.02	0.00	0.00	0.00
2362	11/13/2011	0.5815	1026.13	0.25	1.02	96.33	1.82	0.39	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
2362	11/12/2011	0.5847	1026.62	0.29	1.17	95.94	1.93	0.45	0.08	0.08	0.03	0.02	0.01	0.00	0.00	0.00
2362	11/11/2011	0.5876	1030.60	0.31	1.18	95.54	2.17	0.54	0.10	0.10	0.03	0.02	0.01	0.00	0.00	0.00
2362	11/10/2011	0.5926	1034.90	0.38	1.28	94.88	2.45	0.68	0.12	0.12	0.04	0.02	0.01	0.00	0.00	0.00
2362	11/09/2011	0.5860	1029.78	0.32	1.12	95.73	2.07	0.53	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
2362	11/08/2011	0.5798	1023.22	0.28	1.02	96.56	1.63	0.35	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00

Meter Name = KANDA TO COLEMAN 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1203	02/05/2012	0.5713	1023.02	0.46	0.38	97.45	1.33	0.26	0.04	0.05	0.01	0.01	0.01	0.00	0.00	0.00
1203	02/04/2012	0.5724	1024.25	0.48	0.38	97.27	1.45	0.29	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
1203	02/03/2012	0.5719	1023.33	0.46	0.40	97.37	1.38	0.28	0.04	0.05	0.01	0.01	0.01	0.00	0.00	0.00
1203	02/02/2012	0.5670	1015.80	0.60	0.31	97.98	0.94	0.11	0.02	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1203	02/01/2012	0.5697	1009.90	0.74	0.61	97.70	0.79	0.09	0.02	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/31/2012	0.5658	1016.05	0.64	0.19	98.08	0.93	0.09	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/30/2012	0.5650	1015.10	0.66	0.17	98.20	0.83	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/29/2012	0.5658	1016.44	0.59	0.21	98.11	0.92	0.10	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/28/2012	0.5655	1016.32	0.59	0.20	98.14	0.92	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/27/2012	0.5656	1015.43	0.58	0.24	98.17	0.86	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/26/2012	0.5651	1016.66	0.52	0.20	98.24	0.89	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/25/2012	0.5657	1015.35	0.60	0.24	98.15	0.85	0.09	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/24/2012	0.5658	1016.70	0.56	0.22	98.14	0.91	0.10	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/23/2012	0.5649	1016.22	0.53	0.21	98.28	0.84	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/22/2012	0.5655	1016.48	0.54	0.23	98.20	0.87	0.10	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/21/2012	0.5671	1017.96	0.56	0.25	97.96	1.01	0.14	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/20/2012	0.5658	1015.58	0.66	0.20	98.08	0.91	0.10	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/19/2012	0.5646	1016.01	0.55	0.18	98.30	0.84	0.08	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1203	01/18/2012	0.5636	1015.70	0.55	0.13	98.42	0.78	0.07	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1203	01/17/2012	0.5642	1015.84	0.53	0.18	98.35	0.82	0.08	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1203	01/16/2012	0.5658	1014.94	0.61	0.26	98.14	0.84	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/15/2012	0.5800	1040.25	0.51	0.20	96.20	2.23	0.56	0.11	0.11	0.03	0.02	0.01	0.00	0.00	0.00
1203	01/14/2012	0.5682	1019.88	0.55	0.25	97.79	1.14	0.17	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/13/2012	0.5642	1016.97	0.51	0.15	98.34	0.87	0.09	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1203	01/12/2012	0.5650	1016.89	0.53	0.18	98.22	0.93	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/11/2012	0.5649	1017.01	0.51	0.19	98.25	0.91	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/10/2012	0.5669	1016.49	0.63	0.25	97.95	0.99	0.11	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/09/2012	0.5692	1017.26	0.71	0.31	97.62	1.11	0.15	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/08/2012	0.5679	1015.96	0.75	0.25	97.77	1.03	0.12	0.02	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/07/2012	0.5678	1016.87	0.61	0.30	97.86	1.02	0.13	0.02	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/06/2012	0.5666	1016.87	0.58	0.25	98.01	1.00	0.11	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	01/05/2012	0.5680	1017.78	0.63	0.27	97.80	1.08	0.14	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/04/2012	0.5681	1018.73	0.63	0.24	97.76	1.14	0.15	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/03/2012	0.5701	1014.02	0.68	0.52	97.60	1.00	0.13	0.02	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1203	01/02/2012	0.5656	1015.40	0.69	0.17	98.07	0.94	0.08	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	01/01/2012	0.5646	1016.92	0.48	0.19	98.29	0.91	0.08	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1203	12/31/2011	0.5708	1020.80	0.59	0.35	97.41	1.34	0.20	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
1203	12/30/2011	0.5727	1021.06	0.54	0.49	97.23	1.39	0.23	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = KANDA TO COLEMAN 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1203	12/29/2011	0.5786	1031.30	0.53	0.46	96.23	2.19	0.46	0.06	0.05	0.01	0.01	0.00	0.00	0.00	0.00
1203	12/28/2011	0.5817	1026.36	0.66	0.76	95.90	2.11	0.44	0.06	0.05	0.01	0.01	0.01	0.00	0.00	0.00
1203	12/27/2011	0.5815	1027.53	0.63	0.72	96.06	1.95	0.45	0.07	0.08	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/26/2011	0.5839	1036.23	0.19	0.81	95.89	2.30	0.58	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/25/2011	0.5842	1037.69	0.19	0.78	95.81	2.40	0.59	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/24/2011	0.5900	1045.51	0.19	0.82	95.07	2.83	0.75	0.12	0.13	0.03	0.02	0.01	0.01	0.00	0.00
1203	12/23/2011	0.5846	1037.13	0.19	0.82	95.79	2.36	0.60	0.09	0.10	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/22/2011	0.5849	1037.47	0.19	0.83	95.76	2.38	0.61	0.09	0.10	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/21/2011	0.5844	1036.82	0.19	0.82	95.82	2.34	0.59	0.09	0.10	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/20/2011	0.5842	1036.52	0.20	0.81	95.85	2.32	0.59	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/19/2011	0.5847	1037.18	0.23	0.80	95.77	2.36	0.60	0.09	0.10	0.02	0.02	0.01	0.00	0.00	0.00
1203	12/18/2011	0.5844	1037.11	0.23	0.79	95.81	2.34	0.60	0.09	0.10	0.02	0.02	0.01	0.00	0.00	0.00
1203	12/17/2011	0.5846	1037.36	0.20	0.81	95.79	2.37	0.60	0.09	0.10	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/16/2011	0.5830	1036.09	0.21	0.75	95.98	2.27	0.57	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/15/2011	0.5624	1013.68	0.57	0.12	98.62	0.59	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1203	12/14/2011	0.5721	1027.00	0.26	0.41	97.41	1.48	0.32	0.05	0.05	0.01	0.01	0.00	0.00	0.00	0.00
1203	12/13/2011	0.5860	1038.93	0.22	0.82	95.58	2.48	0.64	0.10	0.10	0.03	0.02	0.01	0.00	0.00	0.00
1203	12/12/2011	0.5852	1037.80	0.22	0.81	95.69	2.43	0.61	0.09	0.10	0.02	0.02	0.01	0.00	0.00	0.00
1203	12/11/2011	0.5860	1038.18	0.30	0.79	95.57	2.44	0.63	0.10	0.11	0.03	0.02	0.01	0.00	0.00	0.00
1203	12/10/2011	0.5835	1035.01	0.37	0.72	95.86	2.27	0.55	0.09	0.09	0.02	0.02	0.01	0.00	0.00	0.00
1203	12/09/2011	0.5748	1024.31	0.61	0.45	96.90	1.59	0.30	0.05	0.06	0.01	0.01	0.01	0.01	0.00	0.00
1203	12/08/2011	0.5705	1020.20	0.63	0.33	97.46	1.27	0.20	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
1203	12/07/2011	0.5767	1013.01	1.39	0.49	96.44	1.27	0.24	0.05	0.06	0.02	0.01	0.01	0.01	0.00	0.00
1203	12/06/2011	0.5825	1029.56	0.59	0.73	95.97	1.99	0.49	0.08	0.09	0.02	0.02	0.01	0.01	0.00	0.00
1203	12/05/2011	0.5828	1028.72	0.72	0.69	95.88	1.97	0.49	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
1203	12/04/2011	0.5770	1017.36	1.20	0.47	96.44	1.42	0.30	0.06	0.07	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/03/2011	0.5778	1027.02	0.57	0.55	96.56	1.75	0.40	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/02/2011	0.5814	1034.05	0.25	0.71	96.19	2.11	0.53	0.08	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	12/01/2011	0.5671	1021.06	0.40	0.23	97.99	1.12	0.18	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1203	11/30/2011	0.5635	1019.02	0.21	0.22	98.60	0.83	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	11/29/2011	0.5661	1014.84	0.62	0.28	98.10	0.86	0.09	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1203	11/28/2011	0.5661	1014.69	0.73	0.21	98.02	0.88	0.09	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	11/27/2011	0.5657	1015.41	0.65	0.21	98.12	0.86	0.10	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1203	11/26/2011	0.5668	1015.44	0.71	0.24	97.95	0.94	0.10	0.02	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1203	11/25/2011	0.5663	1015.44	0.64	0.25	98.05	0.91	0.09	0.02	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1203	11/24/2011	0.5710	1014.00	1.02	0.35	97.29	1.09	0.14	0.03	0.04	0.01	0.01	0.01	0.01	0.00	0.00
1203	11/23/2011	0.5838	1032.72	0.43	0.79	95.80	2.22	0.54	0.08	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/22/2011	0.5844	1036.82	0.20	0.82	95.78	2.39	0.59	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/21/2011	0.5844	1036.68	0.20	0.82	95.79	2.38	0.59	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/20/2011	0.5846	1037.12	0.20	0.82	95.76	2.40	0.60	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/19/2011	0.5850	1037.63	0.20	0.82	95.71	2.44	0.61	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/18/2011	0.5847	1037.13	0.20	0.82	95.75	2.41	0.60	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/17/2011	0.5846	1036.76	0.20	0.83	95.77	2.37	0.60	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/16/2011	0.5841	1036.30	0.20	0.82	95.83	2.35	0.58	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/15/2011	0.5843	1036.40	0.20	0.83	95.81	2.36	0.59	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/14/2011	0.5842	1036.25	0.20	0.83	95.81	2.36	0.58	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/13/2011	0.5847	1037.62	0.20	0.81	95.74	2.43	0.61	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/12/2011	0.5839	1036.49	0.20	0.80	95.84	2.36	0.58	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/11/2011	0.5839	1036.34	0.20	0.81	95.85	2.36	0.58	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/10/2011	0.5835	1033.43	0.33	0.80	95.87	2.24	0.54	0.08	0.08	0.02	0.01	0.01	0.00	0.00	0.00
1203	11/09/2011	0.5826	1015.26	1.60	0.64	95.62	1.57	0.34	0.07	0.08	0.02	0.02	0.02	0.01	0.01	0.00
1203	11/08/2011	0.5862	1041.85	0.22	0.72	95.62	2.48	0.65	0.10	0.12	0.03	0.03	0.02	0.01	0.00	0.00

Meter Name = LITTLE MOUNTAIN 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
4605	02/05/2012	0.5962	1042.91	0.56	1.07	94.26	2.88	0.83	0.15	0.16	0.04	0.03	0.02	0.01	0.00	0.00
4605	02/04/2012	0.5880	1033.66	0.55	0.93	95.33	2.28	0.61	0.11	0.12	0.03	0.02	0.01	0.01	0.00	0.00
4605	02/03/2012	0.5956	1041.65	0.62	1.04	94.26	2.88	0.82	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
4605	02/02/2012	0.5984	1045.75	0.56	1.09	93.94	3.09	0.89	0.15	0.17	0.05	0.03	0.02	0.01	0.00	0.00
4605	02/01/2012	0.5980	1045.08	0.61	1.06	93.96	3.07	0.88	0.15	0.16	0.04	0.03	0.02	0.01	0.00	0.00
4605	01/31/2012	0.5976	1045.09	0.60	1.04	94.01	3.05	0.87	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/30/2012	0.5975	1045.64	0.53	1.06	94.07	3.05	0.87	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/29/2012	0.6024	1050.44	0.57	1.15	93.42	3.38	1.00	0.18	0.19	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/28/2012	0.5982	1046.20	0.54	1.07	93.96	3.13	0.88	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/27/2012	0.5992	1046.57	0.55	1.11	93.84	3.16	0.89	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/26/2012	0.5932	1041.94	0.51	0.95	94.64	2.77	0.74	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
4605	01/25/2012	0.5934	1042.44	0.43	1.00	94.65	2.79	0.75	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
4605	01/24/2012	0.5954	1044.52	0.40	1.06	94.39	2.94	0.81	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
4605	01/23/2012	0.5943	1042.88	0.38	1.07	94.56	2.83	0.78	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = LITTLE MOUNTAIN 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
4605	01/22/2012	0.6013	1051.35	0.41	1.15	93.65	3.33	0.98	0.18	0.19	0.05	0.04	0.02	0.01	0.00	0.00
4605	01/21/2012	0.5973	1046.17	0.47	1.06	94.21	2.92	0.88	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/20/2012	0.5959	1044.17	0.52	1.02	94.32	2.87	0.84	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/19/2012	0.5996	1048.36	0.53	1.08	93.83	3.16	0.94	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/18/2012	0.6000	1048.95	0.50	1.10	93.77	3.22	0.95	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/17/2012	0.5949	1044.35	0.44	1.01	94.41	2.96	0.80	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
4605	01/16/2012	0.5943	1042.96	0.42	1.04	94.55	2.82	0.79	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
4605	01/15/2012	0.5996	1049.21	0.46	1.10	93.87	3.16	0.95	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/14/2012	0.5944	1043.00	0.49	0.99	94.53	2.78	0.80	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
4605	01/13/2012	0.5869	1034.68	0.51	0.85	95.40	2.38	0.58	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
4605	01/12/2012	0.5865	1033.33	0.55	0.85	95.44	2.33	0.56	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
4605	01/11/2012	0.5917	1038.79	0.60	0.92	94.75	2.68	0.71	0.12	0.13	0.04	0.02	0.02	0.01	0.00	0.00
4605	01/10/2012	0.5990	1047.32	0.48	1.12	93.85	3.22	0.90	0.16	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/09/2012	0.6002	1050.01	0.42	1.13	93.73	3.33	0.95	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/08/2012	0.5968	1046.55	0.41	1.06	94.17	3.09	0.86	0.15	0.16	0.04	0.03	0.02	0.01	0.00	0.00
4605	01/07/2012	0.6022	1052.05	0.43	1.16	93.49	3.43	1.01	0.18	0.19	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/06/2012	0.6024	1051.59	0.48	1.16	93.46	3.40	1.01	0.18	0.19	0.05	0.04	0.02	0.01	0.00	0.00
4605	01/05/2012	0.5992	1047.58	0.52	1.09	93.86	3.17	0.92	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/04/2012	0.5933	1042.46	0.53	0.92	94.61	2.76	0.79	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
4605	01/03/2012	0.5970	1044.09	0.60	1.05	94.13	2.95	0.85	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/02/2012	0.5968	1045.02	0.55	1.02	94.17	2.97	0.86	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	01/01/2012	0.5950	1044.44	0.44	1.01	94.47	2.84	0.82	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/31/2011	0.5971	1047.01	0.45	1.04	94.19	3.01	0.88	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/30/2011	0.6019	1050.19	0.55	1.14	93.55	3.27	0.99	0.18	0.19	0.06	0.04	0.02	0.01	0.00	0.00
4605	12/29/2011	0.5999	1046.01	0.61	1.14	93.75	3.14	0.92	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/28/2011	0.6002	1047.65	0.55	1.13	93.70	3.23	0.93	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/27/2011	0.6009	1050.05	0.46	1.14	93.62	3.36	0.96	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/26/2011	0.6005	1049.17	0.46	1.16	93.66	3.34	0.95	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/25/2011	0.6011	1049.52	0.46	1.17	93.62	3.33	0.96	0.17	0.18	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/24/2011	0.5934	1042.20	0.47	0.98	94.56	2.88	0.75	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
4605	12/23/2011	0.5908	1037.96	0.55	0.94	94.87	2.66	0.67	0.12	0.12	0.03	0.02	0.02	0.01	0.00	0.00
4605	12/22/2011	0.5938	1040.99	0.54	1.01	94.48	2.87	0.75	0.13	0.13	0.04	0.02	0.02	0.01	0.00	0.00
4605	12/21/2011	0.5988	1047.25	0.54	1.07	93.88	3.18	0.90	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/20/2011	0.5962	1044.69	0.53	1.02	94.15	3.08	0.84	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
4605	12/19/2011	0.5960	1044.20	0.49	1.05	94.17	3.12	0.81	0.14	0.14	0.04	0.02	0.01	0.01	0.00	0.00
4605	12/18/2011	0.5970	1044.46	0.52	1.08	94.08	3.08	0.85	0.14	0.15	0.04	0.03	0.02	0.01	0.00	0.00
4605	12/17/2011	0.5989	1048.03	0.49	1.07	93.87	3.21	0.92	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/16/2011	0.5995	1048.35	0.50	1.10	93.78	3.27	0.92	0.16	0.17	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/15/2011	0.5967	1043.83	0.52	1.09	94.18	2.99	0.81	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/14/2011	0.5907	1037.52	0.47	1.00	94.93	2.63	0.65	0.11	0.12	0.03	0.02	0.02	0.01	0.00	0.00
4605	12/13/2011	0.5969	1045.15	0.47	1.08	94.28	2.89	0.83	0.16	0.17	0.05	0.04	0.03	0.01	0.00	0.00
4605	12/12/2011	0.5956	1042.33	0.47	1.11	94.42	2.79	0.80	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/11/2011	0.5978	1042.57	0.52	1.20	94.13	2.89	0.84	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/10/2011	0.5970	1043.05	0.48	1.17	94.20	2.93	0.82	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/09/2011	0.5966	1042.30	0.55	1.12	94.20	2.92	0.80	0.15	0.15	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/08/2011	0.5958	1040.86	0.58	1.11	94.26	2.90	0.78	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00
4605	12/07/2011	0.5946	1040.91	0.53	1.07	94.30	3.06	0.70	0.12	0.13	0.04	0.02	0.02	0.01	0.00	0.00
4605	12/06/2011	0.5926	1038.70	0.47	1.07	94.65	2.80	0.68	0.12	0.12	0.04	0.02	0.01	0.01	0.00	0.00
4605	12/05/2011	0.5915	1038.11	0.42	1.06	94.89	2.62	0.68	0.12	0.13	0.04	0.02	0.02	0.01	0.00	0.00
4605	12/04/2011	0.5922	1040.17	0.41	1.03	94.83	2.66	0.71	0.13	0.13	0.04	0.03	0.02	0.01	0.00	0.00
4605	12/03/2011	0.5934	1039.22	0.47	1.10	94.68	2.67	0.71	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
4605	12/02/2011	0.5960	1041.71	0.48	1.15	94.38	2.79	0.77	0.14	0.15	0.05	0.03	0.02	0.01	0.00	0.00
4605	12/01/2011	0.5989	1043.72	0.56	1.20	94.00	2.92	0.86	0.16	0.17	0.05	0.04	0.02	0.01	0.00	0.00
4605	11/30/2011	0.5851	1030.73	0.38	0.98	95.77	2.15	0.48	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
4605	11/29/2011	0.5931	1038.20	0.56	1.06	94.76	2.53	0.69	0.13	0.14	0.05	0.03	0.02	0.01	0.00	0.00
4605	11/28/2011	0.5851	1030.01	0.52	0.92	95.69	2.12	0.50	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
4605	11/27/2011	0.5892	1033.98	0.59	0.96	95.15	2.38	0.61	0.11	0.12	0.03	0.02	0.02	0.01	0.00	0.00
4605	11/26/2011	0.5859	1030.38	0.55	0.93	95.61	2.11	0.52	0.09	0.10	0.03	0.02	0.02	0.01	0.00	0.00
4605	11/25/2011	0.5887	1032.36	0.63	0.97	95.26	2.23	0.60	0.11	0.11	0.04	0.02	0.02	0.01	0.00	0.00
4605	11/24/2011	0.5907	1035.84	0.54	1.02	95.02	2.40	0.68	0.12	0.13	0.04	0.02	0.02	0.01	0.00	0.00
4605	11/23/2011	0.5957	1042.46	0.50	1.09	94.40	2.78	0.82	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	11/22/2011	0.5954	1041.66	0.52	1.09	94.44	2.75	0.80	0.14	0.15	0.05	0.03	0.02	0.01	0.00	0.00
4605	11/21/2011	0.5898	1035.19	0.51	1.01	95.15	2.37	0.64	0.12	0.12	0.04	0.02	0.02	0.01	0.00	0.00
4605	11/20/2011	0.5874	1032.67	0.49	0.97	95.44	2.24	0.56	0.10	0.11	0.03	0.02	0.02	0.01	0.00	0.00
4605	11/19/2011	0.5867	1032.08	0.54	0.92	95.50	2.20	0.55	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
4605	11/18/2011	0.5925	1038.00	0.57	1.02	94.80	2.51	0.73	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
4605	11/17/2011	0.5886	1035.53	0.44	0.97	95.32	2.36	0.61	0.11	0.12	0.04	0.02	0.02	0.01	0.00	0.00
4605	11/16/2011	0.5963	1043.02	0.56	1.07	94.28	2.86	0.80	0.15	0.16	0.05	0.03	0.02	0.01	0.00	0.00
4605	11/15/2011	0.5931	1038.83	0.55	1.04	94.73	2.56	0.74	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = LITTLE MOUNTAIN 1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
4605	11/14/2011	0.5881	1035.30	0.43	0.95	95.37	2.33	0.60	0.11	0.11	0.04	0.02	0.02	0.01	0.00	0.00
4605	11/13/2011	0.5852	1032.20	0.37	0.94	95.71	2.25	0.49	0.09	0.09	0.03	0.02	0.01	0.01	0.00	0.00
4605	11/12/2011	0.5896	1035.48	0.42	1.04	95.22	2.37	0.62	0.11	0.12	0.04	0.02	0.02	0.01	0.00	0.00
4605	11/11/2011	0.5932	1039.32	0.44	1.10	94.78	2.56	0.73	0.14	0.14	0.04	0.03	0.02	0.01	0.00	0.00
4605	11/10/2011	0.5899	1034.53	0.48	1.06	95.16	2.36	0.63	0.11	0.12	0.04	0.02	0.02	0.01	0.00	0.00
4605	11/09/2011	0.5864	1033.13	0.35	0.99	95.60	2.25	0.54	0.10	0.10	0.03	0.02	0.01	0.01	0.00	0.00
4605	11/08/2011	0.5829	1029.10	0.44	0.87	96.04	1.96	0.46	0.08	0.08	0.03	0.02	0.01	0.01	0.00	0.00

Meter Name = ML 103 FROM FIDLAR TO GREASEWOOD

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
57	02/05/2012	0.5734	1021.89	0.14	0.76	97.33	1.46	0.21	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	02/04/2012	0.5745	1021.66	0.14	0.84	97.19	1.52	0.21	0.04	0.04	0.01	0.01	0.00	0.00	0.00	0.00
57	02/03/2012	0.5740	1022.14	0.14	0.79	97.27	1.49	0.21	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
57	02/02/2012	0.5730	1020.86	0.14	0.78	97.37	1.45	0.19	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
57	02/01/2012	0.5724	1022.51	0.14	0.67	97.44	1.44	0.21	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	01/31/2012	0.5746	1027.46	0.15	0.61	97.08	1.75	0.29	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
57	01/30/2012	0.5703	1024.21	0.15	0.47	97.70	1.36	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	01/29/2012	0.5672	1021.40	0.15	0.39	98.15	1.08	0.15	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	01/28/2012	0.5712	1024.33	0.15	0.53	97.62	1.37	0.23	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
57	01/27/2012	0.5712	1022.78	0.14	0.59	97.59	1.39	0.20	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	01/26/2012	0.5715	1022.44	0.14	0.62	97.57	1.38	0.20	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
57	01/25/2012	0.5839	1032.81	0.15	0.97	95.84	2.44	0.41	0.08	0.06	0.02	0.01	0.01	0.01	0.00	0.00
57	01/24/2012	0.5713	1020.36	0.15	0.69	97.55	1.40	0.15	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	01/23/2012	0.5722	1022.78	0.15	0.65	97.49	1.39	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
57	01/22/2012	0.5709	1021.44	0.17	0.61	97.64	1.32	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	01/21/2012	0.5708	1021.71	0.14	0.61	97.68	1.29	0.19	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
57	01/20/2012	0.5728	1024.99	0.14	0.61	97.47	1.40	0.24	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
57	01/19/2012	0.5708	1026.20	0.13	0.44	97.72	1.32	0.25	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
57	01/18/2012	0.5680	1022.94	0.14	0.39	98.02	1.18	0.18	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	01/17/2012	0.5681	1025.35	0.13	0.30	98.01	1.22	0.22	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
57	01/16/2012	0.5678	1023.29	0.13	0.37	98.06	1.17	0.18	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
57	01/15/2012	0.5666	1021.84	0.13	0.35	98.22	1.08	0.15	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	01/14/2012	0.5673	1023.67	0.13	0.32	98.15	1.13	0.18	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
57	01/13/2012	0.5699	1024.02	0.13	0.47	97.79	1.30	0.21	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
57	01/12/2012	0.5669	1019.60	0.13	0.46	98.17	1.07	0.12	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
57	01/11/2012	0.5639	1020.07	0.13	0.26	98.55	0.91	0.11	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
57	01/10/2012	0.5646	1022.47	0.13	0.20	98.47	0.99	0.15	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	01/09/2012	0.5652	1022.71	0.13	0.23	98.39	1.03	0.16	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
57	01/08/2012	0.5674	1025.03	0.13	0.28	98.10	1.19	0.21	0.04	0.04	0.01	0.01	0.00	0.00	0.00	0.00
57	01/07/2012	0.5644	1022.14	0.13	0.21	98.48	0.99	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	01/06/2012	0.5728	1032.22	0.13	0.32	97.41	1.59	0.36	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
57	01/05/2012	0.5666	1025.57	0.13	0.20	98.22	1.14	0.22	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
57	01/04/2012	0.5692	1027.25	0.13	0.30	97.88	1.31	0.25	0.05	0.04	0.02	0.01	0.01	0.00	0.00	0.00
57	01/03/2012	0.5660	1022.99	0.13	0.27	98.28	1.08	0.16	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	01/02/2012	0.5660	1022.86	0.13	0.27	98.28	1.08	0.16	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	01/01/2012	0.5641	1021.86	0.13	0.20	98.53	0.96	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	12/31/2011	0.5629	1021.86	0.13	0.13	98.67	0.90	0.12	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	12/30/2011	0.5657	1024.61	0.13	0.19	98.32	1.09	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	12/29/2011	0.5700	1028.59	0.12	0.30	97.79	1.35	0.29	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
57	12/28/2011	0.5703	1026.60	0.11	0.40	97.72	1.40	0.24	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
57	12/27/2011	0.5700	1023.52	0.11	0.51	97.82	1.25	0.20	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
57	12/26/2011	0.5699	1018.18	0.11	0.72	97.81	1.19	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	12/25/2011	0.5699	1018.18	0.11	0.72	97.81	1.19	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	12/24/2011	0.5699	1018.18	0.11	0.72	97.81	1.19	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	12/23/2011	0.5699	1018.18	0.11	0.72	97.81	1.19	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	12/22/2011	0.5699	1018.18	0.11	0.72	97.81	1.19	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	12/21/2011	0.5699	1018.56	0.11	0.70	97.82	1.20	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	12/20/2011	0.5773	1030.48	0.11	0.69	96.66	2.09	0.33	0.06	0.05	0.01	0.01	0.00	0.00	0.00	0.00
57	12/19/2011	0.5719	1026.90	0.11	0.49	97.45	1.60	0.26	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	12/18/2011	0.5747	1027.82	0.12	0.62	97.20	1.59	0.31	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
57	12/17/2011	0.5822	1037.40	0.14	0.70	96.14	2.24	0.53	0.10	0.09	0.03	0.02	0.01	0.00	0.00	0.00
57	12/16/2011	0.5754	1031.98	0.11	0.51	97.07	1.72	0.40	0.08	0.07	0.02	0.01	0.01	0.00	0.00	0.00
57	12/15/2011	0.5814	1033.51	0.12	0.81	96.27	2.12	0.46	0.09	0.08	0.02	0.01	0.01	0.00	0.00	0.00
57	12/14/2011	0.5856	1043.53	0.12	0.68	95.75	2.49	0.64	0.13	0.11	0.04	0.02	0.02	0.01	0.00	0.00
57	12/13/2011	0.5837	1041.46	0.12	0.64	96.00	2.38	0.56	0.11	0.10	0.04	0.03	0.02	0.01	0.00	0.00
57	12/12/2011	0.5719	1024.65	0.11	0.58	97.53	1.45	0.23	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
57	12/11/2011	0.5733	1025.71	0.12	0.62	97.37	1.50	0.26	0.05	0.04	0.02	0.01	0.01	0.00	0.00	0.00
57	12/10/2011	0.5748	1026.92	0.12	0.66	97.19	1.59	0.28	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
57	12/09/2011	0.5767	1025.89	0.11	0.83	96.98	1.61	0.30	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = ML 103 FROM FIDLAR TO GREASEWOOD

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
57	12/08/2011	0.5754	1025.24	0.12	0.77	97.11	1.58	0.29	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
57	12/07/2011	0.5745	1029.92	0.12	0.53	97.23	1.60	0.35	0.06	0.07	0.02	0.01	0.01	0.00	0.00	0.00
57	12/06/2011	0.5756	1035.16	0.12	0.39	97.07	1.74	0.45	0.09	0.09	0.02	0.01	0.01	0.01	0.00	0.00
57	12/05/2011	0.5666	1025.09	0.12	0.23	98.22	1.12	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	12/04/2011	0.5647	1023.20	0.13	0.18	98.44	1.03	0.16	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	12/03/2011	0.5683	1026.16	0.14	0.28	98.01	1.23	0.22	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
57	12/02/2011	0.5716	1027.70	0.15	0.41	97.54	1.48	0.28	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
57	12/01/2011	0.5711	1023.08	0.17	0.56	97.61	1.38	0.20	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
57	11/30/2011	0.5737	1020.68	0.14	0.83	97.31	1.44	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	11/29/2011	0.5751	1018.72	0.13	1.00	97.12	1.52	0.17	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	11/28/2011	0.5757	1019.35	0.13	1.01	97.06	1.53	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	11/27/2011	0.5763	1017.19	0.14	1.13	96.99	1.51	0.16	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	11/26/2011	0.5760	1017.41	0.14	1.10	97.02	1.51	0.16	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	11/25/2011	0.5772	1017.67	0.14	1.17	96.89	1.54	0.18	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	11/24/2011	0.5791	1019.90	0.14	1.20	96.69	1.63	0.23	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
57	11/23/2011	0.5738	1015.95	0.15	1.02	97.32	1.34	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	11/22/2011	0.5716	1017.32	0.15	0.83	97.59	1.26	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	11/21/2011	0.5740	1018.68	0.15	0.92	97.27	1.42	0.17	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	11/20/2011	0.5732	1016.43	0.15	0.96	97.40	1.30	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	11/19/2011	0.5745	1019.54	0.15	0.92	97.23	1.43	0.18	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
57	11/18/2011	0.5750	1020.83	0.12	0.92	97.11	1.59	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	11/17/2011	0.5728	1016.80	0.12	0.94	97.47	1.28	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	11/16/2011	0.5721	1017.67	0.11	0.87	97.52	1.33	0.12	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	11/15/2011	0.5682	1018.76	0.10	0.59	98.03	1.12	0.12	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	11/14/2011	0.5697	1021.50	0.11	0.58	97.86	1.21	0.16	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
57	11/13/2011	0.5704	1021.33	0.10	0.63	97.74	1.29	0.16	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
57	11/12/2011	0.5718	1020.31	0.11	0.75	97.61	1.28	0.17	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
57	11/11/2011	0.5763	1019.62	0.11	1.05	97.03	1.52	0.20	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
57	11/10/2011	0.5749	1018.89	0.11	1.00	97.21	1.42	0.18	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
57	11/09/2011	0.5725	1018.09	0.10	0.88	97.51	1.29	0.14	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
57	11/08/2011	0.5738	1018.67	0.10	0.94	97.33	1.41	0.15	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00

Meter Name = ML 40 FROM FIDLAR TO PRICE

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
8665	02/05/2012	0.5803	1029.95	0.22	0.82	96.33	2.06	0.39	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
8665	02/04/2012	0.5856	1035.16	0.29	0.89	95.60	2.46	0.52	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
8665	02/03/2012	0.5922	1042.26	0.36	0.98	94.66	3.00	0.70	0.12	0.12	0.03	0.02	0.01	0.00	0.00	0.00
8665	02/02/2012	0.5735	1021.14	0.14	0.80	97.29	1.49	0.20	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
8665	02/01/2012	0.5733	1023.75	0.16	0.68	97.30	1.53	0.24	0.04	0.04	0.01	0.01	0.00	0.00	0.00	0.00
8665	01/31/2012	0.5745	1027.52	0.15	0.60	97.10	1.75	0.29	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
8665	01/30/2012	0.5703	1024.14	0.15	0.48	97.70	1.36	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
8665	01/29/2012	0.5697	1023.82	0.18	0.43	97.79	1.29	0.21	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
8665	01/28/2012	0.5712	1024.32	0.15	0.53	97.62	1.37	0.23	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
8665	01/27/2012	0.5716	1023.12	0.15	0.60	97.54	1.41	0.21	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
8665	01/26/2012	0.5715	1022.40	0.14	0.62	97.57	1.38	0.20	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
8665	01/25/2012	0.5839	1032.28	0.15	1.00	95.86	2.40	0.40	0.08	0.06	0.02	0.01	0.01	0.00	0.00	0.00
8665	01/24/2012	0.5715	1020.65	0.15	0.69	97.52	1.42	0.16	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	01/23/2012	0.5721	1022.77	0.15	0.64	97.51	1.38	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
8665	01/22/2012	0.5750	1026.37	0.21	0.64	97.06	1.66	0.29	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
8665	01/21/2012	0.5784	1030.05	0.23	0.69	96.58	1.94	0.38	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
8665	01/20/2012	0.5909	1044.75	0.36	0.80	94.77	3.05	0.70	0.12	0.12	0.04	0.02	0.01	0.00	0.00	0.00
8665	01/19/2012	0.5791	1034.11	0.22	0.58	96.49	2.06	0.43	0.08	0.08	0.02	0.02	0.01	0.00	0.00	0.00
8665	01/18/2012	0.5699	1024.75	0.16	0.42	97.75	1.34	0.22	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
8665	01/17/2012	0.5679	1025.11	0.13	0.30	98.04	1.21	0.21	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
8665	01/16/2012	0.5678	1023.24	0.13	0.37	98.06	1.17	0.18	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
8665	01/15/2012	0.5712	1025.77	0.18	0.45	97.59	1.41	0.24	0.04	0.05	0.02	0.01	0.01	0.00	0.00	0.00
8665	01/14/2012	0.5880	1042.83	0.33	0.71	95.20	2.84	0.59	0.11	0.12	0.04	0.03	0.02	0.01	0.00	0.00
8665	01/13/2012	0.5697	1023.79	0.13	0.47	97.81	1.28	0.21	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
8665	01/12/2012	0.5670	1019.65	0.13	0.46	98.17	1.07	0.12	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	01/11/2012	0.5639	1020.08	0.13	0.26	98.56	0.91	0.11	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
8665	01/10/2012	0.5645	1022.42	0.13	0.20	98.48	0.98	0.15	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	01/09/2012	0.5649	1022.49	0.13	0.23	98.42	1.01	0.15	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	01/08/2012	0.5669	1024.33	0.13	0.27	98.16	1.16	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
8665	01/07/2012	0.5643	1022.24	0.13	0.20	98.49	0.98	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	01/06/2012	0.5726	1032.05	0.13	0.32	97.43	1.58	0.36	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
8665	01/05/2012	0.5669	1025.80	0.13	0.21	98.17	1.16	0.22	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
8665	01/04/2012	0.5693	1027.29	0.13	0.30	97.87	1.31	0.25	0.05	0.04	0.02	0.01	0.01	0.00	0.00	0.00
8665	01/03/2012	0.5677	1024.05	0.14	0.32	98.05	1.20	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
8665	01/02/2012	0.5659	1022.85	0.13	0.27	98.29	1.08	0.16	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = ML 40 FROM FIDLAR TO PRICE

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
8665	01/01/2012	0.5641	1021.86	0.13	0.20	98.53	0.96	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	12/31/2011	0.5738	1030.49	0.22	0.39	97.19	1.70	0.33	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
8665	12/30/2011	0.5842	1038.84	0.31	0.65	95.77	2.44	0.54	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
8665	12/29/2011	0.5764	1032.72	0.22	0.47	96.87	1.85	0.39	0.07	0.07	0.02	0.02	0.01	0.00	0.00	0.00
8665	12/28/2011	0.5738	1028.89	0.16	0.50	97.23	1.66	0.30	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
8665	12/27/2011	0.5699	1023.53	0.11	0.51	97.83	1.25	0.20	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
8665	12/26/2011	0.5699	1018.22	0.11	0.72	97.82	1.18	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	12/25/2011	0.5699	1018.22	0.11	0.72	97.82	1.18	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	12/24/2011	0.5699	1018.22	0.11	0.72	97.82	1.18	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	12/23/2011	0.5699	1018.22	0.11	0.72	97.82	1.18	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	12/22/2011	0.5699	1018.22	0.11	0.72	97.82	1.18	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	12/21/2011	0.5721	1021.38	0.14	0.70	97.50	1.38	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
8665	12/20/2011	0.5771	1030.23	0.11	0.69	96.67	2.08	0.33	0.06	0.04	0.01	0.01	0.00	0.00	0.00	0.00
8665	12/19/2011	0.5711	1025.81	0.11	0.49	97.56	1.50	0.24	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
8665	12/18/2011	0.5745	1027.91	0.12	0.61	97.20	1.60	0.31	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
8665	12/17/2011	0.5793	1034.38	0.16	0.62	96.52	2.03	0.45	0.09	0.08	0.02	0.01	0.01	0.00	0.00	0.00
8665	12/16/2011	0.5773	1033.23	0.13	0.57	96.79	1.89	0.43	0.08	0.07	0.02	0.01	0.01	0.00	0.00	0.00
8665	12/15/2011	0.5830	1035.72	0.15	0.80	96.00	2.30	0.51	0.09	0.09	0.02	0.01	0.01	0.00	0.00	0.00
8665	12/14/2011	0.5854	1041.87	0.17	0.70	95.72	2.50	0.60	0.12	0.11	0.03	0.02	0.02	0.01	0.00	0.00
8665	12/13/2011	0.5856	1042.77	0.16	0.68	95.71	2.53	0.60	0.12	0.11	0.04	0.03	0.02	0.01	0.00	0.00
8665	12/12/2011	0.5812	1034.90	0.23	0.67	96.23	2.17	0.47	0.08	0.09	0.03	0.02	0.01	0.00	0.00	0.00
8665	12/11/2011	0.5860	1037.36	0.32	0.81	95.53	2.53	0.54	0.10	0.10	0.03	0.02	0.01	0.00	0.00	0.00
8665	12/10/2011	0.5787	1030.47	0.18	0.73	96.62	1.91	0.37	0.07	0.07	0.02	0.02	0.01	0.00	0.00	0.00
8665	12/09/2011	0.5766	1025.83	0.11	0.82	96.99	1.61	0.30	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
8665	12/08/2011	0.5750	1024.86	0.12	0.76	97.16	1.55	0.28	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
8665	12/07/2011	0.5758	1030.04	0.14	0.59	97.04	1.69	0.36	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
8665	12/06/2011	0.5722	1029.92	0.14	0.37	97.49	1.51	0.33	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
8665	12/05/2011	0.5656	1024.13	0.12	0.20	98.34	1.06	0.19	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
8665	12/04/2011	0.5646	1023.17	0.13	0.18	98.45	1.02	0.16	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	12/03/2011	0.5683	1026.20	0.14	0.28	98.00	1.23	0.22	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
8665	12/02/2011	0.5713	1027.34	0.15	0.41	97.58	1.46	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
8665	12/01/2011	0.5711	1023.11	0.17	0.56	97.61	1.38	0.20	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
8665	11/30/2011	0.5738	1020.81	0.14	0.83	97.29	1.45	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
8665	11/29/2011	0.5762	1020.62	0.16	0.98	96.95	1.62	0.21	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
8665	11/28/2011	0.5782	1023.41	0.18	0.97	96.69	1.76	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
8665	11/27/2011	0.5797	1023.71	0.20	1.04	96.49	1.84	0.29	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
8665	11/26/2011	0.5803	1025.58	0.22	0.99	96.40	1.91	0.32	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
8665	11/25/2011	0.5870	1036.02	0.31	0.93	95.43	2.53	0.53	0.10	0.10	0.03	0.02	0.01	0.00	0.00	0.00
8665	11/24/2011	0.5877	1036.16	0.32	0.96	95.35	2.55	0.54	0.10	0.10	0.03	0.02	0.02	0.01	0.00	0.00
8665	11/23/2011	0.5851	1034.47	0.30	0.88	95.69	2.39	0.50	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
8665	11/22/2011	0.5719	1017.77	0.15	0.83	97.54	1.29	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	11/21/2011	0.5738	1018.65	0.15	0.91	97.29	1.41	0.17	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	11/20/2011	0.5733	1016.72	0.15	0.96	97.38	1.31	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	11/19/2011	0.5769	1022.90	0.19	0.91	96.88	1.64	0.26	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
8665	11/18/2011	0.5834	1032.10	0.24	0.91	95.93	2.28	0.43	0.08	0.08	0.02	0.02	0.01	0.00	0.00	0.00
8665	11/17/2011	0.5735	1017.66	0.13	0.95	97.38	1.34	0.15	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	11/16/2011	0.5734	1019.41	0.12	0.87	97.33	1.44	0.16	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
8665	11/15/2011	0.5894	1039.20	0.35	0.93	95.09	2.74	0.59	0.11	0.11	0.04	0.02	0.02	0.01	0.00	0.00
8665	11/14/2011	0.5886	1038.13	0.36	0.92	95.20	2.65	0.58	0.11	0.11	0.03	0.02	0.02	0.01	0.00	0.00
8665	11/13/2011	0.6018	1060.58	0.35	0.85	93.58	3.61	1.02	0.19	0.22	0.07	0.05	0.04	0.02	0.01	0.00
8665	11/12/2011	0.5868	1038.91	0.29	0.82	95.45	2.59	0.56	0.10	0.11	0.03	0.02	0.02	0.01	0.00	0.00
8665	11/11/2011	0.5821	1028.96	0.20	0.98	96.18	2.07	0.38	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
8665	11/10/2011	0.5846	1032.64	0.26	0.96	95.72	2.40	0.45	0.08	0.08	0.02	0.02	0.01	0.00	0.00	0.00
8665	11/09/2011	0.5852	1035.77	0.36	0.80	95.59	2.48	0.51	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00
8665	11/08/2011	0.5855	1036.60	0.35	0.79	95.54	2.55	0.51	0.09	0.09	0.03	0.02	0.01	0.00	0.00	0.00

Meter Name = ML 80 #1 FROM FIDLAR TO CLAY BASIN

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
3907	02/05/2012	0.5740	1022.53	0.15	0.77	97.25	1.51	0.22	0.04	0.04	0.01	0.01	0.00	0.00	0.00	0.00
3907	02/04/2012	0.5757	1023.25	0.16	0.84	97.02	1.63	0.24	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	02/03/2012	0.5765	1024.99	0.18	0.81	96.90	1.70	0.28	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
3907	02/02/2012	0.5729	1020.86	0.14	0.78	97.37	1.45	0.19	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00
3907	02/01/2012	0.5724	1022.57	0.15	0.67	97.44	1.44	0.21	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	01/31/2012	0.5744	1027.34	0.15	0.60	97.12	1.72	0.29	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	01/30/2012	0.5702	1024.15	0.15	0.47	97.70	1.36	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	01/29/2012	0.5672	1021.41	0.16	0.39	98.15	1.08	0.15	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	01/28/2012	0.5712	1024.34	0.15	0.53	97.62	1.37	0.23	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	01/27/2012	0.5713	1022.80	0.14	0.59	97.58	1.39	0.20	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	01/26/2012	0.5715	1022.44	0.14	0.62	97.56	1.39	0.20	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = ML 80 #1 FROM FIDLAR TO CLAY BASIN

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
3907	01/25/2012	0.5835	1032.08	0.15	0.98	95.90	2.39	0.40	0.07	0.06	0.02	0.01	0.01	0.00	0.00	0.00
3907	01/24/2012	0.5713	1020.35	0.15	0.69	97.55	1.40	0.15	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	01/23/2012	0.5719	1022.59	0.15	0.64	97.53	1.37	0.21	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
3907	01/22/2012	0.5709	1021.53	0.17	0.61	97.64	1.32	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	01/21/2012	0.5729	1023.96	0.17	0.63	97.38	1.47	0.24	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	01/20/2012	0.5786	1031.37	0.21	0.66	96.61	1.93	0.39	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
3907	01/19/2012	0.5717	1026.99	0.14	0.45	97.59	1.41	0.27	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
3907	01/18/2012	0.5681	1022.99	0.14	0.39	98.01	1.19	0.18	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	01/17/2012	0.5668	1023.49	0.13	0.29	98.19	1.13	0.18	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	01/16/2012	0.5679	1023.32	0.13	0.37	98.05	1.18	0.18	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
3907	01/15/2012	0.5667	1022.01	0.13	0.35	98.20	1.09	0.15	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	01/14/2012	0.5702	1026.36	0.16	0.38	97.72	1.37	0.24	0.05	0.04	0.02	0.01	0.01	0.00	0.00	0.00
3907	01/13/2012	0.5691	1023.13	0.13	0.46	97.89	1.24	0.19	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	01/12/2012	0.5669	1019.60	0.13	0.46	98.17	1.07	0.12	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
3907	01/11/2012	0.5640	1020.11	0.13	0.26	98.55	0.91	0.11	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
3907	01/10/2012	0.5641	1022.26	0.13	0.18	98.54	0.95	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	01/09/2012	0.5638	1021.30	0.13	0.20	98.57	0.93	0.12	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	01/08/2012	0.5653	1022.31	0.13	0.25	98.37	1.05	0.15	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	01/07/2012	0.5644	1022.21	0.13	0.20	98.48	0.99	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	01/06/2012	0.5722	1031.32	0.13	0.32	97.48	1.55	0.34	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
3907	01/05/2012	0.5668	1025.72	0.13	0.21	98.19	1.15	0.22	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	01/04/2012	0.5694	1027.36	0.13	0.30	97.86	1.32	0.26	0.05	0.04	0.02	0.01	0.01	0.00	0.00	0.00
3907	01/03/2012	0.5663	1023.19	0.13	0.28	98.25	1.10	0.17	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	01/02/2012	0.5660	1022.87	0.13	0.27	98.28	1.08	0.16	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	01/01/2012	0.5641	1021.84	0.13	0.20	98.53	0.96	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	12/31/2011	0.5651	1023.61	0.15	0.18	98.37	1.06	0.17	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	12/30/2011	0.5687	1026.85	0.16	0.26	97.91	1.30	0.25	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	12/29/2011	0.5725	1030.27	0.16	0.36	97.43	1.54	0.33	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
3907	12/28/2011	0.5712	1027.19	0.12	0.43	97.60	1.47	0.25	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
3907	12/27/2011	0.5698	1023.58	0.11	0.50	97.85	1.23	0.20	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	12/26/2011	0.5696	1018.55	0.11	0.68	97.86	1.16	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	12/25/2011	0.5696	1018.55	0.11	0.68	97.86	1.16	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	12/24/2011	0.5696	1018.55	0.11	0.68	97.86	1.16	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	12/23/2011	0.5696	1018.55	0.11	0.68	97.86	1.16	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	12/22/2011	0.5696	1018.55	0.11	0.68	97.86	1.16	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	12/21/2011	0.5701	1019.05	0.11	0.69	97.78	1.22	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	12/20/2011	0.5746	1027.07	0.11	0.65	97.05	1.83	0.26	0.04	0.04	0.01	0.01	0.00	0.00	0.00	0.00
3907	12/19/2011	0.5684	1022.05	0.11	0.46	98.03	1.14	0.18	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	12/18/2011	0.5731	1026.43	0.14	0.57	97.36	1.53	0.28	0.05	0.05	0.01	0.01	0.01	0.00	0.00	0.00
3907	12/17/2011	0.5797	1034.62	0.17	0.63	96.45	2.07	0.45	0.09	0.08	0.02	0.01	0.01	0.00	0.00	0.00
3907	12/16/2011	0.5800	1035.37	0.16	0.62	96.38	2.15	0.48	0.08	0.08	0.02	0.01	0.01	0.00	0.00	0.00
3907	12/15/2011	0.5798	1032.66	0.14	0.73	96.45	2.03	0.44	0.08	0.07	0.02	0.01	0.01	0.00	0.00	0.00
3907	12/14/2011	0.5769	1031.43	0.13	0.61	96.87	1.82	0.38	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
3907	12/13/2011	0.5720	1025.24	0.14	0.54	97.50	1.46	0.24	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	12/12/2011	0.5739	1026.94	0.14	0.60	97.24	1.60	0.29	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
3907	12/11/2011	0.5758	1027.96	0.16	0.66	97.01	1.70	0.32	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
3907	12/10/2011	0.5752	1027.21	0.12	0.68	97.13	1.62	0.29	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
3907	12/09/2011	0.5766	1025.75	0.12	0.82	96.99	1.61	0.30	0.06	0.06	0.02	0.01	0.01	0.00	0.00	0.00
3907	12/08/2011	0.5757	1024.92	0.12	0.80	97.09	1.57	0.28	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
3907	12/07/2011	0.5779	1030.80	0.16	0.67	96.75	1.83	0.39	0.07	0.07	0.02	0.01	0.01	0.00	0.00	0.00
3907	12/06/2011	0.5696	1026.25	0.15	0.35	97.80	1.34	0.24	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	12/05/2011	0.5643	1022.86	0.12	0.17	98.50	0.98	0.16	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	12/04/2011	0.5648	1023.22	0.13	0.18	98.43	1.03	0.16	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	12/03/2011	0.5686	1026.39	0.14	0.29	97.97	1.25	0.23	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	12/02/2011	0.5713	1027.31	0.15	0.41	97.58	1.46	0.27	0.05	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	12/01/2011	0.5712	1023.23	0.17	0.56	97.59	1.39	0.21	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
3907	11/30/2011	0.5739	1020.71	0.14	0.84	97.28	1.46	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	11/29/2011	0.5752	1018.94	0.14	0.99	97.10	1.52	0.17	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	11/28/2011	0.5759	1019.68	0.14	1.01	97.03	1.55	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	11/27/2011	0.5766	1017.86	0.15	1.12	96.94	1.54	0.17	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	11/26/2011	0.5773	1020.19	0.17	1.05	96.84	1.63	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	11/25/2011	0.5793	1021.40	0.18	1.13	96.58	1.75	0.25	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	11/24/2011	0.5804	1022.25	0.16	1.16	96.49	1.76	0.27	0.05	0.05	0.02	0.01	0.01	0.00	0.00	0.00
3907	11/23/2011	0.5747	1017.38	0.16	1.01	97.19	1.42	0.16	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	11/22/2011	0.5717	1017.43	0.15	0.83	97.57	1.27	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	11/21/2011	0.5737	1018.70	0.15	0.90	97.30	1.41	0.17	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	11/20/2011	0.5732	1016.55	0.15	0.96	97.40	1.30	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	11/19/2011	0.5747	1019.84	0.15	0.92	97.20	1.45	0.19	0.03	0.03	0.01	0.01	0.01	0.00	0.00	0.00
3907	11/18/2011	0.5763	1022.66	0.14	0.91	96.91	1.71	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = ML 80 #1 FROM FIDLAR TO CLAY BASIN

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
3907	11/17/2011	0.5729	1016.82	0.12	0.95	97.46	1.29	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	11/16/2011	0.5722	1017.92	0.11	0.86	97.51	1.34	0.12	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
3907	11/15/2011	0.5731	1023.37	0.16	0.67	97.35	1.49	0.22	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	11/14/2011	0.5731	1024.51	0.15	0.63	97.39	1.47	0.24	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	11/13/2011	0.5776	1030.26	0.16	0.68	96.79	1.82	0.36	0.06	0.07	0.02	0.01	0.01	0.01	0.00	0.00
3907	11/12/2011	0.5736	1022.67	0.13	0.75	97.35	1.44	0.22	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	11/11/2011	0.5770	1020.73	0.12	1.05	96.93	1.58	0.22	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00
3907	11/10/2011	0.5760	1020.16	0.12	1.01	97.06	1.52	0.21	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
3907	11/09/2011	0.5744	1020.60	0.14	0.87	97.23	1.47	0.20	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
3907	11/08/2011	0.5766	1023.03	0.16	0.90	96.90	1.68	0.24	0.04	0.04	0.01	0.01	0.01	0.00	0.00	0.00

Meter Name = NIGHTINGALE MASTER METER

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
13	02/05/2012	0.6346	1082.78	0.69	1.77	89.75	4.92	1.79	0.35	0.40	0.13	0.09	0.07	0.04	0.01	0.00
13	02/04/2012	0.6365	1085.45	0.71	1.78	89.49	5.05	1.85	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
13	02/03/2012	0.6391	1088.47	0.72	1.81	89.20	5.17	1.93	0.38	0.43	0.14	0.10	0.07	0.04	0.01	0.00
13	02/02/2012	0.6371	1084.57	0.68	1.87	89.45	5.07	1.81	0.36	0.40	0.13	0.09	0.07	0.04	0.02	0.00
13	02/01/2012	0.6402	1089.31	0.75	1.82	89.15	5.17	1.88	0.37	0.44	0.15	0.11	0.09	0.05	0.02	0.00
13	01/31/2012	0.6384	1085.94	0.75	1.85	89.27	5.13	1.85	0.37	0.42	0.14	0.10	0.07	0.04	0.02	0.00
13	01/30/2012	0.6374	1084.45	0.76	1.84	89.36	5.11	1.82	0.36	0.40	0.13	0.09	0.07	0.04	0.02	0.00
13	01/29/2012	0.6387	1087.25	0.71	1.84	89.23	5.19	1.88	0.37	0.42	0.14	0.10	0.07	0.04	0.02	0.00
13	01/28/2012	0.6380	1085.92	0.71	1.85	89.32	5.15	1.85	0.36	0.41	0.13	0.09	0.07	0.04	0.02	0.00
13	01/27/2012	0.6374	1085.20	0.72	1.83	89.41	5.08	1.83	0.36	0.41	0.13	0.09	0.07	0.04	0.01	0.00
13	01/26/2012	0.6393	1087.81	0.75	1.83	89.25	5.12	1.85	0.37	0.42	0.14	0.11	0.09	0.05	0.01	0.00
13	01/25/2012	0.6370	1086.87	0.59	1.83	89.50	5.11	1.83	0.36	0.41	0.13	0.09	0.07	0.04	0.01	0.00
13	01/24/2012	0.6376	1089.81	0.50	1.81	89.51	5.14	1.86	0.37	0.42	0.14	0.11	0.08	0.04	0.01	0.00
13	01/23/2012	0.6368	1087.48	0.49	1.85	89.56	5.13	1.84	0.36	0.40	0.13	0.09	0.07	0.04	0.02	0.00
13	01/22/2012	0.6367	1088.31	0.48	1.83	89.62	5.10	1.84	0.36	0.41	0.13	0.09	0.07	0.04	0.02	0.00
13	01/21/2012	0.6374	1089.61	0.48	1.82	89.54	5.14	1.87	0.37	0.41	0.14	0.10	0.08	0.04	0.01	0.00
13	01/20/2012	0.6373	1089.25	0.48	1.82	89.53	5.14	1.88	0.37	0.42	0.14	0.09	0.07	0.04	0.01	0.00
13	01/19/2012	0.6374	1089.75	0.50	1.80	89.49	5.16	1.89	0.37	0.42	0.14	0.10	0.07	0.04	0.01	0.00
13	01/18/2012	0.6371	1088.75	0.50	1.82	89.53	5.14	1.87	0.37	0.41	0.14	0.09	0.07	0.04	0.01	0.00
13	01/17/2012	0.6366	1088.32	0.51	1.80	89.55	5.15	1.87	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
13	01/16/2012	0.6362	1087.87	0.51	1.79	89.58	5.13	1.87	0.37	0.41	0.13	0.09	0.06	0.03	0.01	0.00
13	01/15/2012	0.6359	1086.67	0.51	1.82	89.67	5.06	1.82	0.36	0.40	0.13	0.09	0.07	0.04	0.02	0.00
13	01/14/2012	0.6374	1088.98	0.52	1.81	89.52	5.12	1.87	0.37	0.42	0.14	0.10	0.07	0.04	0.01	0.00
13	01/13/2012	0.6391	1089.09	0.52	1.92	89.29	5.16	1.96	0.39	0.43	0.13	0.09	0.06	0.03	0.01	0.00
13	01/12/2012	0.6332	1076.08	0.46	2.11	90.08	4.56	1.82	0.36	0.36	0.11	0.07	0.04	0.03	0.01	0.00
13	01/11/2012	0.6364	1084.81	0.47	1.95	89.66	4.83	2.00	0.40	0.41	0.12	0.07	0.04	0.02	0.01	0.00
13	01/10/2012	0.6382	1089.61	0.49	1.86	89.46	5.03	2.02	0.40	0.43	0.13	0.08	0.06	0.03	0.01	0.00
13	01/09/2012	0.6369	1088.50	0.51	1.81	89.53	5.15	1.87	0.37	0.41	0.13	0.09	0.07	0.04	0.02	0.00
13	01/08/2012	0.6387	1091.76	0.50	1.80	89.36	5.23	1.94	0.38	0.42	0.14	0.10	0.07	0.04	0.02	0.00
13	01/07/2012	0.6393	1092.32	0.51	1.81	89.30	5.25	1.95	0.39	0.43	0.14	0.10	0.07	0.04	0.01	0.00
13	01/06/2012	0.6390	1091.72	0.52	1.81	89.32	5.24	1.93	0.39	0.43	0.14	0.10	0.07	0.04	0.01	0.00
13	01/05/2012	0.6376	1090.09	0.52	1.79	89.48	5.15	1.90	0.38	0.42	0.14	0.10	0.07	0.04	0.02	0.00
13	01/04/2012	0.6381	1090.45	0.52	1.80	89.45	5.14	1.91	0.38	0.42	0.14	0.10	0.07	0.04	0.02	0.00
13	01/03/2012	0.6386	1091.32	0.54	1.78	89.36	5.21	1.93	0.38	0.43	0.14	0.10	0.07	0.04	0.01	0.00
13	01/02/2012	0.6380	1089.40	0.54	1.83	89.42	5.17	1.89	0.38	0.42	0.14	0.10	0.07	0.04	0.02	0.00
13	01/01/2012	0.6385	1090.76	0.54	1.80	89.36	5.21	1.92	0.38	0.43	0.14	0.10	0.07	0.04	0.02	0.00
13	12/31/2011	0.6387	1090.76	0.54	1.82	89.34	5.20	1.93	0.39	0.43	0.14	0.10	0.07	0.04	0.01	0.00
13	12/30/2011	0.6388	1091.03	0.54	1.81	89.34	5.20	1.92	0.38	0.43	0.14	0.10	0.07	0.04	0.02	0.00
13	12/29/2011	0.6390	1091.28	0.54	1.81	89.34	5.19	1.92	0.39	0.43	0.14	0.10	0.08	0.04	0.02	0.00
13	12/28/2011	0.6394	1091.40	0.55	1.82	89.28	5.21	1.94	0.39	0.43	0.14	0.10	0.07	0.04	0.02	0.00
13	12/27/2011	0.6387	1089.38	0.55	1.86	89.35	5.17	1.89	0.38	0.42	0.14	0.10	0.07	0.04	0.02	0.00
13	12/26/2011	0.6388	1090.86	0.55	1.81	89.32	5.23	1.92	0.38	0.43	0.14	0.10	0.07	0.04	0.02	0.00
13	12/25/2011	0.6386	1089.43	0.59	1.83	89.32	5.21	1.90	0.37	0.42	0.14	0.10	0.07	0.04	0.02	0.00
13	12/24/2011	0.6354	1085.50	0.58	1.80	89.73	4.99	1.80	0.36	0.40	0.13	0.09	0.07	0.04	0.02	0.00
13	12/23/2011	0.6337	1082.52	0.59	1.80	89.97	4.82	1.74	0.35	0.39	0.13	0.09	0.07	0.04	0.02	0.00
13	12/22/2011	0.6373	1086.63	0.61	1.85	89.49	5.06	1.85	0.38	0.42	0.14	0.09	0.07	0.04	0.01	0.00
13	12/21/2011	0.6377	1086.62	0.63	1.85	89.45	5.08	1.84	0.37	0.41	0.14	0.10	0.08	0.04	0.01	0.00
13	12/20/2011	0.6397	1092.94	0.63	1.73	89.22	5.23	1.95	0.39	0.45	0.15	0.11	0.07	0.04	0.02	0.00
13	12/19/2011	0.6391	1093.38	0.63	1.68	89.20	5.33	1.97	0.38	0.44	0.14	0.10	0.07	0.05	0.02	0.00
13	12/18/2011	0.6392	1093.05	0.65	1.68	89.19	5.33	1.96	0.38	0.43	0.14	0.10	0.08	0.05	0.02	0.00
13	12/17/2011	0.6406	1094.70	0.66	1.69	89.06	5.36	2.00	0.39	0.44	0.14	0.10	0.09	0.05	0.02	0.00
13	12/16/2011	0.6420	1097.38	0.67	1.67	88.91	5.42	2.06	0.40	0.46	0.15	0.11	0.09	0.05	0.01	0.00
13	12/15/2011	0.6406	1094.52	0.69	1.68	89.04	5.35	1.99	0.39	0.44	0.15	0.11	0.09	0.05	0.01	0.00
13	12/14/2011	0.6397	1091.68	0.68	1.75	89.22	5.21	1.91	0.39	0.44	0.16	0.11	0.08	0.05	0.01	0.00
13	12/13/2011	0.6407	1091.43	0.68	1.82	89.15	5.17	1.92	0.40	0.45	0.16	0.11	0.08	0.05	0.01	0.00
13	12/12/2011	0.6404	1092.38	0.66	1.78	89.20	5.16	1.92	0.40	0.45	0.16	0.11	0.09	0.05	0.01	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = NIGHTINGALE MASTER METER

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
13	12/11/2011	0.6404	1092.61	0.64	1.77	89.19	5.20	1.93	0.40	0.45	0.16	0.11	0.08	0.05	0.01	0.00
13	12/10/2011	0.6402	1092.18	0.65	1.78	89.20	5.19	1.93	0.40	0.45	0.16	0.11	0.08	0.04	0.01	0.00
13	12/09/2011	0.6398	1090.79	0.64	1.81	89.27	5.14	1.90	0.39	0.44	0.16	0.11	0.08	0.05	0.01	0.00
13	12/08/2011	0.6384	1089.10	0.63	1.80	89.43	5.07	1.86	0.38	0.43	0.15	0.11	0.08	0.05	0.01	0.00
13	12/07/2011	0.6386	1087.85	0.67	1.84	89.36	5.08	1.84	0.38	0.42	0.15	0.11	0.09	0.04	0.01	0.00
13	12/06/2011	0.6383	1086.44	0.76	1.81	89.28	5.12	1.85	0.37	0.43	0.15	0.10	0.08	0.04	0.00	0.00
13	12/05/2011	0.6378	1087.78	0.73	1.75	89.30	5.17	1.88	0.38	0.43	0.15	0.10	0.07	0.03	0.00	0.00
13	12/04/2011	0.6388	1089.40	0.72	1.75	89.26	5.14	1.91	0.39	0.45	0.15	0.10	0.08	0.04	0.00	0.00
13	12/03/2011	0.6365	1085.75	0.72	1.76	89.55	4.96	1.86	0.38	0.43	0.13	0.08	0.08	0.04	0.01	0.00
13	12/02/2011	0.6311	1077.36	0.72	1.76	90.25	4.61	1.61	0.33	0.37	0.13	0.09	0.07	0.04	0.01	0.00
13	12/01/2011	0.6329	1079.39	0.76	1.76	90.02	4.70	1.67	0.34	0.38	0.14	0.10	0.08	0.04	0.01	0.00
13	11/30/2011	0.6361	1082.52	0.79	1.81	89.63	4.89	1.74	0.36	0.40	0.14	0.10	0.08	0.04	0.02	0.00
13	11/29/2011	0.6276	1072.38	0.77	1.70	90.71	4.32	1.50	0.30	0.34	0.12	0.09	0.07	0.04	0.02	0.00
13	11/28/2011	0.6335	1080.53	0.68	1.81	90.07	4.65	1.67	0.35	0.39	0.14	0.10	0.08	0.05	0.02	0.00
13	11/27/2011	0.6392	1086.62	0.82	1.82	89.28	5.02	1.85	0.38	0.42	0.15	0.11	0.08	0.05	0.02	0.00
13	11/26/2011	0.6368	1082.67	0.91	1.77	89.36	5.03	1.81	0.36	0.40	0.13	0.09	0.07	0.04	0.01	0.00
13	11/25/2011	0.6359	1081.49	0.87	1.79	89.43	5.04	1.80	0.36	0.39	0.13	0.09	0.06	0.03	0.01	0.00
13	11/24/2011	0.6377	1084.22	0.93	1.75	89.26	5.08	1.84	0.36	0.41	0.14	0.09	0.07	0.04	0.01	0.00
13	11/23/2011	0.6411	1091.14	0.77	1.80	89.05	5.15	1.99	0.40	0.45	0.15	0.10	0.08	0.04	0.02	0.00
13	11/22/2011	0.6322	1081.63	0.64	1.71	90.10	4.76	1.73	0.34	0.38	0.13	0.09	0.07	0.04	0.01	0.00
13	11/21/2011	0.6318	1081.03	0.58	1.74	90.17	4.72	1.73	0.34	0.38	0.13	0.09	0.07	0.04	0.01	0.00
13	11/20/2011	0.6305	1078.69	0.59	1.75	90.34	4.61	1.68	0.34	0.37	0.12	0.08	0.06	0.04	0.01	0.00
13	11/19/2011	0.6291	1076.72	0.59	1.74	90.50	4.52	1.65	0.33	0.36	0.12	0.08	0.06	0.03	0.01	0.00
13	11/18/2011	0.6287	1074.99	0.62	1.77	90.56	4.46	1.60	0.32	0.35	0.12	0.08	0.06	0.04	0.01	0.00
13	11/17/2011	0.6299	1076.29	0.60	1.80	90.34	4.64	1.63	0.33	0.35	0.12	0.08	0.06	0.03	0.01	0.00
13	11/16/2011	0.6288	1076.10	0.61	1.74	90.50	4.54	1.64	0.33	0.35	0.12	0.08	0.06	0.03	0.01	0.00
13	11/15/2011	0.6293	1076.99	0.59	1.74	90.49	4.53	1.64	0.33	0.36	0.12	0.08	0.06	0.04	0.01	0.00
13	11/14/2011	0.6297	1077.61	0.60	1.73	90.43	4.56	1.66	0.33	0.37	0.12	0.08	0.06	0.03	0.01	0.00
13	11/13/2011	0.6259	1071.98	0.59	1.73	90.88	4.33	1.55	0.31	0.33	0.11	0.08	0.06	0.03	0.01	0.00
13	11/12/2011	0.6236	1069.26	0.58	1.71	91.13	4.21	1.50	0.30	0.32	0.11	0.07	0.05	0.03	0.01	0.00
13	11/11/2011	0.6229	1068.50	0.57	1.70	91.26	4.13	1.46	0.29	0.32	0.11	0.07	0.05	0.03	0.01	0.00
13	11/10/2011	0.6231	1068.57	0.56	1.72	91.28	4.09	1.48	0.30	0.32	0.11	0.07	0.05	0.03	0.01	0.00
13	11/09/2011	0.6334	1081.51	0.60	1.81	90.01	4.73	1.78	0.36	0.39	0.13	0.09	0.06	0.04	0.01	0.00
13	11/08/2011	0.6351	1082.56	0.67	1.83	89.69	4.94	1.80	0.36	0.39	0.13	0.09	0.06	0.04	0.01	0.00

Meter Name = PAYSON 1-10"

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
2812	02/05/2012	0.5902	1034.69	0.32	1.17	95.11	2.51	0.61	0.10	0.11	0.03	0.02	0.01	0.00	0.00	0.00
2812	02/04/2012	0.5926	1038.01	0.32	1.19	94.82	2.67	0.68	0.11	0.12	0.03	0.02	0.02	0.01	0.00	0.00
2812	02/03/2012	0.6009	1048.32	0.31	1.31	93.70	3.38	0.89	0.14	0.16	0.05	0.03	0.02	0.01	0.00	0.00
2812	02/02/2012	0.5974	1044.54	0.31	1.24	94.15	3.13	0.80	0.13	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	02/01/2012	0.6008	1050.23	0.29	1.23	93.71	3.43	0.91	0.14	0.17	0.05	0.04	0.02	0.01	0.00	0.00
2812	01/31/2012	0.6005	1051.61	0.29	1.16	93.75	3.42	0.93	0.14	0.17	0.05	0.04	0.03	0.01	0.00	0.00
2812	01/30/2012	0.5987	1050.09	0.30	1.11	93.96	3.32	0.90	0.13	0.17	0.04	0.04	0.02	0.01	0.00	0.00
2812	01/29/2012	0.5965	1048.14	0.28	1.06	94.22	3.21	0.84	0.13	0.16	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/28/2012	0.5950	1046.29	0.28	1.04	94.43	3.07	0.81	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/27/2012	0.5949	1045.34	0.28	1.07	94.48	3.01	0.80	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/26/2012	0.5958	1046.53	0.28	1.08	94.36	3.08	0.82	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/25/2012	0.5984	1050.27	0.29	1.09	94.04	3.25	0.89	0.14	0.17	0.05	0.04	0.02	0.01	0.00	0.00
2812	01/24/2012	0.5982	1050.05	0.28	1.09	94.06	3.27	0.88	0.13	0.17	0.05	0.04	0.03	0.01	0.00	0.00
2812	01/23/2012	0.5959	1048.52	0.29	1.00	94.29	3.19	0.84	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/22/2012	0.5956	1047.88	0.29	1.01	94.37	3.11	0.84	0.13	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/21/2012	0.5977	1049.61	0.29	1.07	94.10	3.26	0.88	0.13	0.16	0.04	0.04	0.02	0.01	0.00	0.00
2812	01/20/2012	0.5966	1046.74	0.29	1.12	94.26	3.12	0.83	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/19/2012	0.5956	1047.18	0.29	1.04	94.33	3.15	0.82	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/18/2012	0.5922	1042.22	0.27	1.03	94.83	2.81	0.72	0.11	0.13	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/17/2012	0.5909	1042.68	0.26	0.94	95.00	2.74	0.72	0.11	0.13	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/16/2012	0.5918	1043.08	0.27	0.97	94.85	2.85	0.72	0.11	0.13	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/15/2012	0.5962	1048.31	0.29	1.03	94.31	3.15	0.82	0.13	0.16	0.05	0.04	0.02	0.01	0.00	0.00
2812	01/14/2012	0.5934	1043.39	0.29	1.05	94.69	2.87	0.75	0.12	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/13/2012	0.5968	1047.61	0.27	1.11	94.24	3.17	0.81	0.13	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/12/2012	0.5940	1045.42	0.26	1.02	94.60	2.98	0.77	0.12	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/11/2012	0.5950	1047.25	0.26	1.01	94.46	3.09	0.79	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/10/2012	0.5946	1046.87	0.25	1.01	94.51	3.06	0.81	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/09/2012	0.5951	1047.89	0.24	1.00	94.49	3.03	0.84	0.12	0.16	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/08/2012	0.5979	1050.73	0.26	1.06	94.11	3.25	0.90	0.13	0.17	0.05	0.04	0.02	0.01	0.00	0.00
2812	01/07/2012	0.5956	1047.09	0.26	1.05	94.43	3.03	0.84	0.12	0.16	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/06/2012	0.5920	1040.83	0.26	1.08	94.86	2.79	0.70	0.10	0.13	0.03	0.03	0.02	0.01	0.00	0.00
2812	01/05/2012	0.5939	1045.76	0.26	1.00	94.63	2.94	0.79	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = PAYSON 1-10"

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
2812	01/04/2012	0.5930	1044.20	0.27	1.01	94.65	3.00	0.75	0.11	0.13	0.03	0.03	0.02	0.01	0.00	0.00
2812	01/03/2012	0.5941	1046.20	0.26	1.00	94.59	2.99	0.77	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/02/2012	0.5955	1048.14	0.26	1.01	94.39	3.13	0.81	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	01/01/2012	0.5944	1046.80	0.27	0.99	94.52	3.05	0.79	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/31/2011	0.5956	1045.84	0.28	1.09	94.39	3.05	0.80	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/30/2011	0.5953	1045.40	0.29	1.08	94.46	2.99	0.79	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/29/2011	0.5933	1042.26	0.28	1.09	94.71	2.85	0.72	0.11	0.13	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/28/2011	0.5956	1047.51	0.27	1.03	94.51	2.96	0.79	0.13	0.16	0.05	0.04	0.03	0.02	0.01	0.00
2812	12/27/2011	0.5924	1043.36	0.25	1.01	94.81	2.87	0.72	0.11	0.13	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/26/2011	0.5930	1043.47	0.25	1.04	94.75	2.88	0.72	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/25/2011	0.5923	1042.71	0.26	1.03	94.82	2.83	0.72	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/24/2011	0.5923	1042.37	0.26	1.04	94.82	2.83	0.71	0.11	0.13	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/23/2011	0.5920	1041.26	0.25	1.07	94.88	2.77	0.70	0.11	0.13	0.03	0.03	0.02	0.01	0.00	0.00
2812	12/22/2011	0.5927	1042.95	0.25	1.05	94.80	2.84	0.72	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/21/2011	0.5991	1051.17	0.27	1.11	93.94	3.36	0.88	0.14	0.17	0.05	0.04	0.03	0.01	0.00	0.00
2812	12/20/2011	0.5985	1051.73	0.26	1.05	93.97	3.41	0.88	0.14	0.16	0.05	0.04	0.03	0.01	0.00	0.00
2812	12/19/2011	0.5978	1049.96	0.25	1.08	94.14	3.24	0.85	0.14	0.17	0.05	0.04	0.03	0.01	0.00	0.00
2812	12/18/2011	0.5955	1047.25	0.25	1.05	94.41	3.09	0.81	0.13	0.16	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/17/2011	0.5948	1046.45	0.26	1.03	94.46	3.08	0.80	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/16/2011	0.5948	1046.55	0.26	1.03	94.49	3.05	0.79	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/15/2011	0.6049	1059.60	0.28	1.13	93.20	3.80	1.06	0.17	0.21	0.06	0.05	0.03	0.02	0.01	0.00
2812	12/14/2011	0.6047	1058.11	0.27	1.18	93.24	3.74	1.03	0.17	0.20	0.06	0.05	0.03	0.02	0.01	0.00
2812	12/13/2011	0.6012	1053.30	0.28	1.14	93.67	3.51	0.93	0.15	0.18	0.05	0.04	0.03	0.02	0.01	0.00
2812	12/12/2011	0.5948	1046.16	0.26	1.04	94.48	3.05	0.79	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/11/2011	0.5941	1045.06	0.27	1.04	94.56	3.00	0.78	0.12	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/10/2011	0.5941	1045.00	0.27	1.04	94.55	3.00	0.77	0.12	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/09/2011	0.5921	1040.67	0.27	1.09	94.84	2.79	0.70	0.11	0.13	0.03	0.03	0.02	0.01	0.00	0.00
2812	12/08/2011	0.5921	1040.55	0.26	1.10	94.85	2.77	0.70	0.11	0.13	0.03	0.03	0.01	0.01	0.00	0.00
2812	12/07/2011	0.5993	1053.92	0.25	1.03	93.70	3.70	0.95	0.13	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/06/2011	0.5909	1043.11	0.25	0.93	94.98	2.79	0.72	0.11	0.13	0.03	0.03	0.01	0.01	0.00	0.00
2812	12/05/2011	0.5914	1043.46	0.26	0.94	94.91	2.82	0.73	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/04/2011	0.5932	1044.64	0.27	1.00	94.69	2.91	0.77	0.12	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/03/2011	0.5951	1046.93	0.28	1.02	94.45	3.05	0.81	0.12	0.16	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/02/2011	0.5943	1045.77	0.27	1.02	94.54	3.01	0.80	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	12/01/2011	0.5939	1044.34	0.27	1.06	94.59	2.98	0.75	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/30/2011	0.5960	1045.24	0.30	1.13	94.37	3.02	0.80	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/29/2011	0.5957	1045.27	0.33	1.09	94.46	2.89	0.82	0.13	0.16	0.04	0.04	0.02	0.01	0.00	0.00
2812	11/28/2011	0.5945	1042.43	0.31	1.14	94.59	2.83	0.77	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/27/2011	0.5963	1044.76	0.34	1.14	94.41	2.86	0.84	0.13	0.17	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/26/2011	0.5933	1040.37	0.28	1.17	94.73	2.79	0.71	0.11	0.13	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/25/2011	0.5933	1040.37	0.28	1.17	94.73	2.79	0.71	0.11	0.13	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/24/2011	0.5938	1041.13	0.28	1.17	94.66	2.81	0.74	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/23/2011	0.5945	1041.98	0.29	1.17	94.57	2.86	0.75	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/22/2011	0.5949	1042.40	0.29	1.18	94.56	2.86	0.75	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/21/2011	0.5950	1041.80	0.28	1.21	94.55	2.85	0.75	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/20/2011	0.5951	1042.32	0.28	1.21	94.51	2.89	0.76	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/19/2011	0.5963	1045.16	0.29	1.16	94.32	3.04	0.80	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/18/2011	0.5951	1042.57	0.30	1.18	94.54	2.84	0.76	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/17/2011	0.5991	1045.76	0.32	1.29	94.08	3.04	0.83	0.13	0.16	0.05	0.04	0.03	0.02	0.01	0.00
2812	11/16/2011	0.5973	1045.88	0.30	1.19	94.28	2.99	0.82	0.13	0.16	0.05	0.04	0.03	0.02	0.01	0.00
2812	11/15/2011	0.5975	1044.36	0.28	1.27	94.29	2.95	0.80	0.12	0.16	0.04	0.04	0.03	0.02	0.01	0.00
2812	11/14/2011	0.6008	1049.44	0.29	1.27	93.89	3.19	0.90	0.14	0.18	0.05	0.04	0.03	0.02	0.01	0.00
2812	11/13/2011	0.5959	1044.21	0.31	1.16	94.44	2.91	0.79	0.12	0.16	0.04	0.04	0.02	0.01	0.00	0.00
2812	11/12/2011	0.6024	1049.58	0.31	1.34	93.82	3.08	0.90	0.16	0.19	0.06	0.05	0.04	0.03	0.01	0.00
2812	11/11/2011	0.5960	1043.72	0.30	1.19	94.41	2.94	0.78	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/10/2011	0.5941	1041.81	0.30	1.14	94.61	2.85	0.75	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/09/2011	0.5940	1042.21	0.31	1.12	94.62	2.86	0.74	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
2812	11/08/2011	0.5957	1044.80	0.31	1.12	94.36	3.04	0.82	0.11	0.15	0.04	0.03	0.02	0.01	0.00	0.00

Meter Name = PRICE MASTER METER WEST

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
66	02/05/2012	0.5911	1038.73	0.32	1.07	94.88	2.80	0.65	0.10	0.11	0.03	0.02	0.01	0.00	0.00	0.00
66	02/04/2012	0.5923	1040.27	0.32	1.09	94.73	2.86	0.69	0.11	0.12	0.03	0.02	0.01	0.01	0.00	0.00
66	02/03/2012	0.5932	1041.11	0.32	1.11	94.62	2.92	0.71	0.11	0.12	0.03	0.02	0.01	0.01	0.00	0.00
66	02/02/2012	0.5906	1038.11	0.33	1.06	94.96	2.73	0.64	0.10	0.11	0.03	0.02	0.01	0.01	0.00	0.00
66	02/01/2012	0.5943	1045.07	0.31	1.03	94.44	3.11	0.77	0.12	0.13	0.04	0.03	0.02	0.01	0.00	0.00
66	01/31/2012	0.5979	1052.75	0.29	0.96	93.98	3.44	0.91	0.13	0.17	0.04	0.04	0.02	0.01	0.00	0.00
66	01/30/2012	0.5978	1053.06	0.29	0.94	93.95	3.48	0.92	0.13	0.16	0.04	0.04	0.02	0.01	0.00	0.00
66	01/29/2012	0.5975	1053.31	0.29	0.91	93.99	3.48	0.91	0.13	0.16	0.04	0.04	0.02	0.01	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = PRICE MASTER METER WEST

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
66	01/28/2012	0.5972	1052.60	0.29	0.92	94.04	3.45	0.90	0.13	0.16	0.04	0.03	0.02	0.01	0.00	0.00
66	01/27/2012	0.5973	1052.47	0.29	0.94	94.04	3.43	0.90	0.13	0.16	0.04	0.03	0.02	0.01	0.00	0.00
66	01/26/2012	0.5980	1053.23	0.28	0.95	93.96	3.48	0.91	0.13	0.17	0.04	0.04	0.02	0.01	0.00	0.00
66	01/25/2012	0.5985	1054.21	0.29	0.94	93.92	3.48	0.94	0.14	0.18	0.05	0.04	0.03	0.01	0.00	0.00
66	01/24/2012	0.5969	1052.53	0.28	0.92	94.12	3.37	0.89	0.13	0.16	0.04	0.04	0.03	0.01	0.00	0.00
66	01/23/2012	0.5977	1054.27	0.28	0.89	93.97	3.52	0.93	0.13	0.17	0.04	0.04	0.02	0.01	0.00	0.00
66	01/22/2012	0.5983	1055.54	0.29	0.87	93.87	3.59	0.94	0.14	0.17	0.05	0.04	0.03	0.01	0.00	0.00
66	01/21/2012	0.5991	1055.75	0.29	0.91	93.78	3.63	0.96	0.14	0.17	0.05	0.04	0.03	0.01	0.00	0.00
66	01/20/2012	0.5999	1056.51	0.29	0.94	93.68	3.67	0.97	0.14	0.17	0.05	0.04	0.03	0.01	0.00	0.00
66	01/19/2012	0.5999	1055.95	0.29	0.95	93.67	3.69	0.95	0.14	0.17	0.05	0.04	0.03	0.01	0.00	0.00
66	01/18/2012	0.5923	1045.62	0.27	0.91	94.72	3.01	0.76	0.12	0.13	0.04	0.03	0.02	0.01	0.00	0.00
66	01/17/2012	0.5933	1049.11	0.26	0.84	94.59	3.13	0.81	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
66	01/16/2012	0.5928	1048.13	0.27	0.84	94.63	3.13	0.78	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	01/15/2012	0.5977	1053.94	0.28	0.90	93.98	3.52	0.89	0.13	0.16	0.05	0.04	0.03	0.01	0.00	0.00
66	01/14/2012	0.5962	1051.71	0.28	0.90	94.18	3.37	0.86	0.13	0.16	0.04	0.03	0.02	0.01	0.00	0.00
66	01/13/2012	0.5926	1046.71	0.26	0.89	94.66	3.08	0.76	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	01/12/2012	0.5911	1045.36	0.26	0.86	94.85	2.98	0.73	0.11	0.13	0.03	0.03	0.02	0.01	0.00	0.00
66	01/11/2012	0.5921	1047.76	0.24	0.83	94.71	3.10	0.77	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	01/10/2012	0.5932	1049.30	0.24	0.84	94.56	3.19	0.82	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	01/09/2012	0.5942	1050.81	0.23	0.84	94.48	3.19	0.87	0.12	0.16	0.04	0.03	0.02	0.01	0.00	0.00
66	01/08/2012	0.5963	1053.15	0.25	0.87	94.19	3.37	0.92	0.13	0.17	0.04	0.04	0.02	0.01	0.00	0.00
66	01/07/2012	0.5991	1056.33	0.26	0.92	93.84	3.55	0.99	0.14	0.18	0.05	0.04	0.03	0.01	0.00	0.00
66	01/06/2012	0.5929	1046.39	0.25	0.93	94.62	3.11	0.77	0.10	0.13	0.03	0.03	0.02	0.01	0.00	0.00
66	01/05/2012	0.5965	1053.32	0.25	0.87	94.16	3.40	0.90	0.13	0.16	0.04	0.04	0.03	0.01	0.00	0.00
66	01/04/2012	0.5940	1049.91	0.25	0.86	94.40	3.32	0.83	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	01/03/2012	0.5959	1052.50	0.25	0.87	94.21	3.41	0.86	0.12	0.16	0.04	0.04	0.03	0.01	0.00	0.00
66	01/02/2012	0.5949	1051.55	0.25	0.85	94.35	3.33	0.84	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
66	01/01/2012	0.5949	1051.90	0.25	0.84	94.34	3.35	0.85	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
66	12/31/2011	0.5983	1053.90	0.26	0.96	93.89	3.56	0.91	0.13	0.17	0.05	0.04	0.03	0.01	0.00	0.00
66	12/30/2011	0.5986	1054.70	0.27	0.94	93.87	3.56	0.92	0.13	0.17	0.05	0.04	0.03	0.01	0.00	0.00
66	12/29/2011	0.5961	1050.79	0.26	0.94	94.22	3.34	0.84	0.12	0.15	0.04	0.04	0.03	0.01	0.00	0.00
66	12/28/2011	0.5955	1051.51	0.24	0.89	94.39	3.22	0.83	0.13	0.16	0.05	0.04	0.03	0.01	0.00	0.00
66	12/27/2011	0.5928	1048.06	0.24	0.87	94.64	3.12	0.77	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	12/26/2011	0.5918	1046.30	0.24	0.87	94.78	3.03	0.74	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	12/25/2011	0.5935	1048.45	0.25	0.89	94.54	3.17	0.79	0.12	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	12/24/2011	0.5939	1048.92	0.24	0.89	94.51	3.18	0.80	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
66	12/23/2011	0.5930	1046.80	0.24	0.93	94.63	3.08	0.77	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	12/22/2011	0.5931	1047.27	0.23	0.92	94.62	3.09	0.77	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	12/21/2011	0.5933	1047.77	0.24	0.90	94.57	3.14	0.79	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	12/20/2011	0.5942	1049.92	0.24	0.88	94.40	3.31	0.82	0.12	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	12/19/2011	0.5927	1048.02	0.23	0.87	94.65	3.11	0.79	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	12/18/2011	0.5957	1051.41	0.24	0.91	94.27	3.32	0.86	0.13	0.16	0.04	0.04	0.02	0.01	0.00	0.00
66	12/17/2011	0.5960	1052.22	0.25	0.89	94.19	3.40	0.88	0.13	0.16	0.04	0.03	0.02	0.01	0.00	0.00
66	12/16/2011	0.5964	1052.64	0.25	0.90	94.16	3.41	0.87	0.13	0.16	0.04	0.04	0.02	0.01	0.00	0.00
66	12/15/2011	0.5989	1056.70	0.26	0.89	93.81	3.64	0.95	0.14	0.18	0.05	0.04	0.03	0.01	0.00	0.00
66	12/14/2011	0.6020	1061.44	0.25	0.90	93.50	3.76	1.06	0.16	0.21	0.06	0.05	0.03	0.01	0.00	0.00
66	12/13/2011	0.5966	1052.60	0.26	0.91	94.12	3.42	0.88	0.13	0.16	0.04	0.04	0.02	0.01	0.00	0.00
66	12/12/2011	0.5956	1051.02	0.26	0.91	94.27	3.32	0.86	0.13	0.16	0.04	0.03	0.02	0.01	0.00	0.00
66	12/11/2011	0.5964	1051.39	0.26	0.94	94.15	3.39	0.87	0.13	0.16	0.04	0.03	0.02	0.01	0.00	0.00
66	12/10/2011	0.5965	1051.42	0.26	0.94	94.13	3.40	0.87	0.13	0.16	0.04	0.04	0.02	0.01	0.00	0.00
66	12/09/2011	0.5941	1047.55	0.25	0.96	94.47	3.17	0.79	0.12	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	12/08/2011	0.5933	1045.66	0.24	0.99	94.58	3.08	0.77	0.11	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	12/07/2011	0.6009	1059.36	0.23	0.92	93.41	4.00	1.03	0.14	0.17	0.04	0.03	0.02	0.01	0.00	0.00
66	12/06/2011	0.5942	1051.73	0.23	0.81	94.38	3.36	0.85	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
66	12/05/2011	0.5920	1047.90	0.24	0.82	94.74	3.07	0.79	0.12	0.14	0.04	0.03	0.02	0.01	0.00	0.00
66	12/04/2011	0.5944	1050.08	0.25	0.87	94.43	3.21	0.84	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
66	12/03/2011	0.5971	1053.00	0.27	0.91	94.08	3.41	0.90	0.13	0.17	0.04	0.04	0.02	0.01	0.00	0.00
66	12/02/2011	0.5963	1051.94	0.26	0.91	94.17	3.37	0.89	0.13	0.16	0.04	0.03	0.02	0.01	0.00	0.00
66	12/01/2011	0.5956	1050.92	0.26	0.91	94.25	3.35	0.85	0.12	0.15	0.04	0.03	0.02	0.01	0.00	0.00
66	11/30/2011	0.5978	1052.10	0.28	0.99	93.99	3.45	0.88	0.13	0.16	0.04	0.04	0.03	0.01	0.00	0.00
66	11/29/2011	0.5990	1052.71	0.27	1.04	93.88	3.48	0.91	0.13	0.17	0.05	0.04	0.03	0.01	0.00	0.00
66	11/28/2011	0.5974	1050.50	0.27	1.04	94.06	3.37	0.87	0.13	0.16	0.04	0.04	0.02	0.01	0.00	0.00
66	11/27/2011	0.5978	1050.89	0.27	1.04	94.00	3.41	0.88	0.13	0.16	0.04	0.04	0.02	0.01	0.00	0.00
66	11/26/2011	0.5985	1051.47	0.27	1.07	93.92	3.43	0.90	0.13	0.16	0.04	0.04	0.02	0.01	0.00	0.00
66	11/25/2011	0.5992	1053.04	0.27	1.04	93.78	3.58	0.91	0.13	0.17	0.04	0.04	0.02	0.01	0.00	0.00
66	11/24/2011	0.5993	1052.98	0.27	1.05	93.80	3.54	0.92	0.13	0.17	0.05	0.04	0.03	0.01	0.00	0.00
66	11/23/2011	0.5979	1050.33	0.27	1.07	93.97	3.43	0.87	0.12	0.16	0.04	0.03	0.02	0.01	0.00	0.00
66	11/22/2011	0.5975	1049.37	0.26	1.09	94.07	3.34	0.85	0.12	0.15	0.04	0.04	0.02	0.01	0.00	0.00
66	11/21/2011	0.5974	1049.55	0.26	1.08	94.07	3.34	0.85	0.12	0.16	0.04	0.04	0.02	0.01	0.00	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = PRICE MASTER METER WEST

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
66	11/20/2011	0.5982	1050.48	0.26	1.09	93.98	3.39	0.87	0.13	0.16	0.04	0.04	0.02	0.01	0.00	0.00
66	11/19/2011	0.5984	1051.65	0.27	1.05	93.92	3.47	0.89	0.13	0.16	0.04	0.04	0.02	0.01	0.00	0.00
66	11/18/2011	0.5994	1053.00	0.27	1.06	93.80	3.54	0.91	0.13	0.17	0.05	0.04	0.03	0.01	0.00	0.00
66	11/17/2011	0.5982	1049.68	0.25	1.13	94.03	3.33	0.85	0.13	0.16	0.05	0.04	0.03	0.01	0.00	0.00
66	11/16/2011	0.6041	1055.71	0.26	1.25	93.31	3.70	0.98	0.15	0.19	0.06	0.05	0.04	0.02	0.00	0.00
66	11/15/2011	0.6011	1055.27	0.26	1.08	93.66	3.58	0.95	0.14	0.18	0.05	0.04	0.04	0.02	0.00	0.00
66	11/14/2011	0.6012	1054.15	0.27	1.13	93.65	3.56	0.93	0.14	0.18	0.05	0.04	0.03	0.02	0.00	0.00
66	11/13/2011	0.6036	1058.25	0.26	1.11	93.38	3.68	1.03	0.16	0.20	0.06	0.05	0.04	0.02	0.00	0.00
66	11/12/2011	0.5989	1052.25	0.27	1.05	93.87	3.50	0.89	0.13	0.17	0.05	0.04	0.03	0.01	0.00	0.00
66	11/11/2011	0.6015	1053.58	0.27	1.16	93.64	3.53	0.93	0.14	0.18	0.05	0.04	0.04	0.02	0.00	0.00
66	11/10/2011	0.5977	1050.74	0.28	1.04	93.95	3.48	0.87	0.12	0.16	0.04	0.03	0.02	0.01	0.00	0.00
66	11/09/2011	0.5978	1051.50	0.27	1.02	93.98	3.44	0.88	0.12	0.16	0.04	0.04	0.03	0.01	0.00	0.00
66	11/08/2011	0.5986	1052.84	0.26	1.02	93.86	3.54	0.92	0.13	0.17	0.04	0.04	0.02	0.01	0.00	0.00

Meter Name = SIMON COMPRESSOR MASTER METER

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
7	02/05/2012	0.6359	1083.02	0.69	1.85	89.59	4.97	1.81	0.36	0.40	0.13	0.09	0.06	0.03	0.01	0.00
7	02/04/2012	0.6373	1084.97	0.71	1.84	89.41	5.07	1.85	0.37	0.41	0.13	0.09	0.07	0.04	0.02	0.00
7	02/03/2012	0.6408	1089.16	0.73	1.88	89.00	5.25	1.96	0.39	0.43	0.14	0.10	0.07	0.04	0.02	0.00
7	02/02/2012	0.6387	1085.33	0.69	1.93	89.24	5.16	1.85	0.36	0.41	0.13	0.09	0.07	0.04	0.02	0.00
7	02/01/2012	0.6391	1085.13	0.75	1.92	89.17	5.18	1.84	0.36	0.41	0.14	0.09	0.07	0.04	0.02	0.00
7	01/31/2012	0.6400	1086.33	0.75	1.93	89.09	5.20	1.87	0.37	0.42	0.14	0.10	0.07	0.04	0.02	0.00
7	01/30/2012	0.6389	1084.39	0.78	1.92	89.18	5.16	1.84	0.36	0.41	0.13	0.09	0.07	0.04	0.02	0.00
7	01/29/2012	0.6380	1088.32	0.50	1.89	89.44	5.17	1.86	0.37	0.41	0.14	0.10	0.07	0.04	0.02	0.00
7	01/28/2012	0.6380	1088.32	0.50	1.89	89.44	5.17	1.86	0.37	0.41	0.14	0.10	0.07	0.04	0.02	0.00
7	01/27/2012	0.6380	1088.32	0.50	1.89	89.44	5.17	1.86	0.37	0.41	0.14	0.10	0.07	0.04	0.02	0.00
7	01/26/2012	0.6380	1088.32	0.50	1.89	89.44	5.17	1.86	0.37	0.41	0.14	0.10	0.07	0.04	0.02	0.00
7	01/25/2012	0.6380	1088.32	0.50	1.89	89.44	5.17	1.86	0.37	0.41	0.14	0.10	0.07	0.04	0.02	0.00
7	01/24/2012	0.6380	1088.32	0.50	1.89	89.44	5.17	1.86	0.37	0.41	0.14	0.10	0.07	0.04	0.02	0.00
7	01/23/2012	0.6381	1088.62	0.49	1.89	89.43	5.18	1.87	0.37	0.41	0.14	0.10	0.07	0.04	0.02	0.00
7	01/22/2012	0.6388	1089.64	0.46	1.91	89.36	5.21	1.90	0.37	0.42	0.14	0.10	0.07	0.04	0.02	0.00
7	01/21/2012	0.6388	1089.64	0.46	1.91	89.36	5.21	1.90	0.37	0.42	0.14	0.10	0.07	0.04	0.02	0.00
7	01/20/2012	0.6381	1089.03	0.48	1.88	89.41	5.20	1.89	0.37	0.41	0.14	0.10	0.07	0.04	0.01	0.00
7	01/19/2012	0.6367	1087.58	0.51	1.83	89.52	5.17	1.86	0.36	0.40	0.13	0.09	0.07	0.04	0.01	0.00
7	01/18/2012	0.6367	1087.58	0.51	1.83	89.52	5.17	1.86	0.36	0.40	0.13	0.09	0.07	0.04	0.01	0.00
7	01/17/2012	0.6367	1087.57	0.51	1.83	89.51	5.17	1.86	0.36	0.40	0.13	0.09	0.07	0.04	0.01	0.00
7	01/16/2012	0.6375	1088.22	0.51	1.86	89.42	5.20	1.89	0.37	0.41	0.13	0.09	0.07	0.03	0.01	0.00
7	01/15/2012	0.6374	1087.34	0.50	1.89	89.48	5.15	1.86	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
7	01/14/2012	0.6378	1085.08	0.53	1.98	89.45	5.07	1.85	0.37	0.41	0.13	0.09	0.07	0.04	0.01	0.00
7	01/13/2012	0.6396	1085.79	0.53	2.07	89.23	5.12	1.93	0.38	0.42	0.13	0.09	0.06	0.03	0.01	0.00
7	01/12/2012	0.6303	1068.34	0.38	2.28	90.31	4.65	1.54	0.32	0.30	0.10	0.06	0.04	0.02	0.01	0.00
7	01/11/2012	0.6391	1080.40	0.46	2.31	89.26	4.92	2.06	0.40	0.39	0.10	0.06	0.03	0.01	0.01	0.00
7	01/10/2012	0.6412	1085.91	0.46	2.21	89.12	5.01	2.09	0.42	0.42	0.12	0.07	0.04	0.02	0.01	0.00
7	01/09/2012	0.6381	1088.35	0.51	1.89	89.39	5.19	1.89	0.37	0.41	0.13	0.09	0.07	0.04	0.02	0.00
7	01/08/2012	0.6390	1090.72	0.50	1.86	89.30	5.25	1.93	0.38	0.42	0.14	0.09	0.07	0.04	0.02	0.00
7	01/07/2012	0.6414	1094.12	0.50	1.87	89.07	5.33	2.01	0.40	0.44	0.15	0.10	0.08	0.04	0.01	0.00
7	01/06/2012	0.6403	1091.94	0.51	1.88	89.15	5.30	1.96	0.39	0.43	0.14	0.10	0.07	0.04	0.01	0.00
7	01/05/2012	0.6393	1090.69	0.51	1.87	89.29	5.23	1.93	0.38	0.42	0.14	0.10	0.07	0.04	0.01	0.00
7	01/04/2012	0.6394	1090.15	0.52	1.89	89.29	5.19	1.95	0.39	0.42	0.14	0.09	0.07	0.04	0.01	0.00
7	01/03/2012	0.6399	1091.48	0.53	1.86	89.20	5.27	1.95	0.39	0.43	0.14	0.10	0.07	0.04	0.01	0.00
7	01/02/2012	0.6395	1089.87	0.54	1.90	89.24	5.23	1.92	0.38	0.42	0.14	0.10	0.07	0.04	0.01	0.00
7	01/01/2012	0.6392	1089.92	0.53	1.88	89.26	5.24	1.92	0.38	0.42	0.14	0.10	0.07	0.04	0.02	0.00
7	12/31/2011	0.6395	1090.28	0.54	1.88	89.24	5.23	1.94	0.38	0.42	0.14	0.10	0.07	0.04	0.02	0.00
7	12/30/2011	0.6406	1092.09	0.54	1.88	89.14	5.28	1.98	0.39	0.43	0.14	0.10	0.07	0.04	0.02	0.00
7	12/29/2011	0.6397	1090.27	0.54	1.90	89.24	5.22	1.92	0.38	0.43	0.14	0.10	0.07	0.04	0.02	0.00
7	12/28/2011	0.6411	1092.24	0.55	1.90	89.09	5.28	1.98	0.40	0.44	0.15	0.10	0.08	0.04	0.02	0.00
7	12/27/2011	0.6403	1090.01	0.55	1.94	89.16	5.24	1.93	0.39	0.43	0.14	0.10	0.07	0.04	0.02	0.00
7	12/26/2011	0.6400	1090.35	0.55	1.90	89.19	5.25	1.93	0.38	0.43	0.14	0.10	0.07	0.04	0.02	0.00
7	12/25/2011	0.6400	1090.32	0.56	1.89	89.15	5.29	1.93	0.38	0.42	0.14	0.10	0.07	0.04	0.02	0.00
7	12/24/2011	0.6377	1087.19	0.55	1.88	89.45	5.12	1.86	0.37	0.41	0.14	0.09	0.07	0.04	0.02	0.00
7	12/23/2011	0.6342	1082.09	0.56	1.86	89.92	4.84	1.75	0.35	0.38	0.13	0.09	0.07	0.04	0.02	0.00
7	12/22/2011	0.6386	1087.10	0.59	1.92	89.39	5.09	1.86	0.38	0.42	0.14	0.10	0.07	0.04	0.02	0.00
7	12/21/2011	0.6388	1086.79	0.61	1.94	89.32	5.13	1.86	0.37	0.41	0.14	0.09	0.08	0.04	0.02	0.00
7	12/20/2011	0.6414	1092.92	0.60	1.85	89.06	5.28	1.96	0.40	0.45	0.16	0.11	0.08	0.04	0.02	0.00
7	12/19/2011	0.6405	1094.17	0.61	1.74	89.04	5.40	2.01	0.39	0.44	0.14	0.10	0.07	0.04	0.02	0.00
7	12/18/2011	0.6408	1093.99	0.64	1.75	89.01	5.41	2.00	0.38	0.43	0.14	0.10	0.08	0.05	0.02	0.00
7	12/17/2011	0.6414	1094.63	0.65	1.76	88.95	5.41	2.02	0.39	0.44	0.14	0.10	0.08	0.05	0.02	0.00
7	12/16/2011	0.6434	1097.82	0.65	1.75	88.76	5.48	2.08	0.40	0.46	0.15	0.11	0.09	0.05	0.02	0.00
7	12/15/2011	0.6434	1097.44	0.67	1.75	88.75	5.47	2.08	0.40	0.46	0.16	0.11	0.09	0.05	0.02	0.00

Questar Pipeline Company
Average Daily Gas Quality Information

Meter Name = SIMON COMPRESSOR MASTER METER

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
7	12/14/2011	0.6413	1092.60	0.66	1.82	89.04	5.30	1.94	0.39	0.44	0.16	0.11	0.09	0.04	0.02	0.00
7	12/13/2011	0.6423	1092.38	0.66	1.89	88.99	5.23	1.94	0.40	0.45	0.16	0.11	0.09	0.05	0.02	0.00
7	12/12/2011	0.6423	1093.40	0.64	1.86	89.00	5.25	1.96	0.41	0.46	0.16	0.11	0.09	0.05	0.02	0.00
7	12/11/2011	0.6421	1093.82	0.62	1.85	89.01	5.27	1.97	0.40	0.45	0.16	0.11	0.09	0.05	0.02	0.00
7	12/10/2011	0.6420	1093.26	0.63	1.86	89.01	5.26	1.96	0.40	0.45	0.16	0.11	0.09	0.05	0.02	0.00
7	12/09/2011	0.6415	1092.02	0.63	1.88	89.08	5.22	1.93	0.40	0.45	0.16	0.11	0.09	0.05	0.02	0.00
7	12/08/2011	0.6415	1091.12	0.63	1.91	89.08	5.21	1.92	0.40	0.44	0.16	0.11	0.08	0.05	0.02	0.00
7	12/07/2011	0.6410	1089.83	0.63	1.93	89.12	5.21	1.88	0.39	0.43	0.16	0.11	0.09	0.05	0.02	0.00
7	12/06/2011	0.6395	1086.25	0.71	1.92	89.15	5.19	1.85	0.37	0.42	0.15	0.10	0.07	0.04	0.01	0.00
7	12/05/2011	0.6392	1086.47	0.71	1.90	89.10	5.29	1.87	0.37	0.41	0.14	0.09	0.07	0.03	0.01	0.00
7	12/04/2011	0.6415	1091.39	0.70	1.85	89.01	5.24	1.94	0.40	0.45	0.15	0.11	0.08	0.04	0.01	0.00
7	12/03/2011	0.6412	1091.05	0.70	1.85	89.13	5.11	1.95	0.40	0.45	0.16	0.11	0.08	0.05	0.02	0.00
7	12/02/2011	0.6327	1077.71	0.70	1.86	90.09	4.67	1.62	0.33	0.37	0.13	0.09	0.08	0.04	0.02	0.00
7	12/01/2011	0.6338	1079.20	0.74	1.83	89.95	4.71	1.66	0.34	0.38	0.14	0.09	0.08	0.04	0.02	0.00
7	11/30/2011	0.6381	1083.77	0.77	1.90	89.42	4.97	1.77	0.37	0.41	0.15	0.10	0.08	0.05	0.02	0.00
7	11/29/2011	0.6299	1072.95	0.77	1.83	90.42	4.44	1.52	0.31	0.35	0.13	0.09	0.07	0.04	0.02	0.00
7	11/28/2011	0.6337	1079.00	0.65	1.90	90.08	4.62	1.64	0.34	0.38	0.14	0.10	0.08	0.05	0.02	0.00
7	11/27/2011	0.6413	1088.08	0.80	1.90	89.04	5.12	1.89	0.39	0.43	0.15	0.11	0.09	0.05	0.02	0.00
7	11/26/2011	0.6388	1083.07	0.91	1.88	89.14	5.11	1.83	0.37	0.41	0.14	0.10	0.07	0.04	0.01	0.00
7	11/25/2011	0.6377	1081.88	0.87	1.89	89.21	5.13	1.83	0.36	0.39	0.13	0.09	0.06	0.03	0.01	0.00
7	11/24/2011	0.6392	1084.19	0.89	1.87	89.08	5.17	1.86	0.37	0.41	0.14	0.09	0.07	0.04	0.01	0.00
7	11/23/2011	0.6435	1092.26	0.79	1.89	88.78	5.25	2.03	0.41	0.45	0.16	0.11	0.08	0.05	0.02	0.00
7	11/22/2011	0.6344	1082.85	0.63	1.80	89.83	4.88	1.77	0.35	0.39	0.13	0.09	0.07	0.04	0.01	0.00
7	11/21/2011	0.6329	1081.02	0.56	1.83	90.07	4.75	1.74	0.35	0.38	0.13	0.09	0.07	0.04	0.01	0.00
7	11/20/2011	0.6325	1080.25	0.58	1.82	90.11	4.74	1.71	0.34	0.37	0.13	0.09	0.07	0.04	0.01	0.00
7	11/19/2011	0.6302	1076.92	0.57	1.82	90.39	4.56	1.66	0.33	0.36	0.12	0.08	0.06	0.03	0.01	0.00
7	11/18/2011	0.6304	1076.21	0.59	1.84	90.40	4.53	1.63	0.33	0.36	0.12	0.08	0.07	0.04	0.02	0.00
7	11/17/2011	0.6307	1076.07	0.56	1.89	90.28	4.64	1.64	0.33	0.35	0.12	0.08	0.06	0.03	0.01	0.00
7	11/16/2011	0.6303	1076.24	0.59	1.84	90.31	4.63	1.65	0.33	0.36	0.12	0.08	0.06	0.03	0.01	0.00
7	11/15/2011	0.6306	1077.30	0.57	1.82	90.35	4.59	1.65	0.33	0.36	0.12	0.08	0.06	0.03	0.01	0.00
7	11/14/2011	0.6304	1076.95	0.58	1.82	90.36	4.58	1.66	0.33	0.36	0.12	0.08	0.06	0.03	0.01	0.00
7	11/13/2011	0.6285	1074.23	0.56	1.82	90.59	4.46	1.60	0.32	0.35	0.12	0.08	0.06	0.03	0.01	0.00
7	11/12/2011	0.6239	1068.04	0.55	1.79	91.11	4.21	1.48	0.29	0.31	0.11	0.07	0.05	0.03	0.01	0.00
7	11/11/2011	0.6237	1067.94	0.54	1.78	91.18	4.16	1.46	0.29	0.32	0.11	0.07	0.05	0.03	0.01	0.00
7	11/10/2011	0.6239	1068.34	0.53	1.79	91.21	4.11	1.47	0.30	0.32	0.11	0.07	0.05	0.03	0.01	0.00
7	11/09/2011	0.6332	1080.08	0.57	1.88	90.06	4.68	1.75	0.35	0.38	0.13	0.09	0.06	0.03	0.01	0.00
7	11/08/2011	0.6368	1083.37	0.64	1.92	89.49	5.03	1.83	0.37	0.39	0.13	0.09	0.07	0.03	0.01	0.00