

**White River Hub
Average Daily Gas Quality Information**

Meter Name = Enterprise To Wrh #1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1304	09/01/2010	0.5770	1019.56	0.10	1.10	96.97	1.52	0.21	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/31/2010	0.5773	1019.76	0.10	1.12	96.91	1.56	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/30/2010	0.5784	1019.61	0.10	1.19	96.77	1.62	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/29/2010	0.5769	1019.61	0.10	1.10	96.96	1.53	0.21	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/28/2010	0.5774	1020.14	0.10	1.11	96.90	1.57	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/27/2010	0.5775	1020.57	0.10	1.10	96.93	1.54	0.22	0.04	0.03	0.01	0.01	0.01	0.01	0.00	0.00
1304	08/26/2010	0.5778	1021.10	0.10	1.09	96.90	1.55	0.22	0.04	0.03	0.01	0.01	0.01	0.01	0.01	0.00
1304	08/25/2010	0.5780	1020.67	0.10	1.12	96.85	1.59	0.22	0.04	0.03	0.01	0.01	0.01	0.01	0.00	0.00
1304	08/24/2010	0.5784	1021.38	0.10	1.12	96.81	1.61	0.23	0.05	0.03	0.02	0.01	0.01	0.01	0.00	0.00
1304	08/23/2010	0.5770	1021.73	0.10	1.02	96.99	1.54	0.23	0.05	0.03	0.02	0.01	0.01	0.01	0.00	0.00
1304	08/22/2010	0.5772	1021.49	0.10	1.04	96.96	1.55	0.22	0.05	0.03	0.02	0.01	0.01	0.01	0.00	0.00
1304	08/21/2010	0.5768	1021.33	0.11	1.02	97.01	1.53	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/20/2010	0.5770	1020.71	0.11	1.06	96.97	1.55	0.21	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/19/2010	0.5778	1019.94	0.11	1.13	96.85	1.59	0.21	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/18/2010	0.5787	1020.43	0.10	1.17	96.76	1.63	0.23	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/17/2010	0.5781	1020.34	0.10	1.14	96.83	1.59	0.21	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/16/2010	0.5781	1020.49	0.10	1.14	96.82	1.61	0.22	0.04	0.03	0.01	0.01	0.01	0.01	0.00	0.00
1304	08/15/2010	0.5777	1020.16	0.10	1.12	96.88	1.57	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/14/2010	0.5772	1019.85	0.10	1.11	96.94	1.54	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1304	08/13/2010	0.5778	1020.38	0.10	1.12	96.85	1.60	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/12/2010	0.5783	1020.63	0.10	1.14	96.79	1.64	0.22	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/11/2010	0.5766	1020.25	0.10	1.05	96.99	1.55	0.21	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1304	08/10/2010	0.5761	1020.47	0.10	1.01	97.05	1.53	0.21	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1304	08/09/2010	0.5760	1020.47	0.10	1.01	97.08	1.51	0.21	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/08/2010	0.5726	1015.87	0.10	0.98	97.57	1.18	0.12	0.02	0.01	0.01	0.00	0.01	0.01	0.00	0.00
1304	08/07/2010	0.5768	1021.80	0.10	1.01	97.05	1.50	0.21	0.04	0.03	0.01	0.01	0.01	0.01	0.01	0.00
1304	08/06/2010	0.5762	1019.95	0.10	1.04	97.06	1.51	0.20	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/05/2010	0.5812	1022.93	0.10	1.23	96.39	1.86	0.29	0.06	0.04	0.02	0.01	0.01	0.00	0.00	0.00
1304	08/04/2010	0.5768	1020.48	0.10	1.06	96.95	1.58	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1304	08/03/2010	0.5754	1019.56	0.11	1.00	97.15	1.46	0.19	0.04	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1304	08/02/2010	0.5737	1011.72	0.11	1.21	97.38	1.23	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	08/01/2010	0.5736	1014.24	0.10	1.11	97.44	1.20	0.11	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1304	07/31/2010	0.5742	1012.06	0.10	1.23	97.30	1.29	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/30/2010	0.5740	1012.13	0.10	1.21	97.33	1.27	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/29/2010	0.5746	1012.04	0.10	1.26	97.25	1.32	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/28/2010	0.5740	1012.61	0.10	1.19	97.31	1.30	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/27/2010	0.5723	1012.77	0.10	1.08	97.54	1.19	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/26/2010	0.5734	1012.70	0.11	1.15	97.39	1.28	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/25/2010	0.5726	1012.29	0.10	1.12	97.52	1.18	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/24/2010	0.5717	1012.24	0.10	1.07	97.64	1.12	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/23/2010	0.5717	1012.07	0.10	1.07	97.66	1.10	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/22/2010	0.5721	1011.90	0.10	1.11	97.60	1.12	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/21/2010	0.5704	1012.11	0.10	0.99	97.83	1.01	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/20/2010	0.5712	1012.02	0.10	1.05	97.72	1.06	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/19/2010	0.5732	1015.75	0.10	1.02	97.48	1.22	0.12	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1304	07/18/2010	0.5706	1012.10	0.10	1.01	97.80	1.02	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/17/2010	0.5703	1012.02	0.10	0.99	97.85	0.99	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/16/2010	0.5702	1012.15	0.10	0.97	97.86	1.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/15/2010	0.5696	1012.44	0.10	0.93	97.92	0.98	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/14/2010	0.5703	1012.27	0.10	0.98	97.83	1.02	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/13/2010	0.5709	1012.20	0.10	1.02	97.75	1.06	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/12/2010	0.5726	1012.23	0.11	1.12	97.51	1.19	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/11/2010	0.5712	1012.00	0.10	1.05	97.71	1.07	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/10/2010	0.5715	1011.90	0.10	1.07	97.66	1.10	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/09/2010	0.5719	1013.42	0.10	1.03	97.61	1.15	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1304	07/08/2010	0.5750	1018.43	0.10	1.03	97.20	1.42	0.17	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	07/07/2010	0.5748	1018.37	0.10	1.02	97.22	1.41	0.17	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	07/06/2010	0.5743	1018.19	0.10	0.99	97.29	1.37	0.17	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	07/05/2010	0.5742	1018.61	0.10	0.97	97.31	1.36	0.18	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	07/04/2010	0.5761	1018.05	0.10	1.11	97.05	1.48	0.18	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	07/03/2010	0.5758	1018.36	0.10	1.08	97.09	1.48	0.18	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	07/02/2010	0.5745	1018.07	0.10	1.01	97.27	1.38	0.17	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1304	07/01/2010	0.5755	1018.25	0.10	1.06	97.13	1.46	0.18	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1304	06/30/2010	0.5766	1018.58	0.10	1.12	96.97	1.55	0.18	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	06/29/2010	0.5757	1018.37	0.10	1.07	97.11	1.47	0.18	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00

White River Hub
Average Daily Gas Quality Information

Meter Name = Enterprise To Wrh #1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1304	06/28/2010	0.5797	1022.01	0.10	1.18	96.57	1.78	0.25	0.05	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	06/27/2010	0.5774	1018.16	0.11	1.18	96.90	1.55	0.19	0.03	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1304	06/26/2010	0.5764	1018.04	0.11	1.12	97.04	1.48	0.18	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	06/25/2010	0.5769	1017.81	0.11	1.16	96.96	1.51	0.18	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	06/24/2010	0.5760	1017.61	0.11	1.11	97.09	1.44	0.17	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	06/23/2010	0.5768	1017.86	0.11	1.16	96.99	1.48	0.18	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	06/22/2010	0.5756	1018.50	0.10	1.06	97.16	1.41	0.18	0.03	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1304	06/21/2010	0.5765	1019.54	0.10	1.07	97.10	1.43	0.19	0.04	0.03	0.01	0.01	0.01	0.01	0.01	0.00
1304	06/20/2010	0.5754	1017.91	0.10	1.07	97.18	1.39	0.17	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	06/19/2010	0.5754	1018.05	0.10	1.06	97.18	1.39	0.18	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	06/18/2010	0.5749	1017.68	0.11	1.05	97.23	1.38	0.17	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	06/17/2010	0.5777	1019.64	0.10	1.14	96.83	1.63	0.20	0.03	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1304	06/16/2010	0.6033	1052.84	0.10	1.42	93.25	3.96	0.87	0.17	0.14	0.04	0.03	0.02	0.01	0.00	0.00
1304	06/15/2010	0.6109	1063.61	0.10	1.46	92.48	4.33	1.04	0.22	0.18	0.07	0.04	0.04	0.03	0.01	0.00
1304	06/14/2010	0.5783	1020.23	0.11	1.15	96.76	1.67	0.21	0.04	0.03	0.01	0.01	0.01	0.00	0.00	0.00
1304	06/13/2010	0.5758	1017.97	0.11	1.08	97.09	1.48	0.17	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	06/12/2010	0.5751	1017.75	0.12	1.05	97.17	1.43	0.17	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1304	06/11/2010	0.5748	1018.06	0.11	1.03	97.21	1.41	0.17	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1304	06/10/2010	0.5752	1018.38	0.11	1.03	97.18	1.43	0.17	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1304	06/09/2010	0.5750	1018.36	0.11	1.02	97.21	1.41	0.17	0.03	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1304	06/08/2010	0.5752	1017.46	0.12	1.06	97.17	1.42	0.16	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1304	06/07/2010	0.5756	1016.90	0.12	1.11	97.14	1.41	0.15	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1304	06/06/2010	0.5759	1017.08	0.12	1.12	97.06	1.47	0.16	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1304	06/05/2010	0.5759	1018.08	0.11	1.09	97.08	1.48	0.17	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1304	06/04/2010	0.5754	1017.81	0.12	1.06	97.16	1.43	0.17	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00

Meter Name = Magnolia To Wrh #1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1328	09/01/2010	0.5603	1020.09	0.08	0.06	99.00	0.78	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/31/2010	0.5600	1019.20	0.08	0.07	99.10	0.66	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/30/2010	0.5574	1016.97	0.09	0.00	99.46	0.44	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/29/2010	0.5575	1017.07	0.09	0.00	99.44	0.45	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/28/2010	0.5575	1017.07	0.09	0.00	99.44	0.45	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/27/2010	0.5575	1017.07	0.09	0.00	99.44	0.45	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/26/2010	0.5575	1017.03	0.09	0.00	99.45	0.45	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/25/2010	0.5574	1016.99	0.09	0.00	99.45	0.44	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/24/2010	0.5574	1016.99	0.09	0.00	99.46	0.44	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/23/2010	0.5574	1017.01	0.08	0.00	99.46	0.44	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/22/2010	0.5574	1016.97	0.08	0.00	99.47	0.43	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/21/2010	0.5574	1016.92	0.08	0.00	99.47	0.43	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/20/2010	0.5574	1017.03	0.09	0.00	99.45	0.44	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/19/2010	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/18/2010	0.5660	1026.04	0.08	0.18	98.15	1.38	0.15	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1328	08/17/2010	0.5574	1017.00	0.08	0.00	99.47	0.44	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/16/2010	0.5576	1017.25	0.08	0.00	99.43	0.47	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/15/2010	0.5577	1017.41	0.08	0.01	99.41	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/14/2010	0.5821	1037.90	0.08	0.71	96.06	2.44	0.49	0.09	0.07	0.02	0.01	0.01	0.00	0.00	0.00
1328	08/13/2010	0.5575	1017.19	0.08	0.00	99.44	0.46	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/12/2010	0.5574	1017.00	0.08	0.00	99.46	0.44	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/11/2010	0.5605	1019.72	0.09	0.08	99.03	0.70	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/10/2010	0.5574	1016.96	0.09	0.00	99.46	0.44	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/09/2010	0.5576	1017.15	0.09	0.00	99.43	0.46	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/08/2010	0.5591	1019.49	0.09	0.01	99.15	0.71	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/07/2010	0.5574	1016.76	0.10	0.00	99.46	0.42	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/06/2010	0.5575	1017.01	0.09	0.00	99.45	0.44	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/05/2010	0.5576	1017.28	0.08	0.00	99.43	0.47	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/04/2010	0.5622	1021.38	0.09	0.12	98.77	0.88	0.10	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/03/2010	0.5577	1017.25	0.09	0.01	99.40	0.48	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	08/02/2010	0.5691	1027.69	0.11	0.29	97.75	1.53	0.23	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00
1328	08/01/2010	0.5577	1017.27	0.08	0.01	99.41	0.47	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/31/2010	0.5577	1017.04	0.09	0.02	99.43	0.44	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/30/2010	0.5616	1021.79	0.09	0.07	98.81	0.91	0.10	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/29/2010	0.6124	1075.02	0.08	1.12	91.73	5.30	1.24	0.23	0.18	0.05	0.03	0.02	0.01	0.00	0.00
1328	07/28/2010	0.6211	1068.91	0.08	1.90	90.94	5.22	1.26	0.25	0.21	0.07	0.04	0.03	0.01	0.00	0.00
1328	07/27/2010	0.6196	1072.09	0.08	1.68	91.08	5.27	1.28	0.26	0.21	0.07	0.04	0.03	0.01	0.00	0.00
1328	07/26/2010	0.6052	1079.24	0.08	0.50	92.45	5.24	1.24	0.23	0.18	0.04	0.02	0.01	0.00	0.00	0.00
1328	07/25/2010	0.6213	1069.54	0.08	1.89	90.98	5.15	1.26	0.26	0.21	0.08	0.05	0.03	0.01	0.00	0.00
1328	07/24/2010	0.6207	1069.34	0.08	1.85	90.94	5.27	1.27	0.25	0.20	0.06	0.04	0.03	0.01	0.00	0.00
1328	07/23/2010	0.6206	1069.73	0.08	1.83	90.94	5.29	1.27	0.25	0.20	0.06	0.04	0.03	0.01	0.00	0.00

White River Hub
Average Daily Gas Quality Information

Meter Name = Magnolia To Wrh #1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1328	07/22/2010	0.6199	1070.07	0.08	1.77	91.01	5.29	1.26	0.25	0.20	0.06	0.04	0.03	0.01	0.00	0.00
1328	07/21/2010	0.6209	1068.72	0.08	1.89	90.91	5.27	1.26	0.25	0.20	0.07	0.04	0.03	0.01	0.00	0.00
1328	07/20/2010	0.6216	1070.61	0.08	1.86	90.88	5.27	1.28	0.26	0.21	0.07	0.04	0.03	0.01	0.00	0.00
1328	07/19/2010	0.6134	1079.90	0.08	0.98	91.70	5.31	1.29	0.26	0.21	0.07	0.04	0.03	0.01	0.00	0.00
1328	07/18/2010	0.6085	1088.65	0.08	0.34	92.23	5.35	1.32	0.27	0.23	0.08	0.05	0.04	0.01	0.00	0.00
1328	07/17/2010	0.5897	1063.62	0.09	0.16	94.36	4.40	0.69	0.13	0.10	0.03	0.02	0.01	0.01	0.00	0.00
1328	07/16/2010	0.5577	1017.07	0.09	0.01	99.42	0.45	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/15/2010	0.5579	1017.36	0.09	0.01	99.39	0.48	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/14/2010	0.5576	1016.94	0.10	0.01	99.43	0.44	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/13/2010	0.5577	1016.94	0.10	0.01	99.42	0.45	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/12/2010	0.5578	1017.08	0.10	0.01	99.40	0.47	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/11/2010	0.5577	1016.91	0.11	0.01	99.41	0.46	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/10/2010	0.5577	1016.88	0.11	0.01	99.40	0.46	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/09/2010	0.5575	1016.72	0.10	0.01	99.45	0.42	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/08/2010	0.5576	1016.69	0.11	0.01	99.43	0.43	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/07/2010	0.5592	1017.78	0.10	0.07	99.22	0.55	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/06/2010	0.5588	1017.56	0.10	0.05	99.28	0.52	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/05/2010	0.5584	1017.27	0.11	0.04	99.32	0.50	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/04/2010	0.5583	1017.22	0.11	0.03	99.33	0.50	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/03/2010	0.5584	1017.40	0.11	0.03	99.30	0.52	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/02/2010	0.5582	1017.21	0.11	0.03	99.34	0.49	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	07/01/2010	0.5579	1016.99	0.10	0.02	99.40	0.45	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/30/2010	0.5580	1017.13	0.10	0.02	99.38	0.47	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/29/2010	0.5582	1017.24	0.11	0.03	99.35	0.48	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/28/2010	0.5606	1018.97	0.12	0.10	99.05	0.63	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/27/2010	0.5606	1018.64	0.12	0.11	99.00	0.67	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/26/2010	0.5605	1018.65	0.11	0.11	99.02	0.66	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/25/2010	0.5604	1018.61	0.11	0.11	99.04	0.66	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/24/2010	0.5640	1021.55	0.14	0.20	98.52	0.98	0.12	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1328	06/23/2010	0.5606	1019.12	0.11	0.10	99.00	0.70	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/22/2010	0.5599	1018.45	0.10	0.09	99.12	0.62	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/21/2010	0.5629	1021.57	0.11	0.15	98.66	0.93	0.11	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/20/2010	0.5631	1021.01	0.10	0.18	98.70	0.85	0.12	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1328	06/19/2010	0.5599	1018.70	0.10	0.08	99.12	0.62	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/18/2010	0.5616	1020.13	0.11	0.12	98.86	0.80	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/17/2010	0.5599	1018.50	0.11	0.08	99.12	0.60	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/16/2010	0.5600	1018.41	0.12	0.08	99.09	0.63	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/15/2010	0.5599	1018.08	0.14	0.08	99.08	0.63	0.05	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/14/2010	0.5599	1018.04	0.14	0.08	99.09	0.63	0.05	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/13/2010	0.5659	1025.31	0.14	0.17	98.05	1.50	0.11	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/12/2010	0.5613	1020.42	0.15	0.07	98.77	0.96	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/11/2010	0.5595	1018.15	0.12	0.06	99.13	0.63	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/10/2010	0.5597	1018.39	0.13	0.06	99.09	0.66	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/09/2010	0.5599	1018.25	0.15	0.06	99.06	0.67	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/08/2010	0.5593	1016.94	0.19	0.05	99.14	0.57	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/07/2010	0.5590	1017.34	0.14	0.05	99.21	0.55	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/06/2010	0.5590	1017.43	0.15	0.04	99.20	0.57	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/05/2010	0.5592	1018.29	0.12	0.04	99.17	0.63	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	06/04/2010	0.5595	1018.01	0.16	0.04	99.13	0.61	0.04	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

Meter Name = Wrh To Qpc

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1331	09/01/2010	0.6342	1062.82	0.11	2.94	89.12	5.90	1.45	0.23	0.18	0.04	0.02	0.01	0.00	0.00	0.00
1331	08/31/2010	0.6339	1063.44	0.11	2.89	89.15	5.91	1.45	0.23	0.18	0.04	0.02	0.01	0.00	0.00	0.00
1331	08/30/2010	0.6351	1065.34	0.11	2.89	88.96	6.04	1.49	0.24	0.18	0.04	0.02	0.01	0.00	0.00	0.00
1331	08/29/2010	0.6343	1063.50	0.10	2.91	89.13	5.89	1.45	0.24	0.19	0.05	0.03	0.01	0.00	0.00	0.00
1331	08/28/2010	0.6343	1063.50	0.10	2.91	89.13	5.89	1.45	0.24	0.19	0.05	0.03	0.01	0.00	0.00	0.00
1331	08/27/2010	0.6343	1063.50	0.10	2.91	89.13	5.89	1.45	0.24	0.19	0.05	0.03	0.01	0.00	0.00	0.00
1331	08/26/2010	0.6351	1064.84	0.11	2.91	89.02	5.96	1.48	0.24	0.19	0.05	0.03	0.01	0.00	0.00	0.00
1331	08/25/2010	0.6359	1066.58	0.11	2.89	88.86	6.10	1.52	0.25	0.19	0.04	0.03	0.01	0.00	0.00	0.00
1331	08/24/2010	0.6397	1074.00	0.12	2.83	88.41	6.39	1.63	0.28	0.22	0.06	0.04	0.02	0.01	0.00	0.00
1331	08/23/2010	0.6402	1075.47	0.11	2.80	88.56	6.18	1.64	0.30	0.25	0.07	0.05	0.03	0.01	0.00	0.00
1331	08/22/2010	0.6423	1078.18	0.11	2.82	88.48	6.10	1.66	0.32	0.28	0.09	0.06	0.05	0.02	0.00	0.00
1331	08/21/2010	0.6395	1073.73	0.11	2.83	88.65	6.08	1.63	0.30	0.25	0.07	0.05	0.03	0.01	0.00	0.00
1331	08/20/2010	0.6430	1077.76	0.11	2.88	88.15	6.39	1.73	0.32	0.26	0.07	0.05	0.03	0.01	0.00	0.00
1331	08/19/2010	0.6416	1077.33	0.11	2.81	88.22	6.45	1.73	0.31	0.25	0.06	0.04	0.02	0.01	0.00	0.00
1331	08/18/2010	0.6402	1075.92	0.11	2.78	88.38	6.37	1.71	0.30	0.24	0.06	0.03	0.02	0.01	0.00	0.00
1331	08/17/2010	0.6363	1068.24	0.11	2.85	88.87	6.06	1.55	0.26	0.20	0.05	0.03	0.01	0.01	0.00	0.00
1331	08/16/2010	0.6365	1068.84	0.11	2.83	88.79	6.15	1.56	0.26	0.20	0.05	0.03	0.01	0.00	0.00	0.00

White River Hub
Average Daily Gas Quality Information

Meter Name = Wrh To Qpc

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1331	08/15/2010	0.6370	1067.51	0.11	2.92	88.71	6.19	1.54	0.25	0.19	0.04	0.03	0.01	0.00	0.00	0.00
1331	08/14/2010	0.6356	1066.58	0.11	2.87	88.85	6.17	1.50	0.24	0.19	0.04	0.03	0.01	0.00	0.00	0.00
1331	08/13/2010	0.6383	1073.31	0.11	2.77	88.57	6.29	1.66	0.28	0.22	0.05	0.03	0.01	0.00	0.00	0.00
1331	08/12/2010	0.6423	1077.98	0.12	2.83	88.16	6.46	1.73	0.31	0.26	0.07	0.04	0.02	0.01	0.00	0.00
1331	08/11/2010	0.6395	1069.91	0.12	2.97	88.42	6.32	1.59	0.26	0.21	0.05	0.03	0.02	0.01	0.00	0.00
1331	08/10/2010	0.6474	1084.16	0.12	2.90	87.63	6.63	1.89	0.36	0.31	0.08	0.05	0.03	0.01	0.00	0.00
1331	08/09/2010	0.6460	1084.76	0.12	2.79	87.75	6.63	1.90	0.35	0.30	0.08	0.05	0.03	0.01	0.00	0.00
1331	08/08/2010	0.6407	1076.25	0.12	2.79	88.23	6.51	1.73	0.29	0.23	0.05	0.03	0.01	0.00	0.00	0.00
1331	08/07/2010	0.6391	1071.52	0.12	2.88	88.37	6.45	1.63	0.26	0.20	0.04	0.03	0.01	0.00	0.00	0.00
1331	08/06/2010	0.6385	1072.25	0.12	2.82	88.42	6.47	1.63	0.26	0.20	0.04	0.03	0.01	0.00	0.00	0.00
1331	08/05/2010	0.6382	1073.02	0.12	2.77	88.44	6.48	1.66	0.26	0.20	0.04	0.02	0.01	0.00	0.00	0.00
1331	08/04/2010	0.6386	1074.21	0.12	2.74	88.32	6.62	1.66	0.26	0.20	0.04	0.02	0.01	0.00	0.00	0.00
1331	08/03/2010	0.6376	1072.10	0.12	2.77	88.25	6.88	1.53	0.22	0.17	0.03	0.02	0.01	0.00	0.00	0.00
1331	08/02/2010	0.6321	1061.80	0.12	2.83	89.28	5.93	1.40	0.21	0.16	0.03	0.02	0.01	0.00	0.00	0.00
1331	08/01/2010	0.6323	1063.55	0.11	2.78	89.18	6.09	1.41	0.21	0.16	0.03	0.02	0.01	0.00	0.00	0.00
1331	07/31/2010	0.6123	1052.34	0.11	1.99	92.04	4.45	1.05	0.17	0.14	0.03	0.02	0.01	0.00	0.00	0.00
1331	07/30/2010	0.6430	1081.47	0.12	2.73	88.11	6.46	1.83	0.34	0.28	0.07	0.04	0.02	0.00	0.00	0.00
1331	07/29/2010	0.6426	1081.78	0.11	2.70	88.18	6.42	1.82	0.34	0.29	0.08	0.05	0.02	0.00	0.00	0.00
1331	07/28/2010	0.6426	1081.83	0.11	2.70	88.18	6.42	1.82	0.34	0.29	0.08	0.05	0.02	0.00	0.00	0.00
1331	07/27/2010	0.6433	1082.31	0.11	2.72	88.10	6.46	1.83	0.34	0.29	0.08	0.05	0.02	0.00	0.00	0.00
1331	07/26/2010	0.6352	1067.46	0.11	2.81	88.83	6.25	1.52	0.23	0.18	0.04	0.02	0.01	0.00	0.00	0.00
1331	07/25/2010	0.6352	1067.54	0.12	2.80	88.81	6.29	1.50	0.23	0.18	0.04	0.02	0.01	0.00	0.00	0.00
1331	07/24/2010	0.6500	1092.42	0.12	2.73	87.71	6.50	1.87	0.38	0.35	0.12	0.09	0.08	0.04	0.01	0.00
1331	07/23/2010	0.6604	1109.22	0.11	2.71	86.92	6.65	2.13	0.48	0.46	0.18	0.13	0.13	0.06	0.02	0.00
1331	07/22/2010	0.6475	1088.56	0.11	2.73	87.96	6.34	1.84	0.38	0.34	0.12	0.08	0.07	0.03	0.01	0.00
1331	07/21/2010	0.6404	1076.91	0.11	2.75	88.52	6.24	1.64	0.29	0.25	0.08	0.05	0.04	0.02	0.00	0.00
1331	07/20/2010	0.6499	1092.22	0.12	2.73	87.57	6.66	1.89	0.38	0.34	0.12	0.08	0.07	0.03	0.01	0.00
1331	07/19/2010	0.6524	1095.39	0.12	2.76	87.30	6.81	1.93	0.39	0.35	0.12	0.09	0.08	0.04	0.01	0.00
1331	07/18/2010	0.6536	1097.68	0.12	2.74	87.20	6.80	2.02	0.41	0.37	0.13	0.09	0.08	0.03	0.01	0.00
1331	07/17/2010	0.6404	1077.12	0.12	2.74	88.12	6.72	1.71	0.28	0.22	0.05	0.03	0.01	0.00	0.00	0.00
1331	07/16/2010	0.6394	1075.10	0.12	2.76	88.38	6.43	1.69	0.28	0.23	0.05	0.03	0.01	0.00	0.00	0.00
1331	07/15/2010	0.6390	1073.96	0.12	2.78	88.39	6.46	1.68	0.27	0.21	0.05	0.03	0.01	0.00	0.00	0.00
1331	07/14/2010	0.6383	1072.98	0.12	2.78	88.51	6.36	1.65	0.27	0.22	0.05	0.03	0.01	0.00	0.00	0.00
1331	07/13/2010	0.6368	1070.26	0.12	2.79	88.69	6.27	1.59	0.25	0.20	0.04	0.03	0.01	0.00	0.00	0.00
1331	07/12/2010	0.6353	1068.21	0.11	2.78	88.98	6.06	1.50	0.25	0.20	0.05	0.03	0.02	0.01	0.00	0.00
1331	07/11/2010	0.6330	1064.40	0.11	2.79	89.22	5.94	1.45	0.23	0.18	0.04	0.02	0.01	0.00	0.00	0.00
1331	07/10/2010	0.6341	1066.72	0.11	2.77	89.05	6.05	1.52	0.24	0.18	0.04	0.02	0.01	0.00	0.00	0.00
1331	07/09/2010	0.6343	1066.34	0.11	2.79	89.01	6.10	1.49	0.23	0.18	0.04	0.02	0.01	0.00	0.00	0.00
1331	07/08/2010	0.6330	1064.62	0.11	2.79	89.13	6.06	1.45	0.22	0.17	0.04	0.02	0.01	0.00	0.00	0.00
1331	07/07/2010	0.6326	1064.36	0.11	2.77	89.21	6.01	1.43	0.22	0.17	0.04	0.02	0.01	0.00	0.00	0.00
1331	07/06/2010	0.6334	1064.46	0.11	2.81	89.13	6.01	1.47	0.23	0.17	0.04	0.02	0.01	0.00	0.00	0.00
1331	07/05/2010	0.6323	1063.21	0.11	2.80	89.25	5.97	1.43	0.22	0.17	0.04	0.02	0.01	0.00	0.00	0.00
1331	07/04/2010	0.6318	1063.06	0.11	2.77	89.30	5.97	1.41	0.21	0.16	0.04	0.02	0.01	0.00	0.00	0.00
1331	07/03/2010	0.6313	1062.47	0.11	2.77	89.38	5.91	1.40	0.21	0.16	0.04	0.02	0.01	0.00	0.00	0.00
1331	07/02/2010	0.6300	1060.48	0.11	2.76	89.51	5.88	1.33	0.20	0.15	0.03	0.02	0.01	0.00	0.00	0.00
1331	07/01/2010	0.6321	1063.69	0.11	2.77	89.29	5.97	1.40	0.22	0.17	0.04	0.02	0.01	0.00	0.00	0.00
1331	06/30/2010	0.6304	1060.84	0.11	2.77	89.49	5.85	1.36	0.20	0.16	0.03	0.02	0.01	0.00	0.00	0.00
1331	06/29/2010	0.6352	1070.89	0.11	2.67	89.18	5.87	1.52	0.27	0.23	0.07	0.04	0.03	0.01	0.00	0.00
1331	06/28/2010	0.6482	1090.16	0.11	2.71	88.05	6.19	1.85	0.39	0.36	0.13	0.09	0.08	0.04	0.01	0.00
1331	06/27/2010	0.6336	1067.35	0.11	2.71	89.16	6.00	1.49	0.24	0.19	0.05	0.03	0.01	0.00	0.00	0.00
1331	06/26/2010	0.6336	1067.06	0.11	2.72	89.17	5.98	1.49	0.24	0.19	0.05	0.03	0.01	0.00	0.00	0.00
1331	06/25/2010	0.6329	1066.17	0.11	2.72	89.25	5.94	1.48	0.24	0.19	0.04	0.03	0.01	0.00	0.00	0.00
1331	06/24/2010	0.6369	1072.55	0.11	2.71	88.84	6.12	1.59	0.27	0.22	0.06	0.04	0.03	0.01	0.00	0.00
1331	06/23/2010	0.6369	1071.74	0.11	2.75	88.90	6.01	1.60	0.28	0.23	0.06	0.04	0.02	0.01	0.00	0.00
1331	06/22/2010	0.6343	1067.10	0.11	2.76	89.06	6.03	1.51	0.24	0.19	0.04	0.03	0.01	0.00	0.00	0.00
1331	06/21/2010	0.6365	1076.14	0.15	2.52	88.94	6.05	1.64	0.29	0.25	0.07	0.04	0.03	0.01	0.00	0.00
1331	06/20/2010	0.6380	1082.16	0.17	2.36	88.79	6.16	1.74	0.30	0.28	0.08	0.05	0.04	0.02	0.00	0.00
1331	06/19/2010	0.6352	1076.61	0.16	2.41	89.15	5.95	1.63	0.29	0.26	0.07	0.05	0.03	0.01	0.00	0.00
1331	06/18/2010	0.6350	1076.06	0.17	2.41	89.01	6.12	1.64	0.27	0.24	0.06	0.04	0.02	0.01	0.00	0.00
1331	06/17/2010	0.6395	1080.69	0.15	2.52	88.69	6.12	1.72	0.32	0.28	0.08	0.05	0.04	0.02	0.00	0.00
1331	06/16/2010	0.6385	1072.73	0.12	2.80	88.53	6.34	1.62	0.27	0.22	0.05	0.03	0.02	0.00	0.00	0.00
1331	06/15/2010	0.6365	1068.12	0.12	2.86	88.75	6.20	1.54	0.25	0.19	0.05	0.03	0.01	0.00	0.00	0.00
1331	06/14/2010	0.6365	1066.99	0.12	2.90	88.84	6.06	1.53	0.25	0.20	0.05	0.03	0.01	0.00	0.00	0.00
1331	06/13/2010	0.6348	1067.96	0.13	2.75	89.04	5.98	1.55	0.25	0.20	0.05	0.03	0.01	0.00	0.00	0.00
1331	06/12/2010	0.6354	1065.40	0.11	2.90	88.96	6.00	1.50	0.25	0.19	0.04	0.03	0.01	0.00	0.00	0.00
1331	06/11/2010	0.6342	1062.93	0.11	2.92	89.00	6.08	1.43	0.22	0.17	0.04	0.02	0.01	0.00	0.00	0.00
1331	06/10/2010	0.6393	1071.49	0.11	2.90	88.44	6.38	1.56	0.27	0.22	0.06	0.04	0.02	0.01	0.00	0.00
1331	06/09/2010	0.6407	1073.61	0.11	2.90	88.32	6.39	1.62	0.29	0.24	0.06	0.04	0.02	0.01	0.00	0.00
1331	06/08/2010	0.6365	1067.98	0.11	2.87	88.62	6.43	1.48	0.23	0.18	0.04	0.02	0.01	0.00	0.00	0.00

White River Hub
Average Daily Gas Quality Information

Meter Name = Wrh To Qpc

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1331	06/07/2010	0.6333	1062.76	0.11	2.88	89.07	6.12	1.37	0.22	0.16	0.04	0.02	0.01	0.00	0.00	0.00
1331	06/06/2010	0.6333	1063.09	0.11	2.87	89.08	6.11	1.38	0.22	0.17	0.04	0.02	0.01	0.00	0.00	0.00
1331	06/05/2010	0.6337	1065.34	0.12	2.79	89.16	6.00	1.41	0.23	0.18	0.05	0.03	0.02	0.01	0.00	0.00
1331	06/04/2010	0.6512	1092.31	0.11	2.81	88.00	6.02	1.82	0.42	0.39	0.16	0.11	0.11	0.05	0.01	0.00

Meter Name = Wrh To Rockies Express #1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1376	09/01/2010	0.5766	1021.15	0.10	1.02	96.99	1.56	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/31/2010	0.5770	1020.01	0.10	1.09	96.95	1.55	0.20	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/30/2010	0.5775	1019.66	0.10	1.13	96.89	1.57	0.20	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/29/2010	0.5762	1019.79	0.10	1.04	97.06	1.50	0.20	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/28/2010	0.5768	1020.38	0.10	1.06	96.99	1.54	0.21	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/27/2010	0.5767	1020.70	0.10	1.04	97.03	1.50	0.20	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/26/2010	0.5771	1021.25	0.11	1.04	97.00	1.51	0.21	0.05	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/25/2010	0.5773	1020.96	0.10	1.07	96.94	1.56	0.21	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/24/2010	0.5779	1022.22	0.10	1.05	96.88	1.60	0.23	0.05	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/23/2010	0.5762	1021.89	0.11	0.96	97.10	1.50	0.21	0.05	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/22/2010	0.5767	1022.05	0.11	0.98	97.04	1.51	0.22	0.05	0.03	0.02	0.01	0.00	0.00	0.00	0.00
1376	08/21/2010	0.5761	1021.66	0.11	0.96	97.10	1.49	0.21	0.05	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/20/2010	0.5762	1021.64	0.11	0.97	97.08	1.52	0.21	0.05	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/19/2010	0.5775	1020.55	0.11	1.09	96.90	1.58	0.21	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/18/2010	0.5795	1022.41	0.11	1.14	96.64	1.74	0.24	0.05	0.04	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/17/2010	0.5769	1020.62	0.11	1.06	96.99	1.53	0.20	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/16/2010	0.5768	1021.15	0.10	1.03	97.01	1.54	0.21	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/15/2010	0.5763	1020.79	0.11	1.01	97.08	1.49	0.20	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/14/2010	0.5793	1023.19	0.10	1.10	96.67	1.73	0.26	0.05	0.04	0.02	0.01	0.00	0.00	0.00	0.00
1376	08/13/2010	0.5767	1021.06	0.10	1.02	97.01	1.54	0.21	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/12/2010	0.5773	1021.49	0.10	1.04	96.93	1.59	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/11/2010	0.5767	1021.58	0.10	1.00	96.98	1.58	0.23	0.05	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/10/2010	0.5783	1023.07	0.10	1.04	96.78	1.68	0.27	0.06	0.04	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/09/2010	0.5775	1022.64	0.10	1.02	96.89	1.62	0.25	0.05	0.04	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/08/2010	0.5738	1017.30	0.11	0.99	97.39	1.30	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1376	08/07/2010	0.5775	1022.56	0.10	1.02	96.95	1.57	0.22	0.05	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/06/2010	0.5770	1021.15	0.10	1.04	96.94	1.59	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/05/2010	0.5818	1023.95	0.11	1.22	96.32	1.90	0.31	0.06	0.04	0.02	0.01	0.00	0.00	0.00	0.00
1376	08/04/2010	0.5770	1020.95	0.11	1.05	96.92	1.60	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/03/2010	0.5755	1019.96	0.11	0.99	97.14	1.48	0.19	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	08/02/2010	0.5742	1011.96	0.11	1.22	97.31	1.28	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	08/01/2010	0.5739	1014.46	0.10	1.11	97.41	1.22	0.10	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1376	07/31/2010	0.5742	1012.21	0.11	1.22	97.29	1.30	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/30/2010	0.5741	1012.24	0.11	1.21	97.31	1.29	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/29/2010	0.5754	1012.54	0.10	1.28	97.13	1.38	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/28/2010	0.5739	1012.15	0.11	1.20	97.32	1.30	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/27/2010	0.5721	1012.28	0.11	1.09	97.56	1.18	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/26/2010	0.5750	1014.50	0.11	1.17	97.16	1.43	0.10	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/25/2010	0.5740	1013.40	0.11	1.16	97.33	1.29	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/24/2010	0.5728	1013.00	0.10	1.10	97.50	1.20	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/23/2010	0.5752	1015.71	0.10	1.15	97.19	1.37	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1376	07/22/2010	0.5754	1015.29	0.10	1.18	97.15	1.38	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1376	07/21/2010	0.5748	1016.37	0.10	1.10	97.24	1.36	0.15	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1376	07/20/2010	0.5771	1018.07	0.11	1.17	96.94	1.52	0.19	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	07/19/2010	0.5794	1023.81	0.10	1.08	96.66	1.74	0.27	0.05	0.04	0.02	0.01	0.00	0.00	0.00	0.00
1376	07/18/2010	0.5752	1018.63	0.10	1.03	97.17	1.45	0.18	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1376	07/17/2010	0.5733	1016.39	0.11	1.00	97.38	1.34	0.13	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/16/2010	0.5712	1014.01	0.11	0.96	97.70	1.11	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/15/2010	0.5701	1013.30	0.11	0.92	97.85	1.04	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/14/2010	0.5704	1012.48	0.11	0.97	97.81	1.05	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/13/2010	0.5710	1012.50	0.11	1.01	97.73	1.08	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/12/2010	0.5726	1012.63	0.11	1.10	97.50	1.21	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/11/2010	0.5713	1012.42	0.11	1.03	97.70	1.09	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/10/2010	0.5716	1012.41	0.11	1.05	97.64	1.12	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/09/2010	0.5720	1013.83	0.11	1.02	97.59	1.17	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	07/08/2010	0.5753	1018.94	0.11	1.02	97.18	1.43	0.18	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	07/07/2010	0.5750	1019.39	0.11	0.98	97.20	1.44	0.18	0.04	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	07/06/2010	0.5746	1018.69	0.11	0.99	97.26	1.39	0.17	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	07/05/2010	0.5747	1019.26	0.11	0.97	97.25	1.41	0.18	0.04	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	07/04/2010	0.5761	1018.18	0.11	1.10	97.06	1.49	0.17	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	07/03/2010	0.5758	1018.49	0.11	1.07	97.09	1.48	0.16	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	07/02/2010	0.5745	1017.91	0.11	1.01	97.28	1.37	0.15	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00

**White River Hub
Average Daily Gas Quality Information**

Meter Name = Wrh To Rockies Express #1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1376	07/01/2010	0.5754	1018.17	0.11	1.06	97.15	1.45	0.16	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/30/2010	0.5766	1018.38	0.11	1.13	96.99	1.54	0.16	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/29/2010	0.5757	1018.35	0.11	1.07	97.12	1.46	0.16	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/28/2010	0.5791	1021.01	0.11	1.17	96.66	1.72	0.22	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/27/2010	0.5774	1017.90	0.11	1.19	96.91	1.53	0.16	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/26/2010	0.5764	1017.71	0.11	1.13	97.05	1.46	0.16	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/25/2010	0.5768	1017.52	0.11	1.17	96.98	1.50	0.16	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/24/2010	0.5765	1018.26	0.12	1.12	97.03	1.48	0.17	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/23/2010	0.5768	1017.97	0.11	1.15	97.00	1.48	0.17	0.04	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/22/2010	0.5757	1018.51	0.11	1.06	97.17	1.40	0.17	0.04	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/21/2010	0.5774	1020.65	0.11	1.08	96.98	1.50	0.20	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/20/2010	0.5760	1018.77	0.11	1.07	97.11	1.44	0.18	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/19/2010	0.5760	1018.73	0.11	1.07	97.12	1.43	0.18	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/18/2010	0.5756	1018.51	0.11	1.05	97.15	1.43	0.17	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/17/2010	0.5782	1020.25	0.11	1.15	96.77	1.67	0.20	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/16/2010	0.6009	1050.36	0.11	1.36	93.60	3.74	0.82	0.16	0.13	0.04	0.03	0.00	0.00	0.00	0.00
1376	06/15/2010	0.6037	1055.93	0.11	1.31	93.40	3.78	0.90	0.19	0.15	0.05	0.03	0.00	0.00	0.00	0.00
1376	06/14/2010	0.5783	1019.96	0.12	1.16	96.78	1.65	0.19	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/13/2010	0.5760	1018.04	0.11	1.10	97.06	1.49	0.15	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/12/2010	0.5753	1017.69	0.12	1.06	97.16	1.43	0.15	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1376	06/11/2010	0.5752	1018.06	0.11	1.04	97.18	1.43	0.16	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/10/2010	0.5760	1018.84	0.12	1.06	97.08	1.48	0.18	0.04	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/09/2010	0.5752	1018.11	0.12	1.04	97.20	1.41	0.15	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/08/2010	0.5753	1017.21	0.13	1.08	97.17	1.41	0.14	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1376	06/07/2010	0.5765	1017.26	0.12	1.15	97.02	1.48	0.15	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1376	06/06/2010	0.5766	1017.31	0.12	1.15	96.99	1.50	0.16	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1376	06/05/2010	0.5764	1018.24	0.11	1.11	97.03	1.50	0.16	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	06/04/2010	0.5758	1017.96	0.12	1.08	97.12	1.44	0.16	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00