

### White River Hub Average Daily Gas Quality Information

Meter Name = ENTERPRISE TO WRH #1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1304	02/02/2012	0.5780	1012.26	0.10	1.46	96.76	1.59	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/01/2012	0.5776	1012.38	0.10	1.43	96.81	1.57	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/31/2012	0.5774	1012.22	0.10	1.42	96.84	1.54	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/30/2012	0.5773	1012.16	0.10	1.42	96.86	1.53	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/29/2012	0.5776	1012.40	0.10	1.43	96.81	1.57	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/28/2012	0.5775	1012.43	0.10	1.42	96.82	1.57	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/27/2012	0.5773	1012.36	0.10	1.41	96.85	1.55	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/26/2012	0.5772	1012.57	0.10	1.40	96.86	1.55	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/25/2012	0.5780	1012.59	0.10	1.44	96.75	1.62	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/24/2012	0.5796	1013.27	0.10	1.51	96.50	1.79	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/23/2012	0.5791	1012.87	0.10	1.50	96.58	1.71	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/22/2012	0.5768	1011.56	0.11	1.40	96.95	1.45	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/21/2012	0.5759	1010.99	0.10	1.38	97.07	1.38	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/20/2012	0.5752	1010.84	0.10	1.34	97.19	1.31	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/19/2012	0.5752	1011.46	0.10	1.32	97.17	1.34	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/18/2012	0.5771	1012.41	0.10	1.40	96.88	1.53	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/17/2012	0.5773	1012.50	0.10	1.41	96.85	1.56	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/16/2012	0.5771	1012.28	0.10	1.40	96.88	1.53	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/15/2012	0.5767	1011.89	0.10	1.39	96.95	1.48	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/14/2012	0.5780	1012.67	0.10	1.44	96.75	1.61	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/13/2012	0.5774	1012.40	0.10	1.41	96.84	1.55	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/12/2012	0.5764	1011.63	0.10	1.38	97.00	1.45	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/11/2012	0.5762	1012.04	0.10	1.35	97.05	1.40	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/10/2012	0.5766	1011.49	0.10	1.40	96.98	1.45	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/09/2012	0.5776	1011.89	0.10	1.45	96.83	1.53	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/08/2012	0.5762	1011.82	0.10	1.36	97.02	1.44	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/07/2012	0.5777	1012.81	0.10	1.41	96.79	1.60	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/06/2012	0.5767	1011.44	0.10	1.41	96.96	1.45	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/05/2012	0.5773	1012.22	0.10	1.42	96.86	1.53	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/04/2012	0.5775	1012.19	0.10	1.43	96.84	1.54	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/03/2012	0.5764	1011.57	0.10	1.39	97.03	1.39	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/02/2012	0.5763	1011.56	0.10	1.38	97.02	1.41	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/01/2012	0.5772	1011.90	0.10	1.42	96.89	1.50	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/31/2011	0.5766	1011.75	0.10	1.39	96.97	1.45	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/30/2011	0.5774	1012.15	0.10	1.42	96.86	1.53	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/29/2011	0.5768	1012.06	0.10	1.39	96.93	1.49	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/28/2011	0.5773	1012.13	0.10	1.42	96.85	1.54	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/27/2011	0.5789	1013.65	0.10	1.46	96.58	1.76	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/26/2011	0.5759	1011.80	0.10	1.35	97.06	1.41	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/25/2011	0.5755	1011.25	0.10	1.34	97.14	1.35	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/24/2011	0.5766	1011.63	0.10	1.40	96.98	1.44	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/23/2011	0.5760	1011.63	0.10	1.36	97.06	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/22/2011	0.5764	1011.25	0.10	1.40	97.01	1.41	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/21/2011	0.5764	1011.04	0.10	1.41	97.02	1.41	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/20/2011	0.5770	1011.81	0.10	1.41	96.91	1.49	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/19/2011	0.5769	1011.76	0.10	1.41	96.93	1.47	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/18/2011	0.5763	1011.64	0.10	1.38	97.01	1.42	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/17/2011	0.5762	1011.68	0.10	1.37	97.03	1.42	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/16/2011	0.5764	1011.82	0.10	1.37	97.00	1.44	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/15/2011	0.5772	1012.20	0.10	1.41	96.87	1.54	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/14/2011	0.5760	1011.86	0.10	1.35	97.05	1.43	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/13/2011	0.5756	1013.17	0.10	1.27	97.06	1.48	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/12/2011	0.5784	1014.74	0.10	1.39	96.62	1.77	0.11	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/11/2011	0.5763	1011.43	0.10	1.38	97.01	1.43	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/10/2011	0.5771	1012.09	0.11	1.40	96.88	1.53	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/09/2011	0.5758	1011.27	0.10	1.36	97.09	1.38	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/08/2011	0.5759	1011.05	0.10	1.38	97.07	1.38	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/07/2011	0.5765	1012.96	0.10	1.33	97.03	1.41	0.10	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/06/2011	0.5786	1011.62	0.10	1.52	96.80	1.43	0.11	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/05/2011	0.5745	1010.79	0.10	1.30	97.28	1.26	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/04/2011	0.5795	1014.20	0.10	1.48	96.47	1.86	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/03/2011	0.5772	1011.20	0.10	1.45	96.89	1.48	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/02/2011	0.5926	1030.94	0.10	1.62	94.79	2.82	0.45	0.08	0.07	0.02	0.02	0.01	0.01	0.00	0.00
1304	12/01/2011	0.5867	1023.61	0.10	1.54	95.60	2.30	0.32	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00

**White River Hub**  
**Average Daily Gas Quality Information**

**Meter Name = ENTERPRISE TO WRH #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1304	11/30/2011	0.5762	1011.41	0.10	1.38	97.03	1.42	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/29/2011	0.5767	1011.60	0.10	1.40	96.95	1.48	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/28/2011	0.5757	1011.08	0.10	1.36	97.10	1.37	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/27/2011	0.5752	1010.86	0.10	1.34	97.19	1.31	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/26/2011	0.5753	1011.11	0.10	1.33	97.16	1.34	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/25/2011	0.5753	1011.13	0.11	1.33	97.16	1.34	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/24/2011	0.5751	1011.05	0.10	1.33	97.20	1.31	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/23/2011	0.5745	1010.65	0.11	1.30	97.29	1.24	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/22/2011	0.5746	1010.98	0.11	1.29	97.26	1.28	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/21/2011	0.5757	1011.10	0.11	1.36	97.10	1.37	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/20/2011	0.5750	1010.94	0.11	1.32	97.21	1.30	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/19/2011	0.5748	1010.73	0.10	1.32	97.24	1.27	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/18/2011	0.5749	1011.19	0.10	1.31	97.23	1.30	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/17/2011	0.5751	1011.58	0.10	1.30	97.19	1.34	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/16/2011	0.5748	1011.23	0.10	1.30	97.23	1.31	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/15/2011	0.5762	1011.53	0.10	1.38	97.02	1.43	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/14/2011	0.5768	1013.08	0.10	1.35	96.94	1.50	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/13/2011	0.5793	1013.84	0.10	1.48	96.74	1.48	0.13	0.03	0.02	0.01	0.00	0.01	0.00	0.00	0.00
1304	11/12/2011	0.5800	1013.23	0.10	1.54	96.68	1.47	0.13	0.03	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1304	11/11/2011	0.5803	1012.93	0.10	1.57	96.58	1.56	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1304	11/10/2011	0.5799	1012.09	0.10	1.58	96.63	1.51	0.13	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1304	11/09/2011	0.5810	1012.33	0.10	1.64	96.47	1.61	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1304	11/08/2011	0.5796	1014.09	0.10	1.48	96.62	1.61	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1304	11/07/2011	0.5814	1013.26	0.10	1.62	96.40	1.68	0.15	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1304	11/06/2011	0.5761	1011.73	0.10	1.37	97.04	1.41	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	11/05/2011	0.5751	1011.33	0.10	1.32	97.19	1.31	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**Meter Name = MAGNOLIA TO WRH #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1328	02/02/2012	0.5578	1017.35	0.11	0.00	99.37	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/01/2012	0.5578	1017.34	0.11	0.00	99.37	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/31/2012	0.5622	1022.80	0.11	0.05	98.69	1.01	0.11	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/30/2012	0.5579	1017.23	0.12	0.00	99.36	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/29/2012	0.5579	1017.28	0.12	0.00	99.35	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/28/2012	0.5579	1017.27	0.12	0.00	99.36	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/27/2012	0.5578	1017.30	0.11	0.00	99.37	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/26/2012	0.5578	1017.17	0.11	0.01	99.37	0.50	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/25/2012	0.5746	1033.52	0.12	0.39	97.06	1.93	0.34	0.07	0.05	0.02	0.01	0.01	0.00	0.00	0.00
1328	01/24/2012	0.5581	1017.38	0.13	0.00	99.31	0.54	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/23/2012	0.5579	1017.21	0.12	0.00	99.35	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/22/2012	0.5581	1017.19	0.14	0.00	99.31	0.53	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/21/2012	0.5580	1017.38	0.12	0.00	99.34	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/20/2012	0.5579	1017.60	0.10	0.00	99.36	0.53	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/19/2012	0.5579	1017.80	0.09	0.00	99.36	0.54	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/18/2012	0.5579	1017.71	0.09	0.00	99.36	0.53	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/17/2012	0.5579	1017.61	0.10	0.00	99.35	0.53	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/16/2012	0.5578	1017.60	0.09	0.00	99.39	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/15/2012	0.5578	1017.68	0.09	0.00	99.37	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/14/2012	0.5578	1017.63	0.09	0.00	99.38	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/13/2012	0.5577	1017.57	0.09	0.00	99.39	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/12/2012	0.5577	1017.59	0.09	0.00	99.39	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/11/2012	0.5577	1017.56	0.09	0.00	99.39	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/10/2012	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/09/2012	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/08/2012	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/07/2012	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/06/2012	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/05/2012	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/04/2012	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/03/2012	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/02/2012	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/01/2012	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/31/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/30/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/29/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/28/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/27/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**White River Hub  
Average Daily Gas Quality Information**

**Meter Name = MAGNOLIA TO WRH #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1328	12/26/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/25/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/24/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/23/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/22/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/21/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/20/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/19/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/18/2011	0.5577	1017.38	0.09	0.00	99.40	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/17/2011	0.5578	1017.55	0.09	0.00	99.38	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/16/2011	0.5577	1017.41	0.09	0.00	99.40	0.50	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/15/2011	0.5577	1017.38	0.09	0.00	99.41	0.49	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/14/2011	0.5578	1017.54	0.09	0.00	99.38	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/13/2011	0.5579	1017.71	0.09	0.00	99.36	0.54	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/12/2011	0.5579	1017.65	0.09	0.00	99.36	0.53	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/11/2011	0.5578	1017.58	0.10	0.00	99.37	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/10/2011	0.5578	1017.54	0.10	0.00	99.37	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/09/2011	0.5578	1017.50	0.09	0.00	99.38	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/08/2011	0.5578	1017.52	0.10	0.00	99.38	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/07/2011	0.5578	1017.49	0.10	0.00	99.38	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/06/2011	0.5578	1017.49	0.10	0.00	99.37	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/05/2011	0.5577	1017.38	0.09	0.00	99.40	0.50	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/04/2011	0.5578	1017.41	0.11	0.00	99.37	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/03/2011	0.5579	1017.36	0.11	0.00	99.36	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/02/2011	0.5579	1017.34	0.12	0.00	99.35	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/01/2011	0.5579	1017.33	0.12	0.00	99.34	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/30/2011	0.5579	1017.27	0.12	0.00	99.36	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/29/2011	0.5580	1017.54	0.11	0.00	99.34	0.54	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/28/2011	0.5580	1017.70	0.10	0.00	99.33	0.55	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/27/2011	0.5582	1017.62	0.12	0.00	99.29	0.57	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/26/2011	0.5581	1017.29	0.14	0.00	99.31	0.54	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/25/2011	0.5582	1017.43	0.14	0.00	99.29	0.56	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/24/2011	0.5581	1017.77	0.10	0.00	99.32	0.56	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/23/2011	0.5580	1017.00	0.14	0.00	99.33	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/22/2011	0.5580	1017.40	0.12	0.00	99.33	0.54	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/21/2011	0.5580	1017.11	0.14	0.00	99.32	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/20/2011	0.5582	1017.19	0.15	0.00	99.29	0.54	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/19/2011	0.5581	1017.30	0.13	0.00	99.31	0.54	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/18/2011	0.5642	1024.52	0.10	0.11	98.43	1.15	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1328	11/17/2011	0.5589	1019.52	0.08	0.00	99.15	0.75	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/16/2011	0.5580	1018.04	0.08	0.00	99.34	0.56	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/15/2011	0.5582	1018.38	0.08	0.00	99.30	0.61	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/14/2011	0.5578	1017.76	0.08	0.00	99.38	0.53	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/13/2011	0.5600	1021.21	0.08	0.00	98.98	0.88	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/12/2011	0.5579	1017.84	0.08	0.00	99.37	0.53	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/11/2011	0.5595	1019.63	0.08	0.03	99.12	0.72	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/10/2011	0.5582	1018.15	0.08	0.01	99.31	0.58	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/09/2011	0.5587	1018.82	0.08	0.02	99.23	0.64	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/08/2011	0.5578	1017.82	0.08	0.00	99.37	0.54	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/07/2011	0.5580	1018.02	0.08	0.00	99.35	0.56	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/06/2011	0.5577	1017.69	0.08	0.00	99.39	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	11/05/2011	0.5577	1017.69	0.08	0.00	99.39	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**Meter Name = QPC TO WRH**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1330	02/02/2012	0.5683	1014.66	0.11	0.76	98.01	1.08	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	02/01/2012	0.5661	1015.18	0.10	0.60	98.30	0.95	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/31/2012	0.5674	1018.91	0.11	0.53	98.06	1.18	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/30/2012	0.5623	1016.05	0.12	0.32	98.79	0.74	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/29/2012	0.5621	1016.22	0.12	0.30	98.81	0.74	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/28/2012	0.5618	1016.25	0.11	0.28	98.85	0.72	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/27/2012	0.5637	1015.82	0.11	0.42	98.61	0.82	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/26/2012	0.5646	1015.49	0.11	0.49	98.50	0.87	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/25/2012	0.5801	1029.08	0.11	0.91	96.37	2.14	0.32	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
1330	01/24/2012	0.5665	1015.70	0.12	0.60	98.21	1.04	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/23/2012	0.5650	1015.63	0.12	0.51	98.42	0.92	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/22/2012	0.5647	1015.16	0.13	0.50	98.48	0.86	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**White River Hub**  
**Average Daily Gas Quality Information**

Meter Name = QPC TO WRH

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1330	01/21/2012	0.5645	1015.06	0.12	0.50	98.53	0.83	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/20/2012	0.5638	1015.34	0.10	0.46	98.61	0.80	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/19/2012	0.5605	1016.87	0.09	0.20	99.02	0.67	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/18/2012	0.5616	1016.69	0.09	0.27	98.87	0.73	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/17/2012	0.5600	1017.01	0.10	0.15	99.08	0.64	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/16/2012	0.5604	1016.79	0.09	0.20	99.04	0.65	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/15/2012	0.5611	1016.75	0.09	0.24	98.96	0.69	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/14/2012	0.5603	1016.96	0.09	0.18	99.05	0.66	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/13/2012	0.5600	1016.94	0.09	0.16	99.10	0.63	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/12/2012	0.5646	1015.36	0.09	0.51	98.50	0.86	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/11/2012	0.5647	1015.19	0.09	0.52	98.51	0.84	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/10/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/09/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/08/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/07/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/06/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/05/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/04/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/03/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/02/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	01/01/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/31/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/30/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/29/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/28/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/27/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/26/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/25/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/24/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/23/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/22/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/21/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/20/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/19/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/18/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/17/2011	0.5628	1016.02	0.09	0.37	98.74	0.77	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/16/2011	0.5602	1016.66	0.09	0.19	99.07	0.63	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/15/2011	0.5587	1017.13	0.09	0.08	99.27	0.55	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/14/2011	0.5640	1015.69	0.10	0.45	98.59	0.83	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/13/2011	0.5598	1017.30	0.09	0.13	99.11	0.64	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/12/2011	0.5622	1017.00	0.10	0.29	98.78	0.79	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/11/2011	0.5629	1015.99	0.10	0.37	98.72	0.78	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/10/2011	0.5636	1015.86	0.10	0.42	98.63	0.82	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/09/2011	0.5662	1014.54	0.10	0.64	98.31	0.91	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/08/2011	0.5661	1014.53	0.10	0.63	98.33	0.90	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/07/2011	0.5659	1015.60	0.10	0.57	98.36	0.90	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/06/2011	0.5578	1017.47	0.10	0.00	99.38	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/05/2011	0.5577	1017.39	0.09	0.00	99.40	0.50	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/04/2011	0.5580	1017.37	0.11	0.01	99.35	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/03/2011	0.5580	1017.32	0.11	0.01	99.35	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/02/2011	0.5604	1018.92	0.11	0.09	99.02	0.69	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1330	12/01/2011	0.5638	1017.49	0.12	0.36	98.58	0.87	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/30/2011	0.5659	1014.72	0.11	0.60	98.34	0.90	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/29/2011	0.5706	1013.55	0.10	0.94	97.73	1.17	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/28/2011	0.5707	1012.92	0.10	0.98	97.73	1.13	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/27/2011	0.5711	1012.66	0.11	1.01	97.68	1.15	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/26/2011	0.5721	1012.31	0.11	1.08	97.56	1.19	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/25/2011	0.5719	1012.50	0.11	1.06	97.59	1.18	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/24/2011	0.5721	1012.17	0.10	1.09	97.58	1.17	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/23/2011	0.5724	1011.52	0.11	1.13	97.55	1.15	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/22/2011	0.5681	1013.55	0.11	0.78	98.07	0.99	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/21/2011	0.5703	1013.03	0.12	0.93	97.78	1.11	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/20/2011	0.5698	1012.83	0.12	0.92	97.85	1.07	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/19/2011	0.5695	1012.91	0.11	0.90	97.90	1.05	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/18/2011	0.5717	1016.24	0.10	0.91	97.57	1.29	0.10	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/17/2011	0.5691	1014.48	0.09	0.82	97.91	1.12	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/16/2011	0.5704	1013.13	0.09	0.95	97.79	1.11	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/15/2011	0.5676	1015.22	0.09	0.70	98.10	1.06	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**White River Hub**  
**Average Daily Gas Quality Information**

**Meter Name = QPC TO WRH**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1330	11/14/2011	0.5637	1016.37	0.09	0.42	98.62	0.83	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/13/2011	0.5679	1018.36	0.09	0.60	98.05	1.14	0.10	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/12/2011	0.5670	1015.94	0.09	0.63	98.26	0.92	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/11/2011	0.5732	1015.65	0.09	1.03	97.43	1.30	0.11	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1330	11/10/2011	0.5712	1014.66	0.09	0.95	97.70	1.15	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/09/2011	0.5717	1015.19	0.09	0.96	97.62	1.21	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/08/2011	0.5709	1015.58	0.09	0.89	97.72	1.18	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/07/2011	0.5703	1015.15	0.09	0.87	97.78	1.16	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/06/2011	0.5682	1014.12	0.09	0.78	98.06	1.02	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1330	11/05/2011	0.5690	1013.44	0.09	0.86	97.96	1.04	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**Meter Name = WRH TO CIG #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1512	02/02/2012	0.5782	1011.73	0.14	1.47	96.71	1.60	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	02/01/2012	0.5778	1011.73	0.14	1.44	96.77	1.57	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/31/2012	0.5776	1011.87	0.14	1.42	96.80	1.56	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/30/2012	0.5773	1011.67	0.14	1.41	96.84	1.53	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/29/2012	0.5775	1011.90	0.14	1.42	96.80	1.57	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/28/2012	0.5774	1011.83	0.14	1.41	96.82	1.55	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/27/2012	0.5776	1011.82	0.14	1.43	96.78	1.57	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/26/2012	0.5772	1011.92	0.14	1.40	96.84	1.55	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/25/2012	0.5797	1013.75	0.14	1.48	96.49	1.77	0.10	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/24/2012	0.5798	1012.74	0.14	1.52	96.44	1.81	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/23/2012	0.5789	1011.96	0.14	1.49	96.60	1.67	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/22/2012	0.5768	1011.05	0.14	1.40	96.92	1.45	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/21/2012	0.5760	1010.51	0.14	1.38	97.05	1.36	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/20/2012	0.5754	1010.62	0.14	1.34	97.14	1.32	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/19/2012	0.5751	1011.42	0.14	1.29	97.16	1.35	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/18/2012	0.5771	1012.09	0.14	1.39	96.85	1.55	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/17/2012	0.5762	1012.09	0.14	1.33	96.97	1.48	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/16/2012	0.5767	1011.58	0.13	1.38	96.93	1.48	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/15/2012	0.5769	1011.67	0.14	1.39	96.90	1.50	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/14/2012	0.5774	1012.21	0.14	1.40	96.81	1.58	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/13/2012	0.5765	1012.00	0.14	1.35	96.94	1.50	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/12/2012	0.5766	1011.17	0.14	1.39	96.96	1.44	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/11/2012	0.5761	1011.61	0.14	1.34	97.04	1.39	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/10/2012	0.5739	1012.17	0.13	1.19	97.30	1.31	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/09/2012	0.5747	1012.13	0.13	1.23	97.19	1.37	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/08/2012	0.5741	1012.46	0.14	1.19	97.26	1.35	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/07/2012	0.5748	1012.98	0.14	1.21	97.14	1.44	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/06/2012	0.5692	1013.63	0.13	0.84	97.90	1.07	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/05/2012	0.5644	1015.39	0.13	0.47	98.51	0.86	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/04/2012	0.5712	1013.31	0.13	0.97	97.64	1.20	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/03/2012	0.5755	1011.38	0.13	1.31	97.13	1.35	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/02/2012	0.5756	1011.42	0.13	1.32	97.09	1.39	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	01/01/2012	0.5758	1011.70	0.14	1.32	97.04	1.43	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/31/2011	0.5690	1013.83	0.13	0.82	97.93	1.08	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/30/2011	0.5680	1014.42	0.13	0.73	98.04	1.05	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/29/2011	0.5668	1014.54	0.13	0.65	98.21	0.97	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/28/2011	0.5735	1013.18	0.13	1.12	97.32	1.37	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/27/2011	0.5785	1012.96	0.14	1.44	96.62	1.71	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/26/2011	0.5761	1011.21	0.14	1.36	97.03	1.40	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/25/2011	0.5760	1010.85	0.14	1.37	97.05	1.37	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/24/2011	0.5764	1011.05	0.14	1.38	96.98	1.42	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/23/2011	0.5766	1011.17	0.14	1.39	96.96	1.44	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/22/2011	0.5766	1010.75	0.14	1.40	96.97	1.41	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/21/2011	0.5767	1010.70	0.14	1.41	96.96	1.42	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/20/2011	0.5772	1011.33	0.14	1.42	96.87	1.50	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/19/2011	0.5777	1013.67	0.14	1.36	96.77	1.61	0.11	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/18/2011	0.5763	1011.12	0.14	1.37	97.00	1.41	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/17/2011	0.5747	1011.90	0.14	1.24	97.20	1.35	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/16/2011	0.5760	1011.49	0.14	1.34	97.03	1.42	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/15/2011	0.5755	1012.12	0.14	1.28	97.08	1.43	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/14/2011	0.5765	1011.79	0.14	1.36	96.95	1.48	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/13/2011	0.5751	1012.95	0.14	1.23	97.10	1.45	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/12/2011	0.5773	1014.70	0.14	1.29	96.75	1.71	0.10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/11/2011	0.5768	1011.10	0.14	1.40	96.93	1.46	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**White River Hub**  
**Average Daily Gas Quality Information**

**Meter Name = WRH TO CIG #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1512	12/10/2011	0.5771	1011.69	0.14	1.40	96.86	1.52	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/09/2011	0.5760	1010.79	0.14	1.37	97.04	1.38	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/08/2011	0.5762	1010.59	0.14	1.38	97.03	1.38	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/07/2011	0.5772	1012.81	0.14	1.36	96.93	1.43	0.10	0.02	0.01	0.00	0.00	0.01	0.00	0.00	0.00
1512	12/06/2011	0.5738	1012.05	0.14	1.18	97.37	1.21	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/05/2011	0.5722	1012.46	0.14	1.07	97.51	1.23	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/04/2011	0.5761	1013.69	0.14	1.25	96.93	1.59	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/03/2011	0.5760	1011.19	0.14	1.35	97.03	1.41	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	12/02/2011	0.5829	1030.45	0.14	1.02	96.05	2.21	0.39	0.08	0.06	0.02	0.01	0.02	0.00	0.00	0.00
1512	12/01/2011	0.5823	1018.25	0.14	1.46	96.15	1.97	0.20	0.03	0.03	0.01	0.00	0.01	0.00	0.00	0.00
1512	11/30/2011	0.5763	1010.95	0.14	1.38	97.00	1.40	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/29/2011	0.5770	1011.21	0.14	1.41	96.89	1.49	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/28/2011	0.5759	1010.63	0.14	1.37	97.06	1.37	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/27/2011	0.5755	1010.53	0.14	1.35	97.12	1.33	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/26/2011	0.5756	1010.79	0.14	1.34	97.10	1.35	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/25/2011	0.5756	1010.76	0.14	1.34	97.11	1.34	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/24/2011	0.5748	1011.02	0.14	1.28	97.21	1.29	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/23/2011	0.5747	1010.30	0.14	1.30	97.24	1.25	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/22/2011	0.5749	1010.63	0.15	1.30	97.21	1.28	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/21/2011	0.5760	1010.73	0.14	1.37	97.04	1.38	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/20/2011	0.5752	1010.51	0.14	1.33	97.16	1.30	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/19/2011	0.5748	1010.83	0.14	1.28	97.22	1.28	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/18/2011	0.5752	1010.81	0.14	1.31	97.17	1.31	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/17/2011	0.5752	1011.09	0.14	1.31	97.15	1.33	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/16/2011	0.5751	1010.90	0.14	1.31	97.17	1.32	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/15/2011	0.5766	1011.18	0.14	1.39	96.95	1.45	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/14/2011	0.5771	1013.07	0.14	1.35	96.90	1.50	0.09	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.00
1512	11/13/2011	0.5799	1013.34	0.14	1.50	96.67	1.48	0.14	0.03	0.02	0.01	0.00	0.02	0.00	0.00	0.00
1512	11/12/2011	0.5804	1013.03	0.14	1.55	96.61	1.49	0.14	0.03	0.02	0.01	0.01	0.02	0.00	0.00	0.00
1512	11/11/2011	0.5809	1012.63	0.14	1.60	96.49	1.58	0.14	0.02	0.02	0.01	0.00	0.01	0.00	0.00	0.00
1512	11/10/2011	0.5802	1011.85	0.14	1.59	96.57	1.52	0.13	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1512	11/09/2011	0.5812	1012.28	0.14	1.63	96.42	1.62	0.13	0.02	0.02	0.01	0.00	0.01	0.00	0.00	0.00
1512	11/08/2011	0.5803	1013.74	0.14	1.51	96.52	1.64	0.14	0.02	0.02	0.01	0.00	0.01	0.00	0.00	0.00
1512	11/07/2011	0.5809	1012.47	0.14	1.60	96.43	1.66	0.12	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1512	11/06/2011	0.5761	1011.07	0.14	1.36	97.03	1.40	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1512	11/05/2011	0.5753	1010.76	0.13	1.33	97.15	1.32	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**Meter Name = WRH TO QPC**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1331	02/02/2012	0.5683	1014.66	0.11	0.76	98.01	1.08	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	02/01/2012	0.5661	1015.18	0.10	0.60	98.30	0.95	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/31/2012	0.5674	1018.91	0.11	0.53	98.06	1.18	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/30/2012	0.5623	1016.05	0.12	0.32	98.79	0.74	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/29/2012	0.5621	1016.22	0.12	0.30	98.81	0.74	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/28/2012	0.5618	1016.25	0.11	0.28	98.85	0.72	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/27/2012	0.5637	1015.82	0.11	0.42	98.61	0.82	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/26/2012	0.5646	1015.49	0.11	0.49	98.50	0.87	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/25/2012	0.5801	1029.08	0.11	0.91	96.37	2.14	0.32	0.06	0.05	0.02	0.01	0.01	0.00	0.00	0.00
1331	01/24/2012	0.5665	1015.70	0.12	0.60	98.21	1.04	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/23/2012	0.5650	1015.63	0.12	0.51	98.42	0.92	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/22/2012	0.5647	1015.16	0.13	0.50	98.48	0.86	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/21/2012	0.5645	1015.06	0.12	0.50	98.53	0.83	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/20/2012	0.5638	1015.34	0.10	0.46	98.61	0.80	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/19/2012	0.5605	1016.87	0.09	0.20	99.02	0.67	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/18/2012	0.5616	1016.69	0.09	0.27	98.87	0.73	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/17/2012	0.5600	1017.01	0.10	0.15	99.08	0.64	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/16/2012	0.5604	1016.79	0.09	0.20	99.04	0.65	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/15/2012	0.5611	1016.75	0.09	0.24	98.96	0.69	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/14/2012	0.5603	1016.96	0.09	0.18	99.05	0.66	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/13/2012	0.5600	1016.94	0.09	0.16	99.10	0.63	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/12/2012	0.5646	1015.36	0.09	0.51	98.50	0.86	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/11/2012	0.5647	1015.19	0.09	0.52	98.51	0.84	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/10/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/09/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/08/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/07/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/06/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**White River Hub  
Average Daily Gas Quality Information**

**Meter Name = WRH TO QPC**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1331	01/05/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/04/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/03/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/02/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/01/2012	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/31/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/30/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/29/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/28/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/27/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/26/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/25/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/24/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/23/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/22/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/21/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/20/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/19/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/18/2011	0.5753	1011.26	0.10	1.33	97.17	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/17/2011	0.5628	1016.02	0.09	0.37	98.74	0.77	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/16/2011	0.5602	1016.66	0.09	0.19	99.07	0.63	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/15/2011	0.5587	1017.13	0.09	0.08	99.27	0.55	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/14/2011	0.5640	1015.69	0.10	0.45	98.59	0.83	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/13/2011	0.5598	1017.30	0.09	0.13	99.11	0.64	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/12/2011	0.5622	1017.00	0.10	0.29	98.79	0.79	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/11/2011	0.5629	1015.99	0.10	0.37	98.72	0.78	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/10/2011	0.5636	1015.86	0.10	0.42	98.63	0.82	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/09/2011	0.5662	1014.54	0.10	0.64	98.31	0.91	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/08/2011	0.5661	1014.53	0.10	0.63	98.33	0.90	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/07/2011	0.5659	1015.61	0.10	0.57	98.36	0.90	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/06/2011	0.5578	1017.48	0.10	0.00	99.38	0.51	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/05/2011	0.5577	1017.38	0.09	0.00	99.40	0.50	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/04/2011	0.5580	1017.39	0.11	0.01	99.35	0.53	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/03/2011	0.5579	1017.33	0.11	0.01	99.35	0.52	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/02/2011	0.5604	1018.91	0.11	0.09	99.02	0.69	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/01/2011	0.5638	1017.49	0.12	0.36	98.58	0.87	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/30/2011	0.5659	1014.71	0.11	0.60	98.34	0.90	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/29/2011	0.5706	1013.56	0.10	0.94	97.73	1.17	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/28/2011	0.5707	1012.92	0.10	0.98	97.73	1.13	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/27/2011	0.5711	1012.66	0.11	1.01	97.68	1.15	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/26/2011	0.5721	1012.31	0.11	1.08	97.56	1.19	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/25/2011	0.5719	1012.50	0.11	1.06	97.59	1.18	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/24/2011	0.5721	1012.17	0.10	1.09	97.58	1.17	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/23/2011	0.5724	1011.52	0.11	1.13	97.55	1.15	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/22/2011	0.5681	1013.55	0.11	0.78	98.07	0.99	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/21/2011	0.5703	1013.03	0.12	0.93	97.78	1.11	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/20/2011	0.5698	1012.83	0.12	0.92	97.85	1.07	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/19/2011	0.5695	1012.91	0.11	0.90	97.90	1.05	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/18/2011	0.5717	1016.24	0.10	0.91	97.57	1.29	0.10	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/17/2011	0.5691	1014.48	0.09	0.82	97.91	1.12	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/16/2011	0.5704	1013.13	0.09	0.95	97.79	1.11	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/15/2011	0.5676	1015.22	0.09	0.70	98.10	1.06	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/14/2011	0.5637	1016.37	0.09	0.42	98.62	0.83	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/13/2011	0.5679	1018.36	0.09	0.60	98.05	1.14	0.10	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/12/2011	0.5670	1015.94	0.09	0.63	98.26	0.92	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/11/2011	0.5732	1015.65	0.09	1.03	97.43	1.30	0.11	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1331	11/10/2011	0.5712	1014.66	0.09	0.95	97.70	1.15	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/09/2011	0.5717	1015.19	0.09	0.96	97.62	1.21	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/08/2011	0.5709	1015.58	0.09	0.89	97.72	1.18	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/07/2011	0.5703	1015.15	0.09	0.87	97.78	1.16	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/06/2011	0.5682	1014.12	0.09	0.78	98.06	1.02	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	11/05/2011	0.5690	1013.44	0.09	0.86	97.96	1.04	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**Meter Name = WRH TO ROCKIES EXPRESS #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1376	02/02/2012	0.5784	1011.76	0.10	1.50	96.71	1.61	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/01/2012	0.5781	1011.82	0.10	1.48	96.75	1.59	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**White River Hub**  
**Average Daily Gas Quality Information**

**Meter Name = WRH TO ROCKIES EXPRESS #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1376	01/31/2012	0.5778	1011.67	0.10	1.47	96.79	1.56	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/30/2012	0.5777	1011.64	0.10	1.46	96.81	1.54	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/29/2012	0.5780	1011.86	0.10	1.47	96.77	1.58	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/28/2012	0.5779	1011.88	0.10	1.46	96.77	1.58	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/27/2012	0.5777	1011.81	0.10	1.45	96.80	1.56	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/26/2012	0.5776	1012.04	0.10	1.44	96.81	1.57	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/25/2012	0.5784	1012.06	0.10	1.49	96.70	1.63	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/24/2012	0.5800	1012.72	0.11	1.56	96.45	1.80	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/23/2012	0.5794	1012.20	0.11	1.54	96.54	1.72	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/22/2012	0.5772	1011.14	0.11	1.45	96.90	1.46	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/21/2012	0.5764	1010.69	0.10	1.42	97.02	1.39	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/20/2012	0.5757	1010.53	0.10	1.38	97.13	1.33	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/19/2012	0.5757	1011.11	0.10	1.36	97.11	1.36	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/18/2012	0.5775	1011.91	0.10	1.44	96.83	1.55	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/17/2012	0.5776	1011.96	0.10	1.45	96.81	1.56	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/16/2012	0.5775	1011.71	0.10	1.45	96.84	1.54	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/15/2012	0.5771	1011.46	0.10	1.43	96.89	1.49	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/14/2012	0.5783	1012.12	0.10	1.48	96.71	1.62	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/13/2012	0.5777	1011.89	0.10	1.45	96.81	1.56	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/12/2012	0.5767	1011.36	0.10	1.41	96.96	1.46	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/11/2012	0.5764	1012.00	0.10	1.37	97.03	1.40	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/10/2012	0.5770	1011.07	0.10	1.44	96.93	1.45	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/09/2012	0.5780	1011.38	0.10	1.49	96.78	1.54	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/08/2012	0.5767	1011.48	0.10	1.40	96.96	1.46	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/07/2012	0.5781	1012.40	0.10	1.46	96.73	1.62	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/06/2012	0.5773	1011.17	0.10	1.45	96.89	1.47	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/05/2012	0.5777	1011.72	0.10	1.46	96.82	1.54	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/04/2012	0.5778	1011.63	0.10	1.47	96.80	1.55	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/03/2012	0.5765	1011.31	0.10	1.40	97.02	1.40	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/02/2012	0.5762	1011.23	0.10	1.39	97.04	1.41	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/01/2012	0.5771	1011.58	0.10	1.43	96.90	1.50	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/31/2011	0.5765	1011.39	0.10	1.40	96.99	1.44	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/30/2011	0.5772	1011.83	0.10	1.42	96.87	1.52	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/29/2011	0.5767	1011.76	0.10	1.39	96.95	1.48	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/28/2011	0.5773	1011.85	0.10	1.43	96.86	1.54	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/27/2011	0.5788	1013.30	0.10	1.46	96.60	1.75	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/26/2011	0.5758	1011.58	0.10	1.35	97.08	1.40	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/25/2011	0.5756	1011.08	0.10	1.35	97.13	1.34	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/24/2011	0.5765	1011.33	0.10	1.40	97.00	1.43	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/23/2011	0.5760	1011.37	0.10	1.37	97.06	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/22/2011	0.5763	1011.06	0.10	1.40	97.02	1.41	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/21/2011	0.5764	1010.92	0.10	1.41	97.02	1.40	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/20/2011	0.5769	1011.60	0.10	1.42	96.92	1.49	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/19/2011	0.5770	1011.39	0.10	1.43	96.92	1.47	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/18/2011	0.5767	1011.15	0.11	1.42	96.97	1.43	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/17/2011	0.5766	1011.21	0.11	1.41	96.98	1.43	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/16/2011	0.5768	1011.32	0.11	1.41	96.95	1.45	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/15/2011	0.5775	1011.73	0.11	1.44	96.83	1.55	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/14/2011	0.5757	1011.59	0.11	1.34	97.08	1.40	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/13/2011	0.5760	1012.73	0.11	1.31	97.02	1.49	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/12/2011	0.5791	1014.53	0.11	1.43	96.53	1.83	0.10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/11/2011	0.5767	1011.07	0.11	1.42	96.96	1.44	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/10/2011	0.5773	1011.71	0.11	1.43	96.85	1.54	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/09/2011	0.5761	1011.10	0.11	1.38	97.05	1.39	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/08/2011	0.5764	1010.82	0.11	1.41	97.03	1.38	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/07/2011	0.5770	1012.76	0.11	1.37	96.97	1.42	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/06/2011	0.5787	1011.40	0.11	1.52	96.80	1.43	0.10	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/05/2011	0.5747	1010.64	0.11	1.31	97.26	1.26	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/04/2011	0.5796	1013.92	0.11	1.48	96.46	1.86	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/03/2011	0.5773	1011.04	0.11	1.45	96.88	1.49	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/02/2011	0.5933	1031.50	0.11	1.64	94.68	2.89	0.48	0.09	0.05	0.03	0.02	0.00	0.00	0.00	0.00
1376	12/01/2011	0.5863	1022.94	0.11	1.54	95.65	2.27	0.31	0.06	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	11/30/2011	0.5763	1011.05	0.11	1.39	97.03	1.39	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/29/2011	0.5768	1011.16	0.11	1.42	96.93	1.47	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/28/2011	0.5757	1010.67	0.11	1.37	97.11	1.34	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/27/2011	0.5752	1010.45	0.11	1.34	97.19	1.29	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/26/2011	0.5753	1010.73	0.12	1.34	97.16	1.32	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/25/2011	0.5753	1010.68	0.12	1.34	97.16	1.31	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**White River Hub  
Average Daily Gas Quality Information**

**Meter Name = WRH TO ROCKIES EXPRESS #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1376	11/24/2011	0.5750	1010.48	0.11	1.34	97.22	1.27	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/23/2011	0.5745	1010.27	0.12	1.31	97.28	1.23	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/22/2011	0.5746	1010.59	0.12	1.30	97.26	1.25	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/21/2011	0.5758	1010.66	0.12	1.37	97.10	1.35	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/20/2011	0.5750	1010.51	0.12	1.33	97.22	1.27	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/19/2011	0.5748	1010.38	0.12	1.33	97.24	1.26	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/18/2011	0.5749	1010.70	0.11	1.32	97.22	1.28	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/17/2011	0.5751	1011.13	0.11	1.32	97.19	1.32	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/16/2011	0.5749	1010.82	0.11	1.31	97.23	1.28	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/15/2011	0.5763	1011.12	0.11	1.39	97.02	1.41	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/14/2011	0.5770	1012.77	0.11	1.37	96.94	1.47	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/13/2011	0.5797	1013.74	0.11	1.49	96.72	1.46	0.13	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	11/12/2011	0.5803	1013.12	0.11	1.55	96.67	1.44	0.14	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	11/11/2011	0.5806	1012.82	0.11	1.59	96.57	1.53	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1376	11/10/2011	0.5800	1011.87	0.11	1.59	96.63	1.48	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1376	11/09/2011	0.5812	1012.08	0.11	1.65	96.47	1.58	0.13	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1376	11/08/2011	0.5798	1013.87	0.12	1.49	96.61	1.58	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1376	11/07/2011	0.5814	1012.73	0.11	1.64	96.41	1.65	0.13	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1376	11/06/2011	0.5760	1011.07	0.11	1.37	97.06	1.39	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	11/05/2011	0.5751	1010.72	0.11	1.33	97.20	1.29	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**Meter Name = WRH TO TRANSCOLORADO #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1384	02/02/2012	0.5784	1011.26	0.11	1.52	96.72	1.57	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	02/01/2012	0.5780	1011.40	0.11	1.49	96.77	1.55	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/31/2012	0.5778	1011.26	0.11	1.48	96.80	1.53	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/30/2012	0.5777	1011.19	0.11	1.48	96.82	1.51	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/29/2012	0.5780	1011.42	0.11	1.48	96.78	1.55	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/28/2012	0.5779	1011.47	0.11	1.48	96.78	1.55	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/27/2012	0.5777	1011.34	0.11	1.47	96.81	1.53	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/26/2012	0.5776	1011.62	0.11	1.45	96.83	1.53	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/25/2012	0.5784	1011.64	0.11	1.50	96.71	1.60	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/24/2012	0.5800	1012.20	0.12	1.57	96.45	1.77	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/23/2012	0.5795	1011.81	0.11	1.56	96.55	1.69	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/22/2012	0.5772	1010.75	0.11	1.46	96.92	1.43	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/21/2012	0.5764	1010.26	0.11	1.43	97.03	1.36	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/20/2012	0.5757	1010.14	0.11	1.40	97.13	1.30	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/19/2012	0.5757	1010.70	0.10	1.37	97.12	1.33	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/18/2012	0.5775	1011.49	0.10	1.45	96.85	1.52	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/17/2012	0.5777	1011.51	0.12	1.46	96.81	1.54	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/16/2012	0.5775	1011.28	0.11	1.46	96.85	1.50	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/15/2012	0.5772	1011.03	0.11	1.45	96.90	1.46	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/14/2012	0.5784	1011.68	0.11	1.50	96.71	1.59	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/13/2012	0.5777	1011.45	0.11	1.47	96.81	1.53	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/12/2012	0.5769	1010.87	0.11	1.44	96.94	1.43	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/11/2012	0.5767	1011.43	0.11	1.41	97.00	1.38	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/10/2012	0.5770	1010.66	0.11	1.46	96.94	1.42	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/09/2012	0.5781	1010.96	0.11	1.51	96.78	1.51	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/08/2012	0.5767	1011.11	0.11	1.42	96.96	1.43	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/07/2012	0.5782	1011.98	0.11	1.47	96.74	1.59	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/06/2012	0.5773	1010.75	0.11	1.47	96.90	1.44	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/05/2012	0.5777	1011.27	0.11	1.48	96.82	1.51	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/04/2012	0.5779	1011.20	0.11	1.49	96.80	1.52	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/03/2012	0.5768	1010.76	0.11	1.44	96.99	1.38	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/02/2012	0.5767	1010.63	0.11	1.44	96.98	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	01/01/2012	0.5775	1010.93	0.11	1.48	96.86	1.48	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/31/2011	0.5770	1010.79	0.11	1.45	96.94	1.43	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/30/2011	0.5777	1011.18	0.11	1.48	96.82	1.51	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/29/2011	0.5772	1011.15	0.11	1.45	96.90	1.47	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/28/2011	0.5779	1011.27	0.11	1.48	96.79	1.54	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/27/2011	0.5793	1012.62	0.11	1.52	96.55	1.73	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/26/2011	0.5764	1011.00	0.11	1.40	97.02	1.39	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/25/2011	0.5761	1010.48	0.11	1.40	97.08	1.33	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/24/2011	0.5770	1010.74	0.11	1.45	96.94	1.42	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/23/2011	0.5765	1010.79	0.11	1.42	97.01	1.39	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/22/2011	0.5768	1010.44	0.11	1.45	96.97	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/21/2011	0.5769	1010.30	0.11	1.46	96.96	1.39	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**White River Hub  
Average Daily Gas Quality Information**

**Meter Name = WRH TO TRANSCOLORADO #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1384	12/20/2011	0.5775	1010.95	0.11	1.47	96.87	1.47	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/19/2011	0.5773	1010.87	0.11	1.46	96.89	1.45	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/18/2011	0.5768	1010.78	0.11	1.43	96.97	1.40	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/17/2011	0.5766	1010.85	0.11	1.42	96.99	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/16/2011	0.5768	1010.96	0.11	1.43	96.96	1.43	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/15/2011	0.5777	1011.29	0.11	1.47	96.82	1.52	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/14/2011	0.5764	1011.10	0.11	1.40	97.01	1.41	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/13/2011	0.5760	1012.36	0.11	1.32	97.03	1.46	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/12/2011	0.5790	1014.05	0.11	1.44	96.55	1.78	0.10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/11/2011	0.5769	1010.69	0.11	1.44	96.95	1.42	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/10/2011	0.5775	1011.24	0.11	1.46	96.85	1.50	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/09/2011	0.5767	1010.91	0.11	1.42	96.97	1.43	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/08/2011	0.5765	1010.33	0.11	1.43	97.02	1.36	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/07/2011	0.5771	1012.38	0.11	1.39	96.97	1.40	0.10	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/06/2011	0.5793	1010.92	0.11	1.58	96.74	1.43	0.10	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1384	12/05/2011	0.5751	1010.09	0.11	1.36	97.23	1.25	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/04/2011	0.5800	1013.25	0.11	1.54	96.43	1.83	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/03/2011	0.5778	1010.45	0.11	1.51	96.83	1.47	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	12/02/2011	0.5942	1031.49	0.11	1.70	94.61	2.86	0.49	0.09	0.08	0.03	0.02	0.00	0.00	0.00	0.00
1384	12/01/2011	0.5866	1022.57	0.11	1.58	95.64	2.22	0.32	0.06	0.05	0.01	0.01	0.00	0.00	0.00	0.00
1384	11/30/2011	0.5764	1010.11	0.13	1.42	97.03	1.35	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/29/2011	0.5772	1010.87	0.11	1.46	96.89	1.47	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/28/2011	0.5762	1010.32	0.11	1.41	97.07	1.34	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/27/2011	0.5756	1010.14	0.11	1.39	97.15	1.29	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/26/2011	0.5758	1010.42	0.11	1.38	97.11	1.33	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/25/2011	0.5758	1010.41	0.12	1.38	97.11	1.32	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/24/2011	0.5755	1010.15	0.11	1.38	97.18	1.27	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/23/2011	0.5750	1010.27	0.11	1.34	97.24	1.25	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/22/2011	0.5753	1010.43	0.11	1.36	97.18	1.28	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/21/2011	0.5762	1010.35	0.12	1.41	97.05	1.35	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/20/2011	0.5754	1010.25	0.12	1.37	97.17	1.28	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/19/2011	0.5754	1010.10	0.11	1.37	97.19	1.26	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/18/2011	0.5754	1010.39	0.11	1.36	97.18	1.28	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/17/2011	0.5755	1010.82	0.11	1.36	97.14	1.32	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/16/2011	0.5753	1010.56	0.11	1.35	97.19	1.29	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/15/2011	0.5768	1010.86	0.11	1.44	96.96	1.42	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/14/2011	0.5774	1012.48	0.11	1.41	96.89	1.48	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/13/2011	0.5801	1013.34	0.11	1.54	96.67	1.46	0.14	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1384	11/12/2011	0.5808	1012.71	0.11	1.60	96.61	1.45	0.14	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1384	11/11/2011	0.5809	1012.19	0.11	1.63	96.54	1.52	0.14	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1384	11/10/2011	0.5806	1011.47	0.11	1.64	96.57	1.49	0.13	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1384	11/09/2011	0.5818	1011.71	0.11	1.71	96.41	1.59	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1384	11/08/2011	0.5803	1013.54	0.11	1.54	96.56	1.59	0.14	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1384	11/07/2011	0.5819	1012.33	0.11	1.69	96.35	1.66	0.14	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1384	11/06/2011	0.5765	1010.79	0.11	1.42	97.01	1.39	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1384	11/05/2011	0.5755	1010.47	0.10	1.37	97.16	1.30	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**Meter Name = WRH TO WIC #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1519	02/02/2012	0.5782	1011.71	0.14	1.47	96.71	1.60	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	02/01/2012	0.5777	1011.71	0.14	1.44	96.77	1.57	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/31/2012	0.5776	1011.87	0.14	1.42	96.80	1.56	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/30/2012	0.5773	1011.64	0.14	1.41	96.84	1.53	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/29/2012	0.5775	1011.88	0.14	1.42	96.80	1.56	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/28/2012	0.5774	1011.80	0.14	1.41	96.82	1.55	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/27/2012	0.5776	1011.80	0.14	1.42	96.78	1.57	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/26/2012	0.5772	1011.91	0.14	1.40	96.84	1.54	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/25/2012	0.5796	1013.72	0.14	1.47	96.50	1.76	0.10	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/24/2012	0.5798	1012.71	0.14	1.52	96.44	1.81	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/23/2012	0.5788	1011.95	0.14	1.49	96.61	1.67	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/22/2012	0.5768	1011.02	0.15	1.40	96.92	1.45	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/21/2012	0.5760	1010.48	0.14	1.37	97.06	1.36	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/20/2012	0.5754	1010.57	0.14	1.34	97.14	1.32	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/19/2012	0.5751	1011.38	0.14	1.28	97.16	1.35	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/18/2012	0.5771	1012.07	0.14	1.38	96.85	1.55	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/17/2012	0.5762	1012.04	0.14	1.33	96.98	1.48	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/16/2012	0.5767	1011.51	0.14	1.38	96.92	1.48	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**White River Hub**  
**Average Daily Gas Quality Information**

Meter Name = WRH TO WIC #1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1519	01/15/2012	0.5769	1011.61	0.14	1.38	96.89	1.50	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/14/2012	0.5774	1012.21	0.14	1.40	96.81	1.58	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/13/2012	0.5765	1011.96	0.14	1.35	96.94	1.49	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/12/2012	0.5766	1011.16	0.14	1.39	96.95	1.45	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/11/2012	0.5761	1011.68	0.14	1.34	97.04	1.39	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/10/2012	0.5738	1012.18	0.14	1.18	97.31	1.30	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/09/2012	0.5747	1012.10	0.14	1.23	97.19	1.37	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/08/2012	0.5741	1012.42	0.14	1.18	97.26	1.35	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/07/2012	0.5747	1013.00	0.14	1.20	97.16	1.43	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/06/2012	0.5692	1013.63	0.13	0.84	97.90	1.08	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/05/2012	0.5647	1015.29	0.13	0.49	98.47	0.87	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/04/2012	0.5712	1013.29	0.13	0.97	97.63	1.20	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/03/2012	0.5755	1011.38	0.14	1.31	97.12	1.35	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/02/2012	0.5756	1011.42	0.14	1.32	97.09	1.39	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	01/01/2012	0.5758	1011.71	0.14	1.32	97.04	1.43	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/31/2011	0.5691	1013.74	0.14	0.82	97.90	1.09	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/30/2011	0.5680	1014.39	0.13	0.73	98.04	1.05	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/29/2011	0.5669	1014.45	0.13	0.66	98.19	0.97	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/28/2011	0.5735	1013.14	0.14	1.12	97.31	1.37	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/27/2011	0.5785	1012.98	0.14	1.44	96.62	1.72	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/26/2011	0.5761	1011.21	0.14	1.36	97.03	1.40	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/25/2011	0.5760	1010.84	0.14	1.36	97.06	1.37	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/24/2011	0.5764	1011.07	0.14	1.38	96.98	1.42	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/23/2011	0.5765	1011.17	0.14	1.38	96.97	1.43	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/22/2011	0.5765	1010.76	0.14	1.40	96.98	1.41	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/21/2011	0.5767	1010.67	0.14	1.41	96.96	1.42	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/20/2011	0.5772	1011.31	0.14	1.42	96.87	1.50	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/19/2011	0.5777	1013.75	0.14	1.35	96.76	1.61	0.11	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/18/2011	0.5763	1011.08	0.14	1.37	96.99	1.41	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/17/2011	0.5745	1011.91	0.14	1.23	97.22	1.34	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/16/2011	0.5760	1011.48	0.14	1.34	97.03	1.42	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/15/2011	0.5754	1012.09	0.14	1.28	97.08	1.43	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/14/2011	0.5765	1011.74	0.14	1.36	96.94	1.48	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/13/2011	0.5751	1012.93	0.14	1.23	97.10	1.45	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/12/2011	0.5772	1014.55	0.14	1.29	96.76	1.70	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/11/2011	0.5768	1011.06	0.14	1.40	96.92	1.46	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/10/2011	0.5771	1011.62	0.15	1.40	96.86	1.52	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/09/2011	0.5760	1010.75	0.14	1.36	97.05	1.37	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/08/2011	0.5762	1010.57	0.14	1.38	97.03	1.38	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/07/2011	0.5772	1012.78	0.14	1.36	96.93	1.43	0.10	0.02	0.01	0.00	0.00	0.01	0.00	0.00	0.00
1519	12/06/2011	0.5738	1012.02	0.14	1.18	97.37	1.21	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/05/2011	0.5723	1012.49	0.14	1.07	97.50	1.23	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/04/2011	0.5762	1013.69	0.14	1.26	96.91	1.61	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/03/2011	0.5760	1011.18	0.14	1.35	97.02	1.42	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	12/02/2011	0.5828	1030.32	0.14	1.01	96.08	2.20	0.39	0.07	0.06	0.02	0.01	0.02	0.00	0.00	0.00
1519	12/01/2011	0.5823	1018.24	0.14	1.46	96.15	1.96	0.21	0.03	0.03	0.01	0.00	0.01	0.00	0.00	0.00
1519	11/30/2011	0.5763	1010.97	0.14	1.37	97.00	1.41	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/29/2011	0.5770	1011.22	0.14	1.41	96.89	1.49	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/28/2011	0.5759	1010.62	0.14	1.37	97.06	1.37	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/27/2011	0.5755	1010.51	0.14	1.35	97.12	1.33	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/26/2011	0.5755	1010.78	0.14	1.33	97.11	1.35	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/25/2011	0.5756	1010.78	0.14	1.34	97.11	1.34	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/24/2011	0.5748	1011.06	0.14	1.28	97.21	1.30	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/23/2011	0.5748	1010.28	0.15	1.30	97.23	1.26	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/22/2011	0.5749	1010.62	0.15	1.30	97.20	1.29	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/21/2011	0.5760	1010.73	0.15	1.36	97.04	1.38	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/20/2011	0.5752	1010.50	0.15	1.32	97.16	1.30	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/19/2011	0.5743	1011.42	0.15	1.23	97.27	1.27	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/18/2011	0.5751	1010.80	0.14	1.31	97.17	1.31	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/17/2011	0.5752	1011.10	0.14	1.31	97.15	1.34	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/16/2011	0.5751	1010.89	0.14	1.31	97.17	1.32	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/15/2011	0.5766	1011.17	0.14	1.39	96.95	1.45	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/14/2011	0.5771	1013.05	0.14	1.35	96.90	1.50	0.09	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.00
1519	11/13/2011	0.5798	1013.27	0.14	1.50	96.67	1.48	0.14	0.03	0.02	0.01	0.00	0.02	0.00	0.00	0.00
1519	11/12/2011	0.5803	1012.96	0.14	1.54	96.62	1.48	0.14	0.03	0.02	0.01	0.01	0.02	0.00	0.00	0.00
1519	11/11/2011	0.5809	1012.56	0.14	1.60	96.49	1.57	0.14	0.02	0.02	0.01	0.00	0.01	0.00	0.00	0.00
1519	11/10/2011	0.5801	1011.82	0.14	1.58	96.59	1.51	0.13	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1519	11/09/2011	0.5813	1012.20	0.14	1.64	96.41	1.63	0.13	0.02	0.01	0.01	0.00	0.01	0.00	0.00	0.00

**White River Hub**  
**Average Daily Gas Quality Information**

**Meter Name = WRH TO WIC #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1519	11/08/2011	0.5803	1013.72	0.14	1.51	96.52	1.64	0.14	0.02	0.02	0.01	0.00	0.01	0.00	0.00	0.00
1519	11/07/2011	0.5809	1012.46	0.14	1.60	96.43	1.66	0.12	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/06/2011	0.5761	1011.07	0.14	1.36	97.03	1.40	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1519	11/05/2011	0.5753	1010.74	0.14	1.33	97.15	1.32	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00