

**White River Hub  
Average Daily Gas Quality Information**

**Meter Name = Enterprise To Wrh #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1304	03/12/2010	0.5716	1011.88	0.10	1.08	97.66	1.11	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	03/11/2010	0.5709	1011.78	0.09	1.04	97.76	1.05	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	03/10/2010	0.5722	1011.76	0.09	1.12	97.58	1.15	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	03/09/2010	0.5719	1011.58	0.09	1.11	97.63	1.11	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	03/08/2010	0.5707	1011.73	0.09	1.03	97.79	1.03	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	03/07/2010	0.5707	1011.78	0.09	1.03	97.79	1.03	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	03/06/2010	0.5710	1011.57	0.09	1.05	97.76	1.04	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	03/05/2010	0.5714	1011.47	0.10	1.08	97.70	1.06	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	03/04/2010	0.5711	1011.57	0.10	1.06	97.74	1.05	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	03/03/2010	0.5713	1011.59	0.09	1.07	97.71	1.06	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	03/02/2010	0.5711	1011.63	0.09	1.06	97.74	1.05	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	03/01/2010	0.5712	1011.63	0.09	1.07	97.72	1.06	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/28/2010	0.5710	1011.78	0.09	1.05	97.75	1.05	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/27/2010	0.5707	1011.72	0.09	1.03	97.80	1.02	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/26/2010	0.5707	1011.79	0.09	1.03	97.79	1.03	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/25/2010	0.5699	1012.08	0.09	0.96	97.90	0.99	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/24/2010	0.5763	1017.31	0.09	1.16	96.93	1.64	0.13	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/23/2010	0.5926	1041.44	0.09	1.21	94.76	2.99	0.65	0.12	0.10	0.03	0.02	0.01	0.00	0.00	0.00
1304	02/22/2010	0.5710	1011.37	0.09	1.06	97.76	1.03	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/21/2010	0.5706	1011.31	0.09	1.04	97.81	1.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/20/2010	0.5699	1011.32	0.10	1.00	97.91	0.94	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/19/2010	0.5694	1011.55	0.10	0.96	97.97	0.92	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/18/2010	0.5694	1011.82	0.10	0.94	97.97	0.94	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/17/2010	0.5695	1011.87	0.10	0.95	97.96	0.94	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/16/2010	0.5704	1011.72	0.10	1.01	97.84	0.99	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/15/2010	0.5682	1012.13	0.10	0.85	98.15	0.83	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/14/2010	0.5717	1011.07	0.10	1.12	97.68	1.06	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	02/13/2010	0.5893	1036.29	0.09	1.21	95.19	2.73	0.55	0.10	0.08	0.03	0.02	0.01	0.00	0.00	0.00
1304	02/12/2010	0.5969	1043.50	0.09	1.40	94.13	3.36	0.72	0.13	0.11	0.03	0.02	0.01	0.00	0.00	0.00
1304	02/11/2010	0.5972	1043.51	0.09	1.41	94.09	3.38	0.72	0.13	0.11	0.03	0.02	0.01	0.00	0.00	0.00
1304	02/10/2010	0.5980	1044.56	0.09	1.42	94.01	3.40	0.74	0.14	0.12	0.04	0.02	0.01	0.00	0.00	0.00
1304	02/09/2010	0.5984	1045.52	0.09	1.41	94.00	3.39	0.75	0.15	0.12	0.04	0.02	0.02	0.01	0.00	0.00
1304	02/08/2010	0.5978	1046.20	0.09	1.35	94.10	3.34	0.75	0.15	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1304	02/07/2010	0.5993	1047.11	0.09	1.40	93.94	3.40	0.77	0.16	0.13	0.05	0.03	0.02	0.01	0.00	0.00
1304	02/06/2010	0.5985	1045.96	0.09	1.40	94.04	3.35	0.75	0.15	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1304	02/05/2010	0.5999	1047.31	0.09	1.43	93.89	3.41	0.78	0.16	0.14	0.05	0.03	0.02	0.01	0.00	0.00
1304	02/04/2010	0.5982	1045.60	0.09	1.39	94.03	3.37	0.75	0.15	0.12	0.04	0.02	0.02	0.01	0.00	0.00
1304	02/03/2010	0.5992	1046.73	0.09	1.41	93.94	3.40	0.77	0.15	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1304	02/02/2010	0.5989	1047.25	0.09	1.37	94.00	3.37	0.78	0.16	0.13	0.05	0.03	0.02	0.01	0.00	0.00
1304	02/01/2010	0.5974	1046.51	0.09	1.31	94.19	3.28	0.76	0.15	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1304	01/31/2010	0.5973	1046.48	0.09	1.30	94.19	3.29	0.75	0.15	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1304	01/30/2010	0.5967	1046.74	0.10	1.25	94.26	3.29	0.73	0.15	0.13	0.04	0.03	0.02	0.01	0.00	0.00
1304	01/29/2010	0.5867	1033.59	0.10	1.15	95.56	2.48	0.50	0.09	0.07	0.02	0.01	0.01	0.00	0.00	0.00
1304	01/28/2010	0.5699	1012.60	0.10	0.94	97.89	1.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/27/2010	0.5719	1013.39	0.10	1.04	97.62	1.14	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/26/2010	0.5717	1012.73	0.10	1.05	97.64	1.13	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/25/2010	0.5714	1012.91	0.10	1.02	97.67	1.13	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/24/2010	0.5716	1012.95	0.10	1.04	97.64	1.15	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/23/2010	0.5721	1012.88	0.10	1.07	97.57	1.18	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/22/2010	0.5715	1012.66	0.10	1.04	97.66	1.12	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/21/2010	0.5723	1012.66	0.10	1.09	97.54	1.18	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/20/2010	0.5717	1012.16	0.10	1.08	97.65	1.10	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/19/2010	0.5722	1012.06	0.10	1.11	97.58	1.13	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/18/2010	0.5721	1012.55	0.10	1.09	97.58	1.16	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/17/2010	0.5720	1012.82	0.10	1.06	97.59	1.16	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/16/2010	0.5725	1012.82	0.10	1.10	97.52	1.21	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/15/2010	0.5824	1026.87	0.09	1.16	96.12	2.16	0.34	0.06	0.05	0.01	0.01	0.01	0.00	0.00	0.00
1304	01/14/2010	0.5711	1014.93	0.10	0.92	97.73	1.11	0.11	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/13/2010	0.5721	1012.42	0.09	1.09	97.59	1.14	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/12/2010	0.5749	1020.32	0.10	0.95	97.03	1.70	0.18	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/11/2010	0.5670	1013.30	0.10	0.73	98.27	0.83	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/10/2010	0.5713	1016.94	0.10	0.86	97.77	1.08	0.13	0.02	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1304	01/09/2010	0.5706	1012.96	0.10	0.97	97.80	1.04	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/08/2010	0.5702	1012.41	0.10	0.97	97.85	1.01	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/07/2010	0.5703	1012.24	0.10	0.99	97.84	1.01	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**White River Hub**  
Average Daily Gas Quality Information

**Meter Name = Enterprise To Wrh #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1304	01/06/2010	0.5761	1019.55	0.09	1.06	96.85	1.85	0.12	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/05/2010	0.5693	1013.30	0.10	0.88	97.98	0.95	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/04/2010	0.5707	1013.11	0.10	0.97	97.82	1.01	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1304	01/03/2010	0.5716	1017.55	0.10	0.85	97.78	1.04	0.15	0.03	0.02	0.01	0.01	0.01	0.01	0.00	0.00
1304	01/02/2010	0.5717	1018.35	0.10	0.83	97.77	1.04	0.16	0.03	0.03	0.01	0.01	0.01	0.01	0.00	0.00
1304	01/01/2010	0.5725	1018.74	0.10	0.86	97.69	1.07	0.17	0.03	0.03	0.01	0.01	0.01	0.01	0.00	0.00
1304	12/31/2009	0.5730	1017.68	0.10	0.93	97.59	1.13	0.16	0.03	0.03	0.01	0.01	0.01	0.01	0.00	0.00
1304	12/30/2009	0.5723	1017.15	0.10	0.91	97.66	1.10	0.15	0.02	0.02	0.01	0.01	0.01	0.00	0.00	0.00
1304	12/29/2009	0.5712	1014.65	0.10	0.94	97.76	1.05	0.10	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1304	12/28/2009	0.5712	1011.75	0.09	1.06	97.72	1.06	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/27/2009	0.5711	1011.76	0.10	1.05	97.74	1.06	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/26/2009	0.5706	1011.65	0.10	1.03	97.80	1.02	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/25/2009	0.5715	1011.59	0.09	1.08	97.69	1.07	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/24/2009	0.5702	1012.06	0.10	0.99	97.85	1.01	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/23/2009	0.5683	1013.10	0.10	0.82	98.11	0.90	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/22/2009	0.5675	1012.48	0.10	0.79	98.21	0.84	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/21/2009	0.5682	1012.58	0.10	0.84	98.11	0.89	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/20/2009	0.5683	1012.22	0.10	0.86	98.12	0.86	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/19/2009	0.5687	1012.93	0.10	0.86	98.05	0.92	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/18/2009	0.5682	1013.78	0.10	0.79	98.09	0.94	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/17/2009	0.5706	1014.99	0.10	0.89	97.84	1.02	0.11	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1304	12/16/2009	0.5687	1012.19	0.10	0.89	98.07	0.88	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/15/2009	0.5684	1012.10	0.10	0.87	98.12	0.85	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/14/2009	0.5675	1012.53	0.10	0.80	98.22	0.82	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1304	12/13/2009	0.5669	1012.54	0.10	0.76	98.31	0.77	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**Meter Name = Magnolia To Wrh #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1328	03/12/2010	0.5777	1036.27	0.08	0.50	96.67	2.13	0.44	0.08	0.07	0.02	0.01	0.01	0.00	0.00	0.00
1328	03/11/2010	0.6185	1070.43	0.07	1.68	91.15	5.28	1.25	0.25	0.20	0.06	0.04	0.02	0.01	0.00	0.00
1328	03/10/2010	0.6180	1070.01	0.07	1.67	91.19	5.28	1.24	0.24	0.19	0.06	0.04	0.02	0.01	0.00	0.00
1328	03/09/2010	0.6185	1069.74	0.07	1.71	91.12	5.30	1.24	0.24	0.19	0.06	0.04	0.02	0.01	0.00	0.00
1328	03/08/2010	0.6193	1069.97	0.07	1.75	91.04	5.32	1.25	0.24	0.20	0.06	0.04	0.02	0.01	0.00	0.00
1328	03/07/2010	0.6188	1069.81	0.07	1.73	91.08	5.31	1.25	0.24	0.19	0.06	0.04	0.02	0.01	0.00	0.00
1328	03/06/2010	0.6191	1069.46	0.07	1.76	91.07	5.29	1.24	0.24	0.19	0.06	0.04	0.02	0.01	0.00	0.00
1328	03/05/2010	0.6190	1069.12	0.07	1.77	91.06	5.31	1.24	0.24	0.19	0.06	0.03	0.02	0.01	0.00	0.00
1328	03/04/2010	0.6186	1069.81	0.07	1.71	91.10	5.31	1.24	0.24	0.19	0.06	0.04	0.02	0.01	0.00	0.00
1328	03/03/2010	0.6191	1069.22	0.07	1.77	91.06	5.30	1.24	0.24	0.19	0.06	0.04	0.02	0.01	0.00	0.00
1328	03/02/2010	0.6197	1069.96	0.07	1.78	91.01	5.30	1.26	0.25	0.20	0.06	0.04	0.02	0.01	0.00	0.00
1328	03/01/2010	0.6200	1069.35	0.07	1.82	90.98	5.30	1.25	0.25	0.20	0.06	0.04	0.02	0.01	0.00	0.00
1328	02/28/2010	0.6214	1068.06	0.07	1.96	90.88	5.26	1.25	0.25	0.20	0.07	0.04	0.03	0.01	0.00	0.00
1328	02/27/2010	0.6199	1069.21	0.07	1.82	91.00	5.29	1.25	0.25	0.20	0.06	0.04	0.02	0.01	0.00	0.00
1328	02/26/2010	0.6198	1069.82	0.07	1.79	91.00	5.31	1.25	0.25	0.20	0.07	0.04	0.02	0.01	0.00	0.00
1328	02/25/2010	0.6190	1069.89	0.07	1.73	91.09	5.29	1.24	0.24	0.20	0.06	0.04	0.02	0.01	0.00	0.00
1328	02/24/2010	0.6173	1071.17	0.07	1.58	91.26	5.29	1.24	0.24	0.19	0.06	0.04	0.02	0.01	0.00	0.00
1328	02/23/2010	0.6193	1068.90	0.07	1.79	91.04	5.30	1.25	0.24	0.19	0.06	0.04	0.02	0.01	0.00	0.00
1328	02/22/2010	0.6172	1070.28	0.07	1.61	91.24	5.30	1.24	0.24	0.19	0.06	0.03	0.02	0.00	0.00	0.00
1328	02/21/2010	0.6128	1069.61	0.07	1.36	91.70	5.21	1.17	0.22	0.17	0.05	0.03	0.02	0.00	0.00	0.00
1328	02/20/2010	0.6191	1068.97	0.07	1.78	91.06	5.29	1.24	0.24	0.19	0.06	0.04	0.02	0.01	0.00	0.00
1328	02/19/2010	0.6139	1070.63	0.07	1.39	91.60	5.23	1.20	0.23	0.18	0.05	0.03	0.02	0.00	0.00	0.00
1328	02/18/2010	0.6129	1068.45	0.07	1.41	91.79	5.06	1.15	0.22	0.18	0.06	0.03	0.02	0.01	0.00	0.00
1328	02/17/2010	0.6089	1062.16	0.07	1.42	92.35	4.68	1.03	0.20	0.16	0.05	0.03	0.02	0.00	0.00	0.00
1328	02/16/2010	0.5609	1022.58	0.08	0.00	98.76	1.14	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/15/2010	0.5590	1019.68	0.08	0.00	99.14	0.77	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/14/2010	0.5601	1021.39	0.08	0.00	98.91	0.99	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/13/2010	0.5589	1019.51	0.08	0.00	99.15	0.75	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/12/2010	0.5584	1018.66	0.08	0.00	99.26	0.64	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/11/2010	0.5583	1018.55	0.08	0.00	99.28	0.62	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/10/2010	0.5575	1017.32	0.08	0.00	99.44	0.46	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/09/2010	0.5585	1018.80	0.08	0.00	99.26	0.64	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/08/2010	0.5583	1018.46	0.08	0.00	99.29	0.61	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/07/2010	0.5581	1018.26	0.08	0.00	99.33	0.58	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/06/2010	0.5576	1017.50	0.08	0.00	99.43	0.47	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/05/2010	0.5575	1017.45	0.08	0.00	99.43	0.48	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/04/2010	0.5573	1017.01	0.08	0.00	99.49	0.42	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/03/2010	0.5580	1018.01	0.08	0.00	99.35	0.55	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/02/2010	0.5590	1019.50	0.08	0.01	99.14	0.75	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	02/01/2010	0.5587	1019.21	0.08	0.00	99.20	0.71	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/31/2010	0.5584	1018.73	0.08	0.01	99.25	0.65	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**White River Hub**  
Average Daily Gas Quality Information

**Meter Name = Magnolia To Wrh #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1328	01/30/2010	0.5585	1018.83	0.08	0.00	99.24	0.66	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/29/2010	0.5583	1018.48	0.08	0.00	99.29	0.62	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/28/2010	0.5615	1023.44	0.08	0.01	98.67	1.20	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/27/2010	0.5583	1018.36	0.08	0.01	99.30	0.60	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/26/2010	0.5595	1020.20	0.08	0.01	99.08	0.79	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/25/2010	0.5581	1018.09	0.08	0.01	99.34	0.56	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/24/2010	0.5579	1017.86	0.08	0.01	99.37	0.52	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/23/2010	0.5579	1017.82	0.08	0.01	99.37	0.54	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/22/2010	0.5579	1017.81	0.08	0.01	99.37	0.53	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/21/2010	0.5582	1018.30	0.08	0.01	99.31	0.60	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/20/2010	0.5588	1019.28	0.08	0.00	99.18	0.72	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/19/2010	0.5582	1018.28	0.08	0.01	99.33	0.55	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/18/2010	0.5582	1018.31	0.08	0.01	99.33	0.54	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/17/2010	0.5581	1018.08	0.08	0.01	99.34	0.55	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/16/2010	0.5598	1019.76	0.08	0.05	99.07	0.75	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/15/2010	0.5656	1024.17	0.08	0.23	98.31	1.15	0.16	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00
1328	01/14/2010	0.5708	1030.90	0.08	0.29	97.43	1.86	0.25	0.04	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1328	01/13/2010	0.5579	1017.89	0.08	0.00	99.37	0.54	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/12/2010	0.5581	1018.20	0.08	0.00	99.32	0.58	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/11/2010	0.5582	1018.28	0.08	0.01	99.31	0.59	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/10/2010	0.5624	1024.89	0.08	0.01	98.48	1.39	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/09/2010	0.5579	1017.65	0.08	0.01	99.38	0.50	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/08/2010	0.5663	1025.71	0.08	0.21	98.10	1.38	0.18	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/07/2010	0.5661	1016.10	0.10	0.57	98.33	0.90	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/06/2010	0.5666	1015.52	0.10	0.62	98.28	0.91	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/05/2010	0.5664	1015.82	0.10	0.60	98.30	0.91	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/04/2010	0.5613	1020.65	0.09	0.10	98.88	0.81	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/03/2010	0.5613	1020.69	0.09	0.10	98.88	0.81	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/02/2010	0.5623	1021.50	0.09	0.12	98.75	0.89	0.11	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	01/01/2010	0.5629	1022.01	0.10	0.14	98.66	0.94	0.13	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/31/2009	0.5629	1022.01	0.10	0.14	98.67	0.94	0.13	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/30/2009	0.5624	1021.63	0.09	0.12	98.73	0.90	0.12	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/29/2009	0.5608	1020.26	0.09	0.08	98.96	0.77	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/28/2009	0.5596	1019.27	0.09	0.05	99.12	0.68	0.05	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/27/2009	0.5591	1018.83	0.09	0.04	99.19	0.64	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/26/2009	0.5585	1018.35	0.08	0.02	99.28	0.59	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/25/2009	0.5582	1018.08	0.08	0.01	99.32	0.56	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/24/2009	0.5581	1018.04	0.08	0.01	99.33	0.56	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/23/2009	0.5580	1017.96	0.08	0.01	99.34	0.55	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/22/2009	0.5581	1017.99	0.08	0.01	99.34	0.56	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/21/2009	0.5580	1017.95	0.08	0.00	99.34	0.55	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/20/2009	0.5580	1017.97	0.08	0.00	99.34	0.56	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/19/2009	0.5580	1018.00	0.08	0.00	99.34	0.56	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/18/2009	0.5580	1017.97	0.08	0.00	99.34	0.56	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/17/2009	0.5580	1017.92	0.08	0.00	99.35	0.55	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/16/2009	0.5580	1017.94	0.08	0.00	99.36	0.54	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/15/2009	0.5610	1021.18	0.08	0.06	98.86	0.93	0.05	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/14/2009	0.5580	1018.02	0.08	0.00	99.39	0.48	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1328	12/13/2009	0.5578	1017.82	0.08	0.00	99.41	0.46	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**Meter Name = Wrh To Qpc**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1331	03/12/2010	0.6170	1068.04	0.13	1.65	91.22	5.25	1.26	0.22	0.18	0.05	0.03	0.02	0.01	0.00	0.00
1331	03/11/2010	0.6248	1062.16	0.12	2.37	90.27	5.46	1.32	0.22	0.18	0.03	0.02	0.01	0.00	0.00	0.00
1331	03/10/2010	0.6065	1054.72	0.09	1.55	92.75	4.26	0.95	0.18	0.14	0.04	0.02	0.01	0.00	0.00	0.00
1331	03/09/2010	0.6051	1052.31	0.08	1.57	92.99	4.08	0.89	0.17	0.14	0.04	0.02	0.01	0.00	0.00	0.00
1331	03/08/2010	0.6103	1062.01	0.13	1.47	92.17	4.66	1.11	0.20	0.16	0.05	0.03	0.01	0.00	0.00	0.00
1331	03/07/2010	0.6188	1070.43	0.09	1.69	91.05	5.34	1.27	0.24	0.19	0.06	0.03	0.02	0.01	0.00	0.00
1331	03/06/2010	0.6158	1080.72	0.36	0.92	90.94	5.70	1.61	0.21	0.20	0.03	0.02	0.00	0.00	0.00	0.00
1331	03/05/2010	0.6273	1081.61	0.21	1.70	89.66	6.26	1.60	0.26	0.21	0.05	0.03	0.02	0.01	0.00	0.00
1331	03/04/2010	0.6203	1069.77	0.09	1.81	91.06	5.16	1.27	0.26	0.20	0.07	0.04	0.03	0.01	0.00	0.00
1331	03/03/2010	0.6071	1054.63	0.08	1.60	92.72	4.24	0.94	0.18	0.14	0.04	0.03	0.02	0.01	0.00	0.00
1331	03/02/2010	0.6200	1070.13	0.07	1.79	90.99	5.31	1.26	0.25	0.20	0.06	0.04	0.02	0.01	0.00	0.00
1331	03/01/2010	0.6201	1069.34	0.07	1.83	90.97	5.31	1.25	0.25	0.20	0.06	0.04	0.02	0.01	0.00	0.00
1331	02/28/2010	0.6217	1068.39	0.07	1.96	90.85	5.27	1.25	0.25	0.20	0.07	0.04	0.03	0.01	0.00	0.00
1331	02/27/2010	0.6201	1069.44	0.07	1.82	90.99	5.30	1.25	0.25	0.20	0.06	0.04	0.02	0.01	0.00	0.00
1331	02/26/2010	0.6241	1071.61	0.09	1.97	90.25	5.82	1.33	0.23	0.18	0.06	0.03	0.02	0.01	0.00	0.00
1331	02/25/2010	0.6174	1070.74	0.07	1.61	91.22	5.31	1.24	0.24	0.19	0.06	0.03	0.02	0.01	0.00	0.00
1331	02/24/2010	0.6181	1070.78	0.08	1.64	91.12	5.37	1.25	0.24	0.19	0.06	0.03	0.02	0.01	0.00	0.00

**White River Hub**  
Average Daily Gas Quality Information

Meter Name = Wrh To Qpc

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1331	02/23/2010	0.6268	1076.97	0.22	1.84	89.32	6.76	1.46	0.20	0.15	0.03	0.02	0.00	0.00	0.00	0.00
1331	02/22/2010	0.6217	1076.44	0.29	1.50	90.03	6.32	1.47	0.19	0.16	0.02	0.01	0.00	0.00	0.00	0.00
1331	02/21/2010	0.6212	1075.70	0.27	1.51	90.11	6.27	1.45	0.19	0.16	0.03	0.02	0.00	0.00	0.00	0.00
1331	02/20/2010	0.6280	1075.59	0.20	1.98	89.15	6.87	1.41	0.19	0.15	0.03	0.01	0.00	0.00	0.00	0.00
1331	02/19/2010	0.6199	1076.15	0.30	1.40	90.37	6.02	1.49	0.20	0.17	0.03	0.02	0.00	0.00	0.00	0.00
1331	02/18/2010	0.6187	1077.94	0.31	1.24	90.52	5.98	1.52	0.20	0.18	0.03	0.02	0.00	0.00	0.00	0.00
1331	02/17/2010	0.6152	1079.73	0.37	0.92	90.94	5.75	1.61	0.19	0.18	0.03	0.02	0.00	0.00	0.00	0.00
1331	02/16/2010	0.6228	1081.05	0.28	1.39	89.88	6.42	1.62	0.20	0.17	0.03	0.01	0.00	0.00	0.00	0.00
1331	02/15/2010	0.6222	1081.35	0.29	1.34	90.02	6.25	1.66	0.21	0.18	0.03	0.01	0.00	0.00	0.00	0.00
1331	02/14/2010	0.6019	1060.98	0.20	0.94	93.00	4.46	1.09	0.15	0.13	0.02	0.01	0.00	0.00	0.00	0.00
1331	02/13/2010	0.6175	1079.70	0.31	1.10	90.71	5.83	1.61	0.21	0.18	0.03	0.02	0.00	0.00	0.00	0.00
1331	02/12/2010	0.6243	1079.51	0.26	1.56	89.76	6.38	1.62	0.20	0.16	0.03	0.02	0.00	0.00	0.00	0.00
1331	02/11/2010	0.6229	1082.13	0.28	1.35	89.92	6.34	1.67	0.21	0.18	0.03	0.02	0.00	0.00	0.00	0.00
1331	02/10/2010	0.6189	1079.88	0.29	1.19	90.49	5.97	1.65	0.20	0.17	0.03	0.01	0.00	0.00	0.00	0.00
1331	02/09/2010	0.6292	1082.05	0.22	1.79	89.04	6.81	1.77	0.19	0.15	0.02	0.01	0.00	0.00	0.00	0.00
1331	02/08/2010	0.6276	1075.73	0.14	1.99	89.30	6.65	1.60	0.16	0.12	0.02	0.01	0.00	0.00	0.00	0.00
1331	02/07/2010	0.5576	1017.46	0.08	0.00	99.44	0.47	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	02/06/2010	0.5575	1017.36	0.08	0.00	99.45	0.45	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	02/05/2010	0.5574	1017.27	0.08	0.00	99.46	0.44	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	02/04/2010	0.5730	1033.80	0.14	0.27	97.20	1.81	0.47	0.05	0.05	0.01	0.00	0.00	0.00	0.00	0.00
1331	02/03/2010	0.6175	1074.37	0.28	1.33	90.89	5.47	1.63	0.19	0.17	0.03	0.02	0.00	0.00	0.00	0.00
1331	02/02/2010	0.6149	1079.44	0.36	0.91	91.03	5.59	1.72	0.18	0.16	0.02	0.01	0.00	0.00	0.00	0.00
1331	02/01/2010	0.6169	1069.27	0.26	1.50	91.06	5.33	1.40	0.21	0.18	0.03	0.02	0.01	0.00	0.00	0.00
1331	01/31/2010	0.6167	1051.60	0.08	2.31	91.58	4.55	1.04	0.20	0.15	0.04	0.02	0.01	0.00	0.00	0.00
1331	01/30/2010	0.6110	1047.34	0.08	2.12	92.37	4.09	0.94	0.18	0.14	0.04	0.02	0.01	0.00	0.00	0.00
1331	01/29/2010	0.5999	1044.45	0.11	1.53	93.70	3.56	0.80	0.14	0.11	0.03	0.02	0.01	0.00	0.00	0.00
1331	01/28/2010	0.6192	1059.46	0.17	2.10	90.99	5.08	1.24	0.20	0.16	0.03	0.02	0.01	0.00	0.00	0.00
1331	01/27/2010	0.6196	1056.47	0.12	2.28	91.01	5.02	1.15	0.20	0.15	0.04	0.02	0.01	0.00	0.00	0.00
1331	01/26/2010	0.6242	1050.90	0.08	2.80	90.49	5.11	1.13	0.18	0.14	0.03	0.02	0.01	0.00	0.00	0.00
1331	01/25/2010	0.6243	1049.83	0.08	2.85	90.54	5.02	1.11	0.18	0.15	0.04	0.02	0.01	0.00	0.00	0.00
1331	01/24/2010	0.6249	1050.03	0.08	2.88	90.45	5.07	1.12	0.18	0.14	0.04	0.02	0.01	0.00	0.00	0.00
1331	01/23/2010	0.6243	1049.65	0.08	2.86	90.52	5.03	1.11	0.18	0.14	0.04	0.02	0.01	0.00	0.00	0.00
1331	01/22/2010	0.6243	1050.68	0.08	2.82	90.48	5.11	1.13	0.18	0.14	0.03	0.02	0.01	0.00	0.00	0.00
1331	01/21/2010	0.6244	1051.42	0.08	2.79	90.46	5.14	1.14	0.18	0.14	0.03	0.02	0.01	0.00	0.00	0.00
1331	01/20/2010	0.6240	1051.01	0.08	2.79	90.52	5.10	1.12	0.19	0.14	0.03	0.02	0.01	0.00	0.00	0.00
1331	01/19/2010	0.6231	1051.85	0.08	2.70	90.74	4.93	1.12	0.20	0.15	0.04	0.02	0.01	0.01	0.00	0.00
1331	01/18/2010	0.6245	1051.34	0.08	2.80	90.48	5.10	1.14	0.19	0.14	0.04	0.02	0.01	0.00	0.00	0.00
1331	01/17/2010	0.6257	1052.63	0.08	2.82	90.28	5.24	1.18	0.20	0.15	0.03	0.02	0.01	0.00	0.00	0.00
1331	01/16/2010	0.6232	1053.47	0.08	2.64	90.72	4.96	1.16	0.21	0.16	0.04	0.02	0.01	0.00	0.00	0.00
1331	01/15/2010	0.6179	1049.22	0.08	2.48	91.36	4.67	1.04	0.17	0.14	0.03	0.02	0.01	0.00	0.00	0.00
1331	01/14/2010	0.5780	1029.94	0.08	0.77	96.61	2.08	0.34	0.06	0.04	0.01	0.01	0.00	0.00	0.00	0.00
1331	01/13/2010	0.5649	1016.19	0.09	0.50	98.47	0.89	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/12/2010	0.5919	1039.10	0.09	1.26	94.73	3.08	0.62	0.10	0.08	0.02	0.01	0.01	0.00	0.00	0.00
1331	01/11/2010	0.6260	1055.83	0.09	2.72	90.25	5.30	1.21	0.20	0.15	0.04	0.02	0.01	0.00	0.00	0.00
1331	01/10/2010	0.6251	1050.45	0.08	2.88	90.43	5.10	1.12	0.19	0.15	0.04	0.02	0.01	0.00	0.00	0.00
1331	01/09/2010	0.6248	1049.69	0.08	2.89	90.48	5.05	1.11	0.19	0.14	0.04	0.02	0.01	0.00	0.00	0.00
1331	01/08/2010	0.5924	1037.39	0.08	1.37	94.63	3.13	0.59	0.09	0.07	0.02	0.01	0.00	0.00	0.00	0.00
1331	01/07/2010	0.6127	1044.02	0.09	2.36	92.09	4.21	0.91	0.15	0.12	0.03	0.02	0.01	0.00	0.00	0.00
1331	01/06/2010	0.5760	1019.57	0.09	1.05	96.84	1.89	0.10	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/05/2010	0.5688	1012.85	0.10	0.87	98.04	0.92	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/04/2010	0.5706	1013.11	0.10	0.97	97.82	1.02	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1331	01/03/2010	0.5714	1017.39	0.10	0.85	97.79	1.05	0.13	0.03	0.02	0.01	0.01	0.01	0.01	0.00	0.00
1331	01/02/2010	0.5714	1017.89	0.10	0.82	97.80	1.04	0.14	0.03	0.03	0.01	0.01	0.01	0.01	0.00	0.00
1331	01/01/2010	0.5758	1022.19	0.10	0.93	97.23	1.36	0.24	0.05	0.04	0.02	0.01	0.01	0.01	0.00	0.00
1331	12/31/2009	0.5729	1017.44	0.10	0.94	97.59	1.15	0.14	0.03	0.03	0.01	0.01	0.01	0.01	0.00	0.00
1331	12/30/2009	0.5721	1016.83	0.10	0.92	97.67	1.11	0.13	0.03	0.02	0.01	0.01	0.01	0.01	0.00	0.00
1331	12/29/2009	0.5821	1027.78	0.12	1.08	96.16	2.10	0.39	0.07	0.05	0.01	0.01	0.00	0.00	0.00	0.00
1331	12/28/2009	0.6134	1064.30	0.19	1.53	91.61	5.01	1.24	0.21	0.16	0.03	0.02	0.00	0.00	0.00	0.00
1331	12/27/2009	0.6143	1064.91	0.23	1.53	91.46	5.08	1.27	0.20	0.17	0.03	0.02	0.00	0.00	0.00	0.00
1331	12/26/2009	0.6126	1063.82	0.24	1.47	91.69	4.94	1.25	0.20	0.16	0.03	0.02	0.00	0.00	0.00	0.00
1331	12/25/2009	0.6165	1063.99	0.21	1.73	91.14	5.25	1.27	0.20	0.16	0.03	0.02	0.00	0.00	0.00	0.00
1331	12/24/2009	0.6159	1065.03	0.21	1.64	91.23	5.22	1.29	0.20	0.16	0.03	0.02	0.00	0.00	0.00	0.00
1331	12/23/2009	0.6162	1057.27	0.10	2.04	91.44	4.88	1.12	0.21	0.15	0.04	0.02	0.01	0.00	0.00	0.00
1331	12/22/2009	0.6245	1067.55	0.11	2.14	90.32	5.56	1.35	0.23	0.18	0.05	0.03	0.02	0.01	0.00	0.00
1331	12/21/2009	0.5682	1012.54	0.10	0.84	98.10	0.91	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/20/2009	0.5681	1011.90	0.10	0.86	98.14	0.86	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/19/2009	0.5679	1012.69	0.10	0.81	98.15	0.89	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/18/2009	0.5704	1013.89	0.10	0.92	97.82	1.07	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/17/2009	0.5793	1026.03	0.09	1.00	96.66	1.76	0.31	0.07	0.06	0.02	0.01	0.01	0.00	0.00	0.00

**White River Hub**  
**Average Daily Gas Quality Information**

**Meter Name = Wrh To Qpc**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1331	12/16/2009	0.5840	1037.28	0.09	0.85	95.97	2.30	0.52	0.12	0.09	0.03	0.02	0.01	0.00	0.00	0.00
1331	12/15/2009	0.5640	1017.22	0.09	0.40	98.56	0.89	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/14/2009	0.5672	1012.17	0.10	0.79	98.26	0.81	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1331	12/13/2009	0.5666	1012.22	0.10	0.75	98.34	0.77	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**Meter Name = Wrh To Rockies Express #1**

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1376	03/12/2010	0.5716	1011.42	0.10	1.09	97.66	1.10	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	03/11/2010	0.5711	1011.47	0.10	1.06	97.74	1.06	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	03/10/2010	0.5722	1011.25	0.10	1.14	97.58	1.13	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	03/09/2010	0.5719	1011.14	0.10	1.12	97.62	1.11	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	03/08/2010	0.5707	1011.33	0.10	1.04	97.79	1.03	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	03/07/2010	0.5710	1011.68	0.10	1.04	97.75	1.05	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	03/06/2010	0.5720	1012.65	0.11	1.07	97.60	1.14	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	03/05/2010	0.5727	1012.44	0.10	1.12	97.52	1.17	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	03/04/2010	0.5712	1011.12	0.10	1.08	97.73	1.04	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	03/03/2010	0.5714	1011.18	0.10	1.09	97.70	1.06	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	03/02/2010	0.5720	1012.09	0.10	1.09	97.62	1.11	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	03/01/2010	0.5718	1011.86	0.10	1.09	97.64	1.10	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/28/2010	0.5715	1011.84	0.10	1.07	97.69	1.08	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/27/2010	0.5723	1013.10	0.10	1.07	97.57	1.16	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/26/2010	0.5724	1013.15	0.10	1.07	97.56	1.16	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/25/2010	0.5717	1013.04	0.10	1.03	97.65	1.12	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/24/2010	0.5766	1017.50	0.10	1.16	96.89	1.68	0.12	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1376	02/23/2010	0.5941	1042.85	0.10	1.25	94.57	3.09	0.68	0.13	0.11	0.03	0.02	0.00	0.00	0.00	0.00
1376	02/22/2010	0.5724	1012.70	0.10	1.09	97.55	1.16	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/21/2010	0.5719	1012.36	0.10	1.08	97.63	1.10	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/20/2010	0.5714	1012.48	0.10	1.04	97.71	1.06	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/19/2010	0.5731	1016.01	0.10	1.00	97.45	1.27	0.13	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/18/2010	0.5730	1015.84	0.11	1.00	97.46	1.25	0.13	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/17/2010	0.5737	1017.18	0.11	0.99	97.34	1.35	0.16	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/16/2010	0.5707	1013.01	0.11	0.97	97.76	1.09	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/15/2010	0.5686	1013.52	0.11	0.82	98.06	0.93	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/14/2010	0.5719	1012.48	0.10	1.07	97.61	1.14	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	02/13/2010	0.5887	1036.61	0.10	1.15	95.26	2.70	0.54	0.10	0.08	0.02	0.02	0.00	0.00	0.00	0.00
1376	02/12/2010	0.5959	1042.84	0.10	1.36	94.29	3.25	0.70	0.13	0.11	0.03	0.02	0.00	0.00	0.00	0.00
1376	02/11/2010	0.5955	1042.41	0.10	1.34	94.35	3.22	0.69	0.13	0.10	0.03	0.02	0.00	0.00	0.00	0.00
1376	02/10/2010	0.5961	1043.56	0.10	1.34	94.29	3.23	0.72	0.13	0.11	0.03	0.02	0.00	0.00	0.00	0.00
1376	02/09/2010	0.5970	1044.55	0.10	1.35	94.21	3.26	0.73	0.14	0.12	0.04	0.02	0.00	0.00	0.00	0.00
1376	02/08/2010	0.5961	1044.84	0.10	1.29	94.35	3.19	0.72	0.14	0.12	0.04	0.03	0.00	0.00	0.00	0.00
1376	02/07/2010	0.5979	1045.85	0.10	1.36	94.16	3.26	0.74	0.15	0.13	0.04	0.03	0.00	0.00	0.00	0.00
1376	02/06/2010	0.5964	1044.16	0.10	1.33	94.36	3.14	0.71	0.14	0.12	0.04	0.03	0.00	0.00	0.00	0.00
1376	02/05/2010	0.5992	1046.45	0.10	1.42	94.01	3.30	0.76	0.16	0.13	0.05	0.03	0.00	0.00	0.00	0.00
1376	02/04/2010	0.5976	1045.03	0.10	1.37	94.15	3.28	0.74	0.15	0.12	0.04	0.02	0.00	0.00	0.00	0.00
1376	02/03/2010	0.5992	1046.62	0.10	1.41	93.97	3.35	0.77	0.16	0.13	0.04	0.03	0.00	0.00	0.00	0.00
1376	02/02/2010	0.5980	1046.86	0.10	1.32	94.12	3.29	0.77	0.15	0.13	0.04	0.03	0.00	0.00	0.00	0.00
1376	02/01/2010	0.5972	1046.22	0.10	1.30	94.24	3.22	0.76	0.15	0.13	0.04	0.03	0.00	0.00	0.00	0.00
1376	01/31/2010	0.5960	1044.88	0.10	1.28	94.39	3.14	0.72	0.15	0.12	0.04	0.03	0.00	0.00	0.00	0.00
1376	01/30/2010	0.5956	1045.51	0.10	1.23	94.44	3.15	0.71	0.15	0.12	0.04	0.03	0.00	0.00	0.00	0.00
1376	01/29/2010	0.5867	1033.47	0.10	1.15	95.59	2.45	0.49	0.09	0.07	0.02	0.01	0.00	0.00	0.00	0.00
1376	01/28/2010	0.5706	1013.53	0.10	0.94	97.77	1.10	0.07	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/27/2010	0.5722	1014.03	0.10	1.03	97.55	1.21	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/26/2010	0.5716	1011.99	0.11	1.06	97.65	1.13	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/25/2010	0.5717	1012.69	0.10	1.05	97.63	1.15	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/24/2010	0.5718	1012.52	0.10	1.06	97.61	1.16	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/23/2010	0.5722	1012.36	0.10	1.09	97.56	1.19	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/22/2010	0.5716	1012.32	0.10	1.06	97.64	1.14	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/21/2010	0.5723	1012.06	0.11	1.11	97.54	1.19	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/20/2010	0.5717	1011.44	0.10	1.09	97.65	1.10	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/19/2010	0.5720	1011.40	0.11	1.12	97.60	1.12	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/18/2010	0.5720	1011.85	0.10	1.10	97.59	1.15	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/17/2010	0.5718	1012.11	0.10	1.08	97.61	1.15	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/16/2010	0.5724	1012.10	0.10	1.11	97.53	1.20	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/15/2010	0.5829	1027.07	0.10	1.18	96.07	2.16	0.34	0.06	0.05	0.02	0.01	0.00	0.00	0.00	0.00
1376	01/14/2010	0.5710	1014.09	0.10	0.95	97.74	1.10	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/13/2010	0.5719	1011.74	0.10	1.10	97.61	1.14	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/12/2010	0.5800	1024.34	0.10	1.10	96.44	1.95	0.30	0.05	0.04	0.01	0.01	0.00	0.00	0.00	0.00
1376	01/11/2010	0.5823	1025.63	0.09	1.20	96.16	2.06	0.36	0.06	0.04	0.01	0.01	0.00	0.00	0.00	0.00
1376	01/10/2010	0.5714	1016.73	0.10	0.87	97.76	1.07	0.11	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00

**White River Hub  
Average Daily Gas Quality Information**

Meter Name = Wrh To Rockies Express #1

Meter	Date	Sp Gr	BTU	N2	CO2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9
1376	01/09/2010	0.5703	1012.14	0.10	0.98	97.84	1.02	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/08/2010	0.5699	1011.79	0.11	0.97	97.88	0.99	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/07/2010	0.5704	1011.60	0.11	1.00	97.83	1.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/06/2010	0.5761	1019.02	0.11	1.07	96.85	1.84	0.10	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/05/2010	0.5691	1012.70	0.10	0.88	98.01	0.94	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/04/2010	0.5706	1012.63	0.10	0.98	97.83	1.00	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1376	01/03/2010	0.5717	1017.33	0.10	0.86	97.77	1.03	0.13	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	01/02/2010	0.5716	1018.04	0.10	0.83	97.80	1.03	0.14	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	01/01/2010	0.5725	1018.37	0.10	0.87	97.69	1.07	0.15	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	12/31/2009	0.5731	1017.39	0.10	0.94	97.59	1.12	0.14	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00
1376	12/30/2009	0.5724	1016.87	0.10	0.93	97.66	1.09	0.13	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
1376	12/29/2009	0.5714	1014.45	0.10	0.96	97.74	1.07	0.09	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1376	12/28/2009	0.5712	1011.20	0.10	1.08	97.72	1.05	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/27/2009	0.5711	1011.28	0.11	1.06	97.73	1.05	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/26/2009	0.5706	1011.18	0.11	1.04	97.81	1.01	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/25/2009	0.5715	1011.11	0.10	1.10	97.69	1.06	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/24/2009	0.5702	1011.60	0.10	0.99	97.86	1.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/23/2009	0.5683	1012.79	0.11	0.83	98.12	0.88	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/22/2009	0.5675	1012.09	0.11	0.81	98.21	0.83	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/21/2009	0.5683	1012.25	0.11	0.85	98.10	0.90	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/20/2009	0.5681	1011.53	0.11	0.87	98.15	0.84	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/19/2009	0.5683	1012.42	0.11	0.85	98.10	0.89	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/18/2009	0.5681	1013.22	0.11	0.80	98.10	0.94	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/17/2009	0.5700	1014.70	0.11	0.86	97.92	0.98	0.08	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1376	12/16/2009	0.5685	1011.52	0.11	0.89	98.09	0.86	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/15/2009	0.5681	1011.44	0.10	0.87	98.16	0.83	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/14/2009	0.5673	1011.93	0.10	0.80	98.25	0.80	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1376	12/13/2009	0.5670	1012.09	0.11	0.78	98.28	0.79	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00